



## wwPDB EM Map Validation Summary Report ⓘ

Dec 9, 2020 – 02:08 pm GMT

EMDB ID : EMD-6323  
Title : CryoEM single particle reconstruction of prolate head of bacteriophage T4  
Authors : , Sun.L.; , Zhang.X.; , Gao.S.; , Rao.PA.; , Padilla-Sanchez.V.; , Chen.Z.; ,  
Sun.S.; , Xiang.Y.; , Rao.VB.; , Rossmann.MG.  
Deposited on : 2015-04-21  
Resolution : 10.00 Å(reported)

This is a wwPDB EM Map Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMMapValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : **FAILED**  
Validation Pipeline (wwPDB-VP) : 2.13

# 1 Experimental information

Property	Value	Source
EM reconstruction method	singleParticle	Depositor
Imposed symmetry	Not Provided	Depositor
Number of images used	13000	Depositor
Resolution determination method	OTHER	Depositor
CTF correction method	each particle	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	22.0	Depositor
Minimum defocus (nm)	1.0	Depositor
Maximum defocus (nm)	3.0	Depositor
Magnification	60521.0	Depositor
Image detector	KODAK SO-163 FILM	Depositor