



Full wwPDB X-ray Structure Validation Report ⓘ

May 11, 2024 – 10:08 AM EDT

PDB ID : 6CHY
Title : STRUCTURE OF CHEMOTAXIS PROTEIN CHEY
Authors : Zhu, X.; Rebello, J.; Matsumura, P.; Volz, K.
Deposited on : 1996-08-29
Resolution : 2.33 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.36.2
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.33 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	2193 (2.36-2.32)
Ramachandran outliers	138981	2159 (2.36-2.32)
Sidechain outliers	138945	2160 (2.36-2.32)
RSRZ outliers	127900	2067 (2.36-2.32)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	128	
1	B	128	

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 2133 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CHEY.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	128	Total	C	N	O	S	0	0	0
			974	621	161	186	6			
1	B	128	Total	C	N	O	S	0	0	0
			977	625	160	186	6			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	87	ILE	THR	engineered mutation	UNP P06143
A	106	TRP	TYR	engineered mutation	UNP P06143
B	87	ILE	THR	engineered mutation	UNP P06143
B	106	TRP	TYR	engineered mutation	UNP P06143

- Molecule 2 is SULFATE ION (three-letter code: SO₄) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	B	1	Total	O	S	0	0
			5	4	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	89	Total	O	0	0
			89	89		
3	B	88	Total	O	0	0
			88	88		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: CHEY



• Molecule 1: CHEY



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	95.78Å 76.70Å 32.64Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	10.00 – 2.33 30.90 – 2.33	Depositor EDS
% Data completeness (in resolution range)	72.5 (10.00-2.33) 72.6 (30.90-2.33)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	15.89 (at 2.34Å)	Xtriage
Refinement program	PROFFT	Depositor
R, R_{free}	0.185 , (Not available) 0.212 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	16.1	Xtriage
Anisotropy	0.245	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 76.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	2133	wwPDB-VP
Average B, all atoms (Å ²)	11.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.44% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.90	0/987	2.22	42/1330 (3.2%)
1	B	0.91	1/990 (0.1%)	2.18	45/1332 (3.4%)
All	All	0.90	1/1977 (0.1%)	2.20	87/2662 (3.3%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	117	GLU	CD-OE1	-6.08	1.19	1.25

All (87) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	22	ARG	NE-CZ-NH1	18.24	129.42	120.30
1	B	3	ASP	CB-CG-OD1	13.81	130.73	118.30
1	B	13	ASP	CB-CG-OD1	13.42	130.38	118.30
1	A	19	ARG	NE-CZ-NH1	13.24	126.92	120.30
1	A	75	ASP	CB-CG-OD2	-12.42	107.12	118.30
1	A	27	GLU	CA-CB-CG	12.37	140.62	113.40
1	B	22	ARG	CD-NE-CZ	11.70	139.98	123.60
1	B	67	GLU	OE1-CD-OE2	-10.33	110.91	123.30
1	A	75	ASP	OD1-CG-OD2	10.00	142.30	123.30
1	A	19	ARG	NE-CZ-NH2	-8.76	115.92	120.30
1	B	51	TYR	CB-CG-CD1	-8.73	115.76	121.00
1	A	75	ASP	CB-CG-OD1	-8.60	110.56	118.30
1	B	14	PHE	CB-CG-CD1	8.58	126.81	120.80
1	A	22	ARG	NE-CZ-NH2	-8.57	116.01	120.30
1	B	80	ALA	CA-C-N	8.39	135.66	117.20
1	B	14	PHE	CB-CG-CD2	-8.15	115.10	120.80
1	A	93	GLU	OE1-CD-OE2	-8.05	113.64	123.30
1	A	31	ASN	CA-CB-CG	7.92	130.82	113.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	118	GLU	OE1-CD-OE2	7.73	132.58	123.30
1	A	34	GLU	CA-CB-CG	7.73	130.40	113.40
1	B	81	LEU	N-CA-CB	-7.48	95.43	110.40
1	A	111	PHE	CB-CG-CD1	-7.33	115.67	120.80
1	B	51	TYR	CB-CG-CD2	6.99	125.19	121.00
1	A	19	ARG	CD-NE-CZ	6.83	133.16	123.60
1	B	67	GLU	CB-CG-CD	6.55	131.89	114.20
1	A	18	ARG	NE-CZ-NH1	6.53	123.56	120.30
1	A	71	THR	CA-CB-CG2	6.51	121.51	112.40
1	B	3	ASP	CB-CG-OD2	-6.46	112.49	118.30
1	B	32	ASN	C-N-CA	6.42	137.74	121.70
1	B	118	GLU	CA-CB-CG	6.39	127.45	113.40
1	A	38	ASP	CB-CG-OD2	-6.31	112.62	118.30
1	B	80	ALA	CA-C-O	-6.30	106.87	120.10
1	A	3	ASP	CB-CG-OD1	6.28	123.95	118.30
1	A	73	ARG	NE-CZ-NH1	6.25	123.43	120.30
1	A	111	PHE	CB-CG-CD2	6.17	125.12	120.80
1	B	126	LYS	N-CA-CB	6.12	121.61	110.60
1	B	89	GLU	OE1-CD-OE2	-6.12	115.96	123.30
1	A	12	ASP	CB-CG-OD1	-6.09	112.82	118.30
1	A	28	LEU	O-C-N	6.07	133.52	123.20
1	A	67	GLU	OE1-CD-OE2	6.05	130.56	123.30
1	B	118	GLU	CG-CD-OE2	-6.04	106.21	118.30
1	A	129	MET	CA-CB-CG	-6.02	103.07	113.30
1	B	115	THR	N-CA-CB	5.94	121.59	110.30
1	B	83	VAL	O-C-N	5.94	132.20	122.70
1	A	22	ARG	CD-NE-CZ	5.93	131.90	123.60
1	B	67	GLU	CA-CB-CG	5.92	126.42	113.40
1	B	59	ASN	CB-CA-C	5.89	122.18	110.40
1	B	8	PHE	CB-CG-CD1	-5.86	116.70	120.80
1	B	77	ALA	CB-CA-C	5.82	118.82	110.10
1	A	8	PHE	O-C-N	5.80	131.98	122.70
1	B	104	SER	N-CA-CB	5.75	119.13	110.50
1	B	111	PHE	N-CA-CB	5.70	120.86	110.60
1	A	14	PHE	CB-CG-CD2	-5.69	116.82	120.80
1	B	89	GLU	CG-CD-OE1	5.61	129.52	118.30
1	B	67	GLU	CG-CD-OE2	5.57	129.45	118.30
1	A	100	GLN	CB-CG-CD	5.57	126.08	111.60
1	A	64	ASP	CB-CG-OD2	-5.57	113.29	118.30
1	A	62	ASN	C-N-CA	5.55	135.56	121.70
1	B	102	GLY	N-CA-C	5.50	126.85	113.10
1	B	38	ASP	CB-CG-OD2	5.46	123.22	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	10	VAL	CA-CB-CG2	5.44	119.06	110.90
1	B	103	ALA	CB-CA-C	-5.43	101.96	110.10
1	B	73	ARG	NE-CZ-NH1	5.38	122.99	120.30
1	B	8	PHE	CB-CG-CD2	5.37	124.56	120.80
1	B	13	ASP	CB-CG-OD2	-5.35	113.48	118.30
1	B	46	LEU	CA-C-O	-5.35	108.87	120.10
1	A	100	GLN	CA-CB-CG	5.34	125.14	113.40
1	A	87	ILE	C-N-CA	5.29	134.93	121.70
1	A	27	GLU	CG-CD-OE2	-5.28	107.73	118.30
1	A	100	GLN	O-C-N	5.28	131.15	122.70
1	A	19	ARG	CB-CA-C	5.28	120.95	110.40
1	B	88	ALA	N-CA-CB	5.27	117.48	110.10
1	B	18	ARG	NE-CZ-NH1	5.25	122.92	120.30
1	B	35	GLU	CG-CD-OE1	-5.23	107.85	118.30
1	A	111	PHE	CB-CA-C	5.20	120.80	110.40
1	A	85	MET	CA-CB-CG	5.19	122.13	113.30
1	B	25	LEU	CB-CA-C	5.19	120.06	110.20
1	A	38	ASP	N-CA-CB	5.19	119.94	110.60
1	A	27	GLU	CB-CA-C	5.18	120.76	110.40
1	A	27	GLU	CG-CD-OE1	5.13	128.56	118.30
1	B	64	ASP	CB-CG-OD2	-5.12	113.69	118.30
1	A	28	LEU	CB-CG-CD1	-5.10	102.34	111.00
1	B	41	ASP	CB-CG-OD2	5.09	122.89	118.30
1	B	98	ALA	N-CA-CB	-5.08	103.00	110.10
1	B	127	LEU	CB-CA-C	5.06	119.81	110.20
1	B	27	GLU	OE1-CD-OE2	5.05	129.37	123.30
1	A	26	LYS	N-CA-CB	-5.04	101.53	110.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	974	0	982	62	0
1	B	977	0	995	60	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	5	0	0	0	0
3	A	89	0	0	8	0
3	B	88	0	0	7	0
All	All	2133	0	1977	118	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 30.

All (118) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:19:ARG:HH11	1:A:19:ARG:HB2	1.43	0.83
1:A:44:ASN:ND2	3:A:190:HOH:O	2.12	0.82
1:A:89:GLU:O	1:A:91:LYS:N	2.14	0.80
1:A:114:ALA:O	1:A:118:GLU:HG3	1.81	0.79
1:A:119:LYS:O	1:A:123:ILE:HG13	1.83	0.78
1:B:111:PHE:HA	3:B:481:HOH:O	1.85	0.77
1:B:87:ILE:HD12	1:B:89:GLU:O	1.86	0.75
1:A:92:LYS:NZ	1:B:93:GLU:HG3	2.01	0.75
1:A:96:ILE:O	1:A:100:GLN:HB2	1.89	0.73
1:B:82:PRO:HG3	1:B:129:MET:CE	2.19	0.73
1:A:66:LEU:O	1:A:70:LYS:HG3	1.89	0.73
1:A:66:LEU:HG	1:A:70:LYS:HE2	1.71	0.72
1:B:115:THR:O	1:B:118:GLU:HB3	1.89	0.72
1:B:7:LYS:HE2	1:B:34:GLU:HG2	1.73	0.71
1:B:43:LEU:O	1:B:47:GLN:HG2	1.90	0.70
1:B:129:MET:CE	3:B:420:HOH:O	2.41	0.68
1:B:14:PHE:CZ	1:B:16:THR:HB	2.28	0.68
1:A:43:LEU:HD12	1:A:63:MET:CE	2.25	0.67
1:A:19:ARG:HB2	1:A:19:ARG:NH1	2.10	0.66
1:A:86:VAL:CG1	1:A:109:LYS:HD3	2.26	0.66
1:B:59:ASN:O	1:B:60:MET:HG2	1.97	0.65
1:A:92:LYS:HZ2	1:B:93:GLU:HG3	1.63	0.63
1:B:82:PRO:HG3	1:B:129:MET:HE3	1.80	0.63
1:A:87:ILE:O	1:A:108:VAL:HA	1.99	0.63
1:A:82:PRO:HG3	1:A:127:LEU:HD23	1.82	0.61
1:B:44:ASN:N	1:B:44:ASN:OD1	2.33	0.61
1:B:83:VAL:HG12	1:B:85:MET:HE2	1.83	0.60
1:A:111:PHE:CE1	1:A:116:LEU:HB2	2.37	0.60
1:B:52:GLY:O	1:B:82:PRO:HD2	2.02	0.59
1:B:59:ASN:O	1:B:60:MET:CG	2.50	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:12:ASP:OD2	3:B:427:HOH:O	2.17	0.59
1:A:75:ASP:OD1	1:A:75:ASP:C	2.42	0.58
1:B:86:VAL:HG21	1:B:109:LYS:HB3	1.86	0.58
1:A:43:LEU:HD12	1:A:63:MET:HE1	1.86	0.58
1:B:24:LEU:HB3	1:B:116:LEU:HD23	1.85	0.58
1:B:106:TRP:O	1:B:119:LYS:NZ	2.35	0.58
1:B:17:MET:O	1:B:21:VAL:HG23	2.04	0.57
1:B:83:VAL:HG12	1:B:85:MET:CE	2.34	0.57
1:A:89:GLU:C	1:A:91:LYS:H	2.04	0.57
1:B:39:GLY:HA3	1:B:63:MET:SD	2.45	0.56
1:A:26:LYS:C	1:A:28:LEU:H	2.09	0.56
1:A:11:VAL:HG12	1:A:60:MET:SD	2.45	0.56
1:B:114:ALA:O	1:B:118:GLU:HB2	2.07	0.55
1:B:12:ASP:O	1:B:18:ARG:HD3	2.08	0.54
1:B:12:ASP:O	1:B:18:ARG:NH1	2.23	0.54
1:A:14:PHE:CE2	1:A:16:THR:HB	2.43	0.53
1:B:12:ASP:HB3	1:B:18:ARG:HG2	1.89	0.53
1:B:87:ILE:CD1	1:B:89:GLU:O	2.56	0.53
1:A:86:VAL:HG11	1:A:109:LYS:HD3	1.90	0.53
1:B:28:LEU:CD2	1:B:117:GLU:HB2	2.39	0.52
1:B:73:ARG:NH1	1:B:79:SER:O	2.42	0.52
1:B:14:PHE:CE2	1:B:16:THR:HB	2.45	0.52
1:B:22:ARG:NH2	3:B:417:HOH:O	2.23	0.52
1:A:112:THR:OG1	1:A:115:THR:HG23	2.10	0.51
1:B:83:VAL:CG1	1:B:85:MET:CE	2.88	0.51
1:A:26:LYS:O	1:A:28:LEU:N	2.44	0.51
1:B:83:VAL:CG1	1:B:85:MET:HE2	2.40	0.51
1:A:26:LYS:C	1:A:28:LEU:N	2.64	0.51
1:B:64:ASP:OD1	1:B:67:GLU:HG3	2.10	0.51
1:B:91:LYS:HB3	1:B:94:ASN:HB2	1.92	0.51
1:A:122:LYS:CB	1:A:122:LYS:NZ	2.75	0.50
1:A:118:GLU:OE1	3:A:188:HOH:O	2.20	0.50
1:B:96:ILE:O	1:B:100:GLN:HB2	2.11	0.50
1:B:28:LEU:HD22	1:B:117:GLU:HB2	1.94	0.50
1:A:2:ALA:N	3:A:200:HOH:O	2.46	0.49
1:A:99:ALA:HB3	3:A:218:HOH:O	2.12	0.49
1:B:8:PHE:CD1	1:B:53:PHE:HB3	2.48	0.49
1:B:82:PRO:HG3	1:B:129:MET:HE1	1.94	0.49
1:B:93:GLU:CD	1:B:93:GLU:H	2.17	0.48
1:B:129:MET:HE2	3:B:420:HOH:O	2.06	0.48
1:A:86:VAL:HG12	1:A:109:LYS:HD3	1.96	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:22:ARG:HH21	1:A:35:GLU:CD	2.17	0.47
1:A:14:PHE:CZ	1:A:16:THR:HB	2.50	0.47
1:A:2:ALA:HB2	1:A:124:PHE:CG	2.50	0.47
1:A:122:LYS:NZ	1:A:122:LYS:HB2	2.30	0.46
1:A:26:LYS:HB3	1:A:26:LYS:HE3	1.64	0.46
1:A:69:LEU:CD2	1:A:103:ALA:HB2	2.46	0.45
1:A:111:PHE:HE1	1:A:116:LEU:HB2	1.79	0.45
1:A:71:THR:O	1:A:75:ASP:HB2	2.17	0.45
1:B:24:LEU:HB3	1:B:116:LEU:CD2	2.46	0.44
1:A:93:GLU:OE2	1:B:92:LYS:NZ	2.49	0.44
1:A:27:GLU:O	1:A:28:LEU:HD23	2.17	0.44
1:A:82:PRO:HA	1:A:104:SER:OG	2.17	0.44
1:B:86:VAL:HG21	1:B:111:PHE:HE1	1.82	0.44
1:A:3:ASP:O	1:A:30:PHE:HE1	2.00	0.44
1:B:2:ALA:HB2	1:B:124:PHE:CG	2.52	0.44
1:A:9:LEU:HB2	1:A:51:TYR:CD1	2.52	0.44
1:A:45:LYS:HG2	3:A:132:HOH:O	2.17	0.43
1:A:67:GLU:O	1:A:68:LEU:C	2.56	0.43
1:A:81:LEU:HA	1:A:82:PRO:HD3	1.90	0.43
1:A:59:ASN:ND2	3:A:208:HOH:O	2.51	0.43
1:B:129:MET:HE1	3:B:420:HOH:O	2.09	0.43
1:B:2:ALA:HB3	1:B:124:PHE:CE2	2.54	0.43
1:B:66:LEU:HG	1:B:70:LYS:HE2	2.01	0.43
1:A:7:LYS:HA	1:A:32:ASN:O	2.18	0.42
1:A:69:LEU:HD21	1:A:103:ALA:N	2.34	0.42
1:A:7:LYS:HB3	1:A:51:TYR:HA	2.01	0.42
1:B:11:VAL:HG12	1:B:60:MET:SD	2.60	0.42
1:B:43:LEU:HD11	1:B:63:MET:HE1	2.01	0.42
1:A:69:LEU:HD22	1:A:103:ALA:HB2	1.99	0.42
1:A:111:PHE:HB2	1:A:115:THR:OG1	2.19	0.42
1:A:124:PHE:HA	1:A:129:MET:HB2	2.01	0.42
1:A:56:SER:O	1:A:85:MET:HE3	2.19	0.42
1:A:5:GLU:HG2	3:A:158:HOH:O	2.19	0.42
1:B:86:VAL:CG2	1:B:109:LYS:HB3	2.49	0.42
1:B:38:ASP:OD1	1:B:40:VAL:HB	2.20	0.42
1:A:114:ALA:O	1:A:118:GLU:CG	2.62	0.42
1:A:92:LYS:HZ1	1:B:93:GLU:HG3	1.83	0.41
1:B:28:LEU:HD22	1:B:117:GLU:CD	2.41	0.41
1:A:126:LYS:HE2	3:A:151:HOH:O	2.20	0.41
1:B:75:ASP:O	1:B:79:SER:HB3	2.20	0.41
1:A:7:LYS:HD3	1:A:51:TYR:CE1	2.57	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:45:LYS:O	1:A:48:ALA:HB3	2.21	0.40
1:B:8:PHE:CE1	1:B:53:PHE:HB3	2.56	0.40
1:A:24:LEU:HD22	1:A:113:ALA:HB2	2.02	0.40
1:B:20:ILE:HA	3:B:414:HOH:O	2.22	0.40
1:B:58:TRP:O	1:B:64:ASP:HB2	2.20	0.40
1:B:72:ILE:HD13	1:B:72:ILE:HG21	1.90	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	126/128 (98%)	116 (92%)	8 (6%)	2 (2%)	9	7
1	B	126/128 (98%)	116 (92%)	10 (8%)	0	100	100
All	All	252/256 (98%)	232 (92%)	18 (7%)	2 (1%)	19	20

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	90	ALA
1	A	27	GLU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	100/102 (98%)	86 (86%)	14 (14%)	3	3
1	B	101/102 (99%)	94 (93%)	7 (7%)	15	16
All	All	201/204 (98%)	180 (90%)	21 (10%)	7	6

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	26	LYS
1	A	27	GLU
1	A	31	ASN
1	A	34	GLU
1	A	57	ASP
1	A	59	ASN
1	A	71	THR
1	A	79	SER
1	A	87	ILE
1	A	100	GLN
1	A	115	THR
1	A	118	GLU
1	A	122	LYS
1	A	127	LEU
1	B	16	THR
1	B	35	GLU
1	B	37	GLU
1	B	44	ASN
1	B	57	ASP
1	B	58	TRP
1	B	119	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	23	ASN
1	A	100	GLN
1	B	31	ASN
1	B	62	ASN
1	B	100	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SO4	B	401	-	4,4,4	0.59	0	6,6,6	0.25	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	128/128 (100%)	0.02	2 (1%) 72 80	2, 10, 24, 32	2 (1%)
1	B	128/128 (100%)	-0.16	0 100 100	2, 8, 16, 21	0
All	All	256/256 (100%)	-0.07	2 (0%) 86 90	2, 9, 19, 32	2 (0%)

All (2) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	90	ALA	5.2
1	A	89	GLU	3.6

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	SO4	B	401	5/5	0.96	0.17	50,50,51,51	0

6.5 Other polymers [i](#)

There are no such residues in this entry.