



Full wwPDB X-ray Structure Validation Report i

Aug 29, 2020 – 06:17 PM BST

PDB ID : 6SL3
Title : ALPHA-ACTININ FROM ENTAMOEBA HISTOLYTICA in orthorhombic space group
Authors : Pinotsis, N.; Khan, M.B.; Djinovic-Carugo, K.
Deposited on : 2019-08-18
Resolution : 3.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the i symbol.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.13
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.13


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1094 (3.10-3.10)
Clashscore	141614	1184 (3.10-3.10)
Ramachandran outliers	138981	1141 (3.10-3.10)
Sidechain outliers	138945	1141 (3.10-3.10)
RSRZ outliers	127900	1067 (3.10-3.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain			
1	A	619	4%	67%	31%	.

2 Entry composition i

There are 2 unique types of molecules in this entry. The entry contains 4731 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Calponin homology domain protein putative.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	618	4730	2958	790	960	22	0	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	247	LEU	PHE	conflict	UNP C4LWU6
A	435	GLY	GLU	conflict	UNP C4LWU6


- Molecule 2 is CALCIUM ION (three-letter code: CA) (formula: Ca) (labeled as "Ligand of Interest" by author).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Ca	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Calponin homology domain protein putative



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	43.21Å 71.83Å 241.68Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	46.23 – 3.10 46.24 – 3.10	Depositor EDS
% Data completeness (in resolution range)	99.1 (46.23-3.10) 99.1 (46.24-3.10)	Depositor EDS
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ ¹	1.23 (at 3.12Å)	Xtriage
Refinement program	REFMAC	Depositor
R , R_{free}	0.259 , 0.325 0.278 , 0.345	Depositor DCC
R_{free} test set	2059 reflections (14.42%)	wwPDB-VP
Wilson B-factor (Å ²)	114.4	Xtriage
Anisotropy	0.676	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 43.6	EDS
L-test for twinning ²	$< L > = 0.47$, $< L^2 > = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	4731	wwPDB-VP
Average B, all atoms (Å ²)	85.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.38% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section:
CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z > 5	RMSZ	# Z > 5
1	A	0.70	1/4809 (0.0%)	0.86	5/6528 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	258	TYR	CE1-CZ	5.34	1.45	1.38

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	510	ARG	NE-CZ-NH1	-5.92	117.34	120.30
1	A	369	LEU	CA-CB-CG	5.83	128.70	115.30
1	A	391	ARG	NE-CZ-NH2	-5.75	117.42	120.30
1	A	324	LEU	CB-CG-CD2	5.26	119.94	111.00
1	A	451	ASP	CB-CG-OD1	5.16	122.94	118.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	541	GLY	Peptide

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4730	0	4437	187	2
2	A	1	0	0	0	0
All	All	4731	0	4437	187	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 20.

All (187) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:531:TYR:HA	1:A:534:ILE:HG22	1.23	1.18
1:A:513:LEU:HD11	1:A:518:LEU:HB2	1.29	1.15
1:A:510:ARG:NH1	1:A:528:ASP:HB2	1.61	1.14
1:A:510:ARG:HH12	1:A:528:ASP:CB	1.62	1.13
1:A:583:GLU:HG2	1:A:587:GLN:HE21	1.07	1.11
1:A:316:LEU:O	1:A:320:ILE:HD12	1.53	1.08
1:A:510:ARG:NH1	1:A:528:ASP:CB	2.18	1.07
1:A:513:LEU:CD1	1:A:518:LEU:HB2	1.86	1.05
1:A:243:ASN:O	1:A:247:LEU:HD13	1.59	1.03
1:A:581:ILE:HD11	1:A:612:TYR:HD2	1.23	1.02
1:A:60:CYS:HB2	1:A:73:ASN:OD1	1.59	1.02
1:A:329:ARG:HD3	1:A:330:PRO:HD2	1.41	1.01
1:A:490:LYS:HD3	1:A:547:PHE:CE2	2.00	0.97
1:A:516:MET:HB2	1:A:518:LEU:CD2	1.93	0.97
1:A:531:TYR:HA	1:A:534:ILE:CG2	1.95	0.95
1:A:583:GLU:HG2	1:A:587:GLN:NE2	1.84	0.92
1:A:498:GLY:N	1:A:508:GLU:OE1	2.03	0.92
1:A:581:ILE:HD12	1:A:610:TYR:O	1.70	0.91
1:A:91:ILE:HG12	1:A:103:LEU:HD23	1.49	0.91
1:A:425:PRO:HG2	1:A:426:PRO:HD3	1.54	0.89
1:A:581:ILE:HD11	1:A:612:TYR:CD2	2.12	0.83
1:A:469:TYR:CD1	1:A:487:GLN:NE2	2.45	0.83
1:A:292:ILE:HG13	1:A:361:LEU:HD13	1.60	0.83
1:A:391:ARG:NH2	1:A:458:GLN:OE1	2.12	0.83
1:A:167:ARG:HH21	1:A:170:LEU:HD22	1.44	0.82

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:482:THR:HB	1:A:485:GLN:HB2	1.60	0.82
1:A:261:ARG:HH21	1:A:309:GLU:CD	1.83	0.82
1:A:316:LEU:O	1:A:320:ILE:CD1	2.27	0.81
1:A:586:MET:HE1	1:A:596:ILE:HA	1.63	0.81
1:A:531:TYR:CA	1:A:534:ILE:HG22	2.11	0.77
1:A:379:PRO:HB2	1:A:427:ILE:HD11	1.66	0.77
1:A:423:GLN:O	1:A:426:PRO:HD2	1.84	0.76
1:A:516:MET:CB	1:A:518:LEU:HD21	2.16	0.75
1:A:516:MET:CB	1:A:518:LEU:CD2	2.65	0.73
1:A:539:THR:HB	1:A:542:GLU:HB3	1.70	0.73
1:A:516:MET:HB2	1:A:518:LEU:HD21	1.69	0.73
1:A:490:LYS:CD	1:A:547:PHE:HE2	2.01	0.73
1:A:490:LYS:CD	1:A:547:PHE:CE2	2.73	0.72
1:A:563:SER:HB3	1:A:564:PRO:HD2	1.73	0.70
1:A:575:ALA:HA	1:A:585:ASP:OD2	1.91	0.70
1:A:425:PRO:CG	1:A:426:PRO:HD3	2.23	0.69
1:A:109:TRP:HH2	1:A:218:MET:SD	2.15	0.69
1:A:22:VAL:HG13	1:A:49:LEU:HD22	1.74	0.68
1:A:329:ARG:CD	1:A:330:PRO:HD2	2.21	0.67
1:A:510:ARG:HH12	1:A:528:ASP:CG	1.97	0.67
1:A:394:VAL:HB	1:A:463:PHE:CE1	2.31	0.66
1:A:505:ASP:OD1	1:A:508:GLU:OE2	2.15	0.65
1:A:53:ILE:CD1	1:A:111:LEU:HD21	2.27	0.65
1:A:316:LEU:HG	1:A:320:ILE:HD11	1.80	0.64
1:A:343:LEU:HA	1:A:346:TYR:CD1	2.33	0.64
1:A:261:ARG:NH2	1:A:309:GLU:CD	2.51	0.64
1:A:510:ARG:NH1	1:A:528:ASP:HB3	2.11	0.63
1:A:390:TYR:OH	1:A:416:GLU:OE1	2.12	0.63
1:A:150:SER:OG	1:A:214:GLU:HG3	1.99	0.62
1:A:485:GLN:O	1:A:489:PHE:CD1	2.52	0.62
1:A:410:LEU:HB3	1:A:467:ILE:HD11	1.82	0.62
1:A:513:LEU:HD12	1:A:518:LEU:HD23	1.82	0.61
1:A:423:GLN:C	1:A:426:PRO:HD2	2.20	0.61
1:A:228:PHE:HA	1:A:233:GLN:HG3	1.80	0.61
1:A:518:LEU:H	1:A:518:LEU:HD22	1.64	0.61
1:A:580:SER:HB3	1:A:609:GLY:HA3	1.82	0.61
1:A:536:ASN:O	1:A:539:THR:O	2.19	0.60
1:A:316:LEU:HG	1:A:320:ILE:CD1	2.31	0.60
1:A:583:GLU:O	1:A:587:GLN:HG3	2.02	0.60
1:A:167:ARG:HG3	1:A:233:GLN:HE22	1.66	0.59
1:A:583:GLU:CG	1:A:587:GLN:HE21	1.99	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:410:LEU:CB	1:A:467:ILE:HD11	2.32	0.59
1:A:53:ILE:HD12	1:A:111:LEU:HD21	1.83	0.59
1:A:428:GLU:HB2	1:A:449:PHE:CZ	2.37	0.59
1:A:485:GLN:O	1:A:489:PHE:CE1	2.56	0.59
1:A:422:ALA:O	1:A:425:PRO:HD2	2.03	0.58
1:A:603:LEU:HD21	1:A:615:TRP:CE2	2.39	0.58
1:A:485:GLN:HG2	1:A:489:PHE:HE1	1.69	0.57
1:A:258:TYR:HB2	1:A:316:LEU:HD23	1.85	0.57
1:A:469:TYR:HD1	1:A:487:GLN:HE21	1.48	0.56
1:A:288:VAL:HG12	1:A:365:MET:HE2	1.86	0.56
1:A:345:GLY:O	1:A:348:ALA:HB3	2.05	0.56
1:A:505:ASP:CG	1:A:508:GLU:OE2	2.44	0.56
1:A:312:ASP:O	1:A:315:THR:HB	2.06	0.55
1:A:2:ALA:C	1:A:4:SER:H	2.11	0.54
1:A:518:LEU:N	1:A:518:LEU:HD22	2.22	0.54
1:A:592:SER:O	1:A:596:ILE:HG13	2.07	0.54
1:A:490:LYS:HD2	1:A:547:PHE:HE2	1.72	0.54
1:A:421:GLU:HB2	1:A:456:TYR:OH	2.07	0.54
1:A:496:PHE:CE2	1:A:512:CYS:HA	2.43	0.54
1:A:17:THR:HG21	1:A:201:LEU:HD23	1.90	0.54
1:A:109:TRP:CH2	1:A:218:MET:SD	3.00	0.54
1:A:138:LYS:HB3	1:A:165:ARG:HG2	1.90	0.54
1:A:298:TYR:CZ	1:A:303:LYS:HB2	2.43	0.54
1:A:513:LEU:HD12	1:A:518:LEU:HB2	1.83	0.53
1:A:442:ASN:O	1:A:443:GLU:HB3	2.08	0.53
1:A:516:MET:HB3	1:A:518:LEU:HD21	1.87	0.53
1:A:227:VAL:O	1:A:230:SER:HB3	2.08	0.53
1:A:485:GLN:HG2	1:A:489:PHE:CE1	2.44	0.53
1:A:170:LEU:HD21	1:A:194:GLU:HB3	1.90	0.52
1:A:25:HIS:ND1	1:A:53:ILE:HG22	2.24	0.52
1:A:410:LEU:HB2	1:A:467:ILE:CD1	2.40	0.52
1:A:431:GLU:OE2	1:A:449:PHE:HB3	2.09	0.52
1:A:262:ALA:HA	1:A:313:LEU:HD11	1.92	0.51
1:A:509:PHE:CE1	1:A:531:TYR:HE1	2.28	0.51
1:A:167:ARG:CD	1:A:233:GLN:NE2	2.74	0.51
1:A:528:ASP:O	1:A:531:TYR:HB3	2.10	0.51
1:A:95:ASP:OD1	1:A:96:ILE:N	2.45	0.50
1:A:378:ASP:N	1:A:379:PRO:HD2	2.27	0.50
1:A:373:ARG:HD3	1:A:442:ASN:O	2.11	0.50
1:A:261:ARG:NH2	1:A:309:GLU:OE2	2.42	0.50
1:A:552:GLN:O	1:A:556:GLU:HG3	2.12	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:390:TYR:CB	1:A:417:LEU:HD12	2.41	0.50
1:A:74:LEU:HD12	1:A:97:VAL:HG23	1.94	0.50
1:A:586:MET:CE	1:A:596:ILE:HA	2.40	0.49
1:A:422:ALA:C	1:A:425:PRO:HD2	2.33	0.49
1:A:93:PRO:O	1:A:97:VAL:HG23	2.13	0.49
1:A:197:ILE:HD12	1:A:224:LEU:HD23	1.93	0.49
1:A:342:SER:O	1:A:346:TYR:CD1	2.66	0.49
1:A:69:GLN:HA	1:A:72:GLU:HB2	1.93	0.49
1:A:92:GLY:O	1:A:95:ASP:OD1	2.30	0.49
1:A:223:ALA:O	1:A:227:VAL:HG23	2.13	0.49
1:A:410:LEU:CB	1:A:467:ILE:CD1	2.91	0.48
1:A:417:LEU:HD11	1:A:459:THR:HG22	1.95	0.48
1:A:509:PHE:HE1	1:A:531:TYR:HE1	1.61	0.48
1:A:109:TRP:O	1:A:113:LEU:HG	2.14	0.48
1:A:411:LYS:HG3	1:A:467:ILE:HD12	1.95	0.48
1:A:191:ALA:HA	1:A:195:LEU:HB2	1.95	0.48
1:A:343:LEU:HA	1:A:346:TYR:HD1	1.75	0.48
1:A:167:ARG:HD2	1:A:233:GLN:HE21	1.78	0.47
1:A:74:LEU:HD13	1:A:96:ILE:HD12	1.95	0.47
1:A:397:GLU:O	1:A:397:GLU:HG2	2.13	0.47
1:A:505:ASP:N	1:A:505:ASP:OD1	2.47	0.47
1:A:167:ARG:CD	1:A:233:GLN:HE21	2.27	0.47
1:A:285:TYR:HB2	1:A:368:CYS:SG	2.55	0.47
1:A:424:LEU:N	1:A:425:PRO:HD2	2.28	0.47
1:A:117:ILE:HG21	1:A:131:LEU:HD22	1.97	0.47
1:A:526:GLY:O	1:A:528:ASP:OD1	2.32	0.47
1:A:258:TYR:CE2	1:A:317:PHE:HB2	2.49	0.47
1:A:496:PHE:HD2	1:A:512:CYS:HB2	1.81	0.46
1:A:387:ILE:HD13	1:A:456:TYR:HB2	1.98	0.46
1:A:490:LYS:HA	1:A:547:PHE:CZ	2.51	0.46
1:A:513:LEU:HD11	1:A:518:LEU:CB	2.22	0.46
1:A:340:PRO:HA	1:A:343:LEU:HB2	1.97	0.46
1:A:163:ILE:HD11	1:A:171:LEU:CB	2.46	0.45
1:A:255:VAL:O	1:A:259:GLU:HG3	2.15	0.45
1:A:309:GLU:HA	1:A:309:GLU:OE1	2.16	0.45
1:A:615:TRP:CD1	1:A:615:TRP:N	2.82	0.45
1:A:603:LEU:CD2	1:A:615:TRP:NE1	2.79	0.45
1:A:112:ILE:HD13	1:A:219:THR:HG23	1.99	0.45
1:A:111:LEU:HD23	1:A:111:LEU:C	2.37	0.45
1:A:287:GLN:O	1:A:290:GLU:HB3	2.17	0.44
1:A:425:PRO:CD	1:A:426:PRO:HD3	2.47	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:342:SER:C	1:A:346:TYR:CE1	2.91	0.44
1:A:387:ILE:CD1	1:A:456:TYR:HB2	2.47	0.44
1:A:1:MET:O	1:A:4:SER:HB3	2.16	0.44
1:A:485:GLN:O	1:A:489:PHE:HD1	1.96	0.44
1:A:535:TYR:O	1:A:539:THR:HG23	2.18	0.44
1:A:167:ARG:HD2	1:A:233:GLN:NE2	2.33	0.44
1:A:570:ILE:O	1:A:574:ILE:HG12	2.18	0.44
1:A:579:ASP:O	1:A:612:TYR:CE2	2.71	0.43
1:A:91:ILE:HG12	1:A:103:LEU:CD2	2.35	0.43
1:A:516:MET:HB2	1:A:518:LEU:HD22	1.90	0.43
1:A:603:LEU:HD23	1:A:615:TRP:NE1	2.33	0.43
1:A:603:LEU:CD2	1:A:615:TRP:CE2	3.01	0.43
1:A:280:GLU:HG3	1:A:280:GLU:O	2.17	0.43
1:A:342:SER:C	1:A:346:TYR:HE1	2.21	0.43
1:A:225:TYR:CD1	1:A:225:TYR:C	2.92	0.43
1:A:425:PRO:O	1:A:429:GLU:HG2	2.18	0.43
1:A:410:LEU:HD11	1:A:466:LYS:HD3	2.00	0.43
1:A:476:GLU:HG2	1:A:481:VAL:O	2.19	0.43
1:A:481:VAL:O	1:A:481:VAL:HG23	2.18	0.43
1:A:179:ASP:HB3	1:A:182:ALA:HB3	2.01	0.42
1:A:490:LYS:HD3	1:A:547:PHE:CZ	2.52	0.42
1:A:599:VAL:HG13	1:A:603:LEU:HD12	2.02	0.42
1:A:393:PHE:CE2	1:A:413:LYS:HG3	2.55	0.42
1:A:448:SER:OG	1:A:449:PHE:N	2.52	0.42
1:A:258:TYR:C	1:A:258:TYR:CD1	2.92	0.42
1:A:292:ILE:HD12	1:A:365:MET:HE2	2.01	0.42
1:A:339:ASP:OD1	1:A:342:SER:OG	2.26	0.42
1:A:167:ARG:HG3	1:A:233:GLN:NE2	2.34	0.41
1:A:136:GLN:HG2	1:A:146:VAL:HG13	2.02	0.41
1:A:583:GLU:HG3	1:A:596:ILE:HG21	2.02	0.41
1:A:23:ASN:HA	1:A:26:LEU:HB2	2.02	0.41
1:A:281:PRO:HA	1:A:291:GLN:OE1	2.21	0.41
1:A:21:TRP:HH2	1:A:111:LEU:HD22	1.86	0.41
1:A:48:ALA:HA	1:A:51:GLU:HG2	2.02	0.41
1:A:603:LEU:HG	1:A:615:TRP:CZ2	2.56	0.41
1:A:447:VAL:HG12	1:A:448:SER:N	2.36	0.41
1:A:282:SER:HB3	1:A:288:VAL:CG2	2.51	0.40
1:A:518:LEU:H	1:A:518:LEU:CD2	2.34	0.40
1:A:342:SER:O	1:A:346:TYR:CE1	2.75	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:72:GLU:OE2	1:A:72:GLU:OE2[3_554]	1.40	0.80
1:A:242:GLY:CA	1:A:595:GLN:NE2[3_655]	2.18	0.02

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	616/619 (100%)	584 (95%)	27 (4%)	5 (1%)	19 54

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	85	ASP
1	A	497	ASP
1	A	3	ASP
1	A	421	GLU
1	A	199	LYS

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	488/530 (92%)	467 (96%)	21 (4%)	29 62

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	75	ASP
1	A	79	ARG
1	A	96	ILE
1	A	133	LEU
1	A	163	ILE
1	A	179	ASP
1	A	252	GLU
1	A	275	LYS
1	A	300	LYS
1	A	307	ILE
1	A	328	LYS
1	A	372	LEU
1	A	439	ILE
1	A	453	GLN
1	A	505	ASP
1	A	515	SER
1	A	519	ILE
1	A	523	PHE
1	A	539	THR
1	A	602	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	100	ASN
1	A	208	ASN
1	A	231	ASN
1	A	233	GLN
1	A	243	ASN
1	A	277	ASN
1	A	287	GLN
1	A	453	GLN
1	A	536	ASN
1	A	587	GLN

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [\(i\)](#)

Of 1 ligands modelled in this entry, 1 is monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	618/619 (99%)	0.10	27 (4%) 34 17	39, 82, 133, 183	0

All (27) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	4	SER	7.3
1	A	40	PHE	5.4
1	A	85	ASP	5.0
1	A	217	VAL	4.1
1	A	1	MET	4.1
1	A	124	GLY	4.1
1	A	218	MET	4.0
1	A	3	ASP	3.7
1	A	194	GLU	3.7
1	A	71	THR	3.6
1	A	117	ILE	3.6
1	A	64	PRO	3.6
1	A	571	PHE	3.5
1	A	34	ASN	3.4
1	A	6	LEU	3.2
1	A	201	LEU	3.1
1	A	521	ILE	2.9
1	A	240	ARG	2.8
1	A	33	ILE	2.6
1	A	202	ASP	2.5
1	A	195	LEU	2.4
1	A	86	VAL	2.4
1	A	179	ASP	2.3
1	A	84	ARG	2.1
1	A	180	ASP	2.1
1	A	81	ILE	2.0
1	A	254	MET	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)


There are no monosaccharides in this entry.

6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	CA	A	701	1/1	0.86	0.27	199,199,199,199	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.