



Full wwPDB X-ray Structure Validation Report i

Nov 21, 2023 – 02:01 PM JST

PDB ID : 7V6F
Title : Structure of Candida albicans Fructose-1,6-bisphosphate aldolase complexed with G3P
Authors : Hongxuan, C.; Huang, Y.; Han, C.; Chen, W.; Ren, Y.; Wan, J.
Deposited on : 2021-08-20
Resolution : 2.98 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The types of validation reports are described at
<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) i) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.98 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2754 (3.00-2.96)
Clashscore	141614	3103 (3.00-2.96)
Ramachandran outliers	138981	2993 (3.00-2.96)
Sidechain outliers	138945	2996 (3.00-2.96)
RSRZ outliers	127900	2644 (3.00-2.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



2 Entry composition [\(i\)](#)

There are 4 unique types of molecules in this entry. The entry contains 5169 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Fructose-bisphosphate aldolase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	335	Total	C 2558	N 1631	O 428	S 490	9	0	0
1	B	337	Total	C 2584	N 1650	O 433	S 492	9	0	0


There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	359	HIS	-	expression tag	UNP Q9URB4
A	360	HIS	-	expression tag	UNP Q9URB4
A	361	HIS	-	expression tag	UNP Q9URB4
A	362	HIS	-	expression tag	UNP Q9URB4
A	363	HIS	-	expression tag	UNP Q9URB4
A	364	HIS	-	expression tag	UNP Q9URB4
B	359	HIS	-	expression tag	UNP Q9URB4
B	360	HIS	-	expression tag	UNP Q9URB4
B	361	HIS	-	expression tag	UNP Q9URB4
B	362	HIS	-	expression tag	UNP Q9URB4
B	363	HIS	-	expression tag	UNP Q9URB4
B	364	HIS	-	expression tag	UNP Q9URB4

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Zn 1 1	0	0
2	B	1	Total	Zn 1 1	0	0

- Molecule 3 is GLYCERALDEHYDE-3-PHOSPHATE (three-letter code: G3H) (formula: C₃H₇O₆P) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O P 10 3 6 1	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	8	Total O 8 8	0	0
4	B	7	Total O 7 7	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Fructose-bisphosphate aldolase



- Molecule 1: Fructose-bisphosphate aldolase



4 Data and refinement statistics i

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	119.46 Å 56.57 Å 131.75 Å 90.00° 113.43° 90.00°	Depositor
Resolution (Å)	43.68 – 2.98 43.68 – 2.98	Depositor EDS
% Data completeness (in resolution range)	99.7 (43.68-2.98) 99.7 (43.68-2.98)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ ¹	7.11 (at 3.01 Å)	Xtriage
Refinement program	REFMAC 5.8.0257	Depositor
R , R_{free}	0.217 , 0.280 0.233 , 0.297	Depositor DCC
R_{free} test set	833 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	52.5	Xtriage
Anisotropy	0.263	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 57.0	EDS
L-test for twinning ²	$< L > = 0.50$, $< L^2 > = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	5169	wwPDB-VP
Average B, all atoms (Å ²)	55.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.92% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, G3H

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.67	1/2616 (0.0%)	0.82	0/3545
1	B	0.79	0/2642	0.84	2/3578 (0.1%)
All	All	0.73	1/5258 (0.0%)	0.83	2/7123 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	67	TYR	CE1-CZ	-5.92	1.30	1.38

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	311	LYS	N-CA-C	6.09	127.44	111.00
1	B	58	LEU	CA-CB-CG	5.59	128.17	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2558	0	2491	119	0
1	B	2584	0	2541	104	0
2	A	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	1	0	0	0	0
3	A	10	0	5	1	0
4	A	8	0	0	0	0
4	B	7	0	0	0	0
All	All	5169	0	5037	214	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 21.

All (214) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:201:VAL:HG11	1:A:243:HIS:CD2	1.80	1.16
1:B:312:ALA:H	1:B:313:PRO:HD2	0.94	1.10
1:B:312:ALA:H	1:B:313:PRO:CD	1.66	1.09
1:A:201:VAL:HG11	1:A:243:HIS:HD2	1.07	1.08
1:B:270:THR:HG22	1:B:273:GLU:HG3	1.35	1.07
1:A:141:MET:HE1	1:A:264:HIS:HE1	1.18	1.05
1:A:141:MET:HE1	1:A:264:HIS:CE1	1.93	1.03
1:B:312:ALA:N	1:B:313:PRO:HD2	1.68	1.01
1:A:316:ASN:CB	1:A:317:PRO:CD	2.47	0.93
1:A:316:ASN:CB	1:A:317:PRO:HD3	1.99	0.92
1:A:141:MET:CE	1:A:264:HIS:CE1	2.54	0.90
1:A:316:ASN:HB2	1:A:317:PRO:CD	2.02	0.89
1:B:312:ALA:N	1:B:313:PRO:CD	2.29	0.87
1:A:141:MET:CE	1:A:264:HIS:HE1	1.87	0.87
1:B:141:MET:CE	1:B:264:HIS:HE1	1.88	0.87
1:A:163:MET:CE	1:A:170:LEU:HB2	2.06	0.86
1:B:318:GLU:HB3	1:B:322:LYS:HB2	1.56	0.86
1:A:201:VAL:CG1	1:A:243:HIS:HD2	1.89	0.86
1:B:313:PRO:HB3	1:B:320:ALA:HA	1.56	0.85
1:B:139:SER:HB3	1:B:169:TRP:HB3	1.60	0.83
1:A:62:GLN:HG3	1:A:114:LEU:HD13	1.60	0.83
1:A:163:MET:HE2	1:A:170:LEU:HB2	1.61	0.82
1:A:312:ALA:HB3	1:A:313:PRO:HD3	1.61	0.82
1:A:83:ALA:O	1:A:86:ILE:HG13	1.81	0.81
1:A:277:ALA:O	1:A:282:VAL:HG12	1.81	0.80
1:A:345:ILE:O	1:A:349:LEU:HG	1.82	0.80
1:A:122:LEU:HD13	1:A:162:ARG:HD3	1.63	0.80
1:B:141:MET:HE1	1:B:264:HIS:HE1	1.46	0.79
1:A:201:VAL:CG1	1:A:243:HIS:CD2	2.65	0.79

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:24:ALA:HA	1:A:29:PHE:CE1	2.17	0.78
1:A:274:PHE:O	1:A:278:ILE:HG12	1.83	0.78
1:B:141:MET:HG3	1:B:171:GLU:HG2	1.66	0.77
1:B:5:VAL:HA	1:B:8:LYS:HG3	1.66	0.77
1:B:352:PHE:HB2	1:B:354:THR:HG22	1.67	0.76
1:B:153:ILE:HD12	1:B:153:ILE:O	1.86	0.75
1:B:126:GLU:HA	1:B:166:MET:HE1	1.68	0.75
1:A:244:GLN:OE1	1:A:258:PRO:HD2	1.87	0.74
1:B:127:GLU:O	1:B:131:LYS:HD3	1.87	0.74
1:A:239:ILE:HG22	1:A:243:HIS:HE1	1.53	0.73
1:A:316:ASN:HB2	1:A:317:PRO:HD2	1.71	0.71
1:A:52:ASN:HB3	1:A:355:LYS:HG3	1.73	0.71
1:A:316:ASN:HB3	1:A:317:PRO:HD3	1.72	0.70
1:A:265:GLY:H	3:A:602:G3H:HG31	1.55	0.69
1:B:314:VAL:HG13	1:B:317:PRO:HD2	1.74	0.69
1:A:316:ASN:HB2	1:A:317:PRO:HD3	1.64	0.69
1:B:160:PHE:CZ	1:B:212:SER:HB3	2.29	0.68
1:B:120:GLY:O	1:B:123:LYS:HB3	1.94	0.67
1:B:141:MET:CE	1:B:264:HIS:CE1	2.77	0.67
1:A:262:VAL:HG13	1:A:284:LYS:HG3	1.76	0.67
1:A:126:GLU:HA	1:A:166:MET:SD	2.35	0.66
1:B:272:GLU:O	1:B:276:THR:HG23	1.94	0.66
1:B:324:ASN:N	1:B:324:ASN:OD1	2.26	0.66
1:A:196:THR:HG21	1:A:219:ALA:HB1	1.78	0.65
1:A:11:VAL:HG21	1:A:93:ARG:HG2	1.77	0.65
1:B:313:PRO:CB	1:B:320:ALA:HA	2.27	0.65
1:B:324:ASN:O	1:B:328:PHE:CD2	2.49	0.65
1:A:163:MET:HE1	1:A:170:LEU:HB2	1.79	0.65
1:A:50:ARG:HA	1:A:101:ILE:HD11	1.80	0.64
1:B:111:ALA:HA	1:B:143:ASP:O	1.98	0.64
1:B:251:ILE:HG22	1:B:253:THR:OG1	1.98	0.64
1:A:346:ALA:HA	1:A:349:LEU:HD11	1.81	0.63
1:B:141:MET:HE3	1:B:264:HIS:CE1	2.33	0.63
1:B:96:ALA:N	1:B:97:PRO:HD2	2.14	0.62
1:A:314:VAL:HG23	1:A:314:VAL:O	2.00	0.62
1:B:153:ILE:HD12	1:B:153:ILE:C	2.20	0.62
1:B:141:MET:HE3	1:B:264:HIS:HE1	1.63	0.61
1:A:346:ALA:O	1:A:349:LEU:HD12	2.00	0.61
1:B:32:PRO:HD3	1:B:354:THR:HG21	1.82	0.60
1:A:239:ILE:HG22	1:A:243:HIS:CE1	2.35	0.60
1:A:350:ASP:O	1:A:353:HIS:N	2.27	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:314:VAL:HG13	1:B:314:VAL:O	2.01	0.60
1:B:239:ILE:HG22	1:B:243:HIS:CE1	2.36	0.60
1:A:122:LEU:O	1:A:125:ASP:HB2	2.02	0.60
1:B:142:LEU:HD12	1:B:170:LEU:HD11	1.82	0.60
1:A:333:TRP:CZ3	1:A:334:VAL:HG12	2.37	0.60
1:A:329:ASP:O	1:A:332:VAL:HG13	2.02	0.60
1:B:170:LEU:O	1:B:215:PHE:HA	2.02	0.59
1:A:263:PHE:HB3	1:A:285:VAL:HG22	1.85	0.59
1:B:89:ALA:HA	1:B:105:LEU:HD21	1.84	0.59
1:A:312:ALA:N	1:A:313:PRO:CD	2.66	0.59
1:B:349:LEU:HA	1:B:354:THR:HG23	1.83	0.59
1:A:163:MET:HG2	1:A:168:GLN:HE21	1.67	0.58
1:A:31:ILE:HG22	1:A:57:ILE:HD12	1.84	0.58
1:A:305:ASN:OD1	1:A:305:ASN:N	2.36	0.58
1:B:276:THR:HA	1:B:279:LYS:HG2	1.85	0.58
1:B:317:PRO:HB2	1:B:322:LYS:HD3	1.86	0.58
1:A:259:LEU:HB2	1:A:261:LEU:HD11	1.86	0.58
1:A:96:ALA:N	1:A:97:PRO:HD2	2.19	0.57
1:A:73:VAL:HG22	1:A:80:ALA:HB2	1.87	0.57
1:B:120:GLY:O	1:B:123:LYS:HE2	2.05	0.56
1:B:126:GLU:HA	1:B:166:MET:CE	2.34	0.56
1:A:161:GLU:HB3	1:A:211:ILE:HG21	1.88	0.56
1:A:170:LEU:O	1:A:215:PHE:HA	2.06	0.55
1:B:55:PRO:HB3	1:B:102:PRO:HG2	1.86	0.55
1:B:206:GLU:O	1:B:210:LYS:HD3	2.06	0.55
1:B:15:LYS:HD3	1:B:19:ASP:OD1	2.05	0.55
1:A:216:SER:OG	1:A:262:VAL:HG23	2.07	0.55
1:A:147:GLU:N	1:A:147:GLU:OE1	2.40	0.55
1:A:343:LYS:O	1:A:346:ALA:HB3	2.07	0.54
1:A:322:LYS:CB	1:A:323:PRO:CD	2.84	0.54
1:B:83:ALA:O	1:B:86:ILE:HG13	2.07	0.54
1:B:3:PRO:HD2	1:B:6:LEU:HD13	1.90	0.54
1:B:107:THR:HG21	1:B:121:MET:SD	2.47	0.54
1:B:149:ASP:H	1:B:178:GLY:HA3	1.72	0.54
1:A:216:SER:OG	1:A:262:VAL:CG2	2.57	0.53
1:B:270:THR:HG23	1:B:272:GLU:H	1.72	0.53
1:B:314:VAL:HG12	1:B:322:LYS:HB3	1.91	0.53
1:B:125:ASP:OD2	1:B:140:HIS:HE1	1.91	0.53
1:B:77:ASP:O	1:B:78:GLN:HB2	2.07	0.52
1:A:126:GLU:HB3	1:A:166:MET:SD	2.49	0.52
1:A:247:ALA:O	1:A:251:ILE:HG22	2.09	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:329:ASP:OD1	1:A:331:ARG:HB2	2.10	0.52
1:B:251:ILE:CG2	1:B:253:THR:OG1	2.58	0.52
1:A:122:LEU:HB3	1:A:162:ARG:HH21	1.74	0.52
1:B:101:ILE:HB	1:B:102:PRO:HD2	1.91	0.52
1:A:141:MET:HE2	1:A:171:GLU:OE2	2.09	0.51
1:A:221:PHE:CE2	1:A:235:LEU:HD11	2.45	0.51
1:B:277:ALA:O	1:B:282:VAL:HG23	2.11	0.51
1:B:126:GLU:CD	1:B:162:ARG:HH11	2.14	0.50
1:B:173:GLU:HA	1:B:218:ALA:HB3	1.92	0.50
1:A:55:PRO:HA	1:A:101:ILE:CG2	2.42	0.50
1:B:163:MET:CE	1:B:170:LEU:HB2	2.41	0.50
1:A:5:VAL:HG22	1:A:16:ASP:OD2	2.12	0.49
1:A:141:MET:CE	1:A:171:GLU:OE2	2.60	0.49
1:A:306:LYS:O	1:A:306:LYS:HD3	2.12	0.49
1:A:328:PHE:CD1	1:A:328:PHE:C	2.85	0.49
1:B:78:GLN:HG3	1:B:116:PRO:HB2	1.94	0.49
1:B:198:PRO:HA	1:B:243:HIS:HD2	1.77	0.49
1:A:142:LEU:HD12	1:A:170:LEU:HD11	1.95	0.49
1:A:289:THR:CG2	1:B:325:LYS:HG3	2.43	0.49
1:B:6:LEU:HD12	1:B:6:LEU:N	2.27	0.49
1:A:349:LEU:O	1:A:354:THR:HG22	2.13	0.48
1:A:261:LEU:O	1:A:282:VAL:HA	2.13	0.48
1:A:46:LEU:HD21	1:A:103:VAL:HG21	1.95	0.48
1:A:289:THR:HG23	1:B:325:LYS:HG3	1.96	0.48
1:A:160:PHE:HD2	1:A:208:LEU:HD22	1.79	0.48
1:A:196:THR:HG22	1:A:220:ALA:O	2.14	0.47
1:B:263:PHE:HB2	1:B:282:VAL:HG11	1.95	0.47
1:B:314:VAL:O	1:B:317:PRO:HD2	2.14	0.47
1:B:352:PHE:HB2	1:B:354:THR:CG2	2.43	0.47
1:B:78:GLN:CG	1:B:116:PRO:HB2	2.44	0.47
1:A:196:THR:CG2	1:A:219:ALA:HB1	2.44	0.47
1:A:331:ARG:HD2	1:B:67:TYR:HB2	1.97	0.47
1:B:115:LEU:N	1:B:116:PRO:CD	2.77	0.47
1:B:37:THR:HG22	1:B:64:GLY:HA2	1.95	0.47
1:A:39:SER:HB2	1:A:91:TYR:CZ	2.49	0.47
1:A:141:MET:HE2	1:A:264:HIS:CE1	2.45	0.47
1:A:195:TYR:CZ	1:A:236:ARG:HG3	2.50	0.47
1:B:115:LEU:N	1:B:116:PRO:HD2	2.30	0.47
1:A:112:LYS:HD3	1:A:147:GLU:OE2	2.14	0.47
1:A:271:GLN:HE22	1:A:353:HIS:HE1	1.64	0.46
1:B:50:ARG:O	1:B:50:ARG:HG2	2.14	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:21:PHE:O	1:A:24:ALA:HB3	2.15	0.46
1:B:126:GLU:HG2	1:B:166:MET:HE3	1.96	0.46
1:A:31:ILE:HG22	1:A:57:ILE:CD1	2.45	0.46
1:A:335:ARG:O	1:A:339:LYS:HG3	2.16	0.46
1:B:141:MET:HE1	1:B:264:HIS:CE1	2.37	0.46
1:B:307:ILE:HG22	1:B:307:ILE:O	2.16	0.46
1:B:74:ASP:OD2	1:B:76:LYS:HG2	2.15	0.46
1:B:317:PRO:HB2	1:B:322:LYS:CD	2.45	0.46
1:B:210:LYS:N	1:B:210:LYS:HD2	2.31	0.46
1:A:349:LEU:HB2	1:A:354:THR:HG23	1.98	0.45
1:B:65:ALA:O	1:B:84:GLY:HA3	2.16	0.45
1:A:24:ALA:HA	1:A:29:PHE:CZ	2.50	0.45
1:A:99:TYR:OH	1:B:70:GLY:HA3	2.17	0.45
1:A:99:TYR:HE1	1:B:69:ALA:O	2.00	0.45
1:A:346:ALA:HA	1:A:349:LEU:CD1	2.47	0.45
1:B:173:GLU:HB2	1:B:218:ALA:HB3	1.97	0.45
1:B:241:GLY:O	1:B:245:VAL:HG23	2.17	0.45
1:A:55:PRO:HA	1:A:101:ILE:HG23	1.98	0.45
1:A:122:LEU:HB3	1:A:162:ARG:NH2	2.32	0.44
1:B:145:SER:OG	1:B:175:GLY:N	2.50	0.44
1:A:12:ILE:HD11	1:A:104:VAL:HG13	1.98	0.44
1:A:96:ALA:N	1:A:97:PRO:CD	2.80	0.44
1:A:31:ILE:HB	1:A:57:ILE:HD11	1.99	0.44
1:B:13:TYR:OH	1:B:93:ARG:NH1	2.48	0.44
1:A:101:ILE:HG23	1:A:102:PRO:HD2	1.99	0.44
1:A:312:ALA:CB	1:A:313:PRO:HD3	2.31	0.44
1:B:240:LEU:HA	1:B:243:HIS:ND1	2.33	0.44
1:A:105:LEU:HD23	1:A:137:PHE:HA	2.00	0.43
1:A:322:LYS:CB	1:A:323:PRO:HD3	2.48	0.43
1:B:95:ILE:O	1:B:98:THR:HB	2.18	0.43
1:A:328:PHE:HB2	1:B:296:LEU:HD22	2.00	0.43
1:A:196:THR:HG21	1:A:220:ALA:H	1.84	0.43
1:B:96:ALA:N	1:B:97:PRO:CD	2.81	0.43
1:B:30:ALA:HB2	1:B:278:ILE:HG12	2.01	0.43
1:A:263:PHE:HB2	1:A:282:VAL:HG21	1.99	0.43
1:A:335:ARG:HG2	1:B:71:LYS:HD3	2.01	0.42
1:B:272:GLU:HA	1:B:275:ASN:HB2	2.01	0.42
1:A:289:THR:HG22	1:A:289:THR:O	2.19	0.42
1:A:328:PHE:C	1:A:328:PHE:HD1	2.22	0.42
1:B:205:TYR:CD1	1:B:205:TYR:C	2.93	0.42
1:A:346:ALA:O	1:A:349:LEU:CD1	2.66	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:299:ILE:O	1:A:302:TYR:HB2	2.20	0.42
1:B:96:ALA:HB3	1:B:97:PRO:HD3	2.02	0.41
1:B:280:ASN:HD22	1:B:280:ASN:HA	1.66	0.41
1:A:122:LEU:HA	1:A:122:LEU:HD23	1.79	0.41
1:A:129:PHE:HA	1:A:134:THR:O	2.20	0.41
1:A:91:TYR:HB2	1:B:91:TYR:HB2	2.02	0.41
1:A:153:ILE:HG13	1:A:154:ALA:N	2.35	0.41
1:B:306:LYS:H	1:B:306:LYS:HG2	1.52	0.41
1:A:259:LEU:CB	1:A:261:LEU:HD11	2.50	0.41
1:A:126:GLU:CA	1:A:166:MET:SD	3.08	0.41
1:B:171:GLU:HA	1:B:216:SER:O	2.20	0.41
1:B:116:PRO:O	1:B:119:ASP:HB2	2.21	0.41
1:A:92:ILE:O	1:A:96:ALA:HB2	2.21	0.41
1:B:153:ILE:C	1:B:153:ILE:CD1	2.84	0.41
1:A:33:ALA:HA	1:A:57:ILE:HB	2.03	0.40
1:A:33:ALA:HB2	1:A:284:LYS:HE3	2.02	0.40
1:B:270:THR:HG22	1:B:273:GLU:CG	2.26	0.40
1:B:198:PRO:HA	1:B:243:HIS:CD2	2.55	0.40
1:B:318:GLU:O	1:B:320:ALA:N	2.54	0.40
1:A:122:LEU:O	1:A:126:GLU:HG2	2.20	0.40
1:A:303:VAL:HG23	1:B:303:VAL:CG2	2.52	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	329/365 (90%)	297 (90%)	25 (8%)	7 (2%)	7 30
1	B	331/365 (91%)	299 (90%)	25 (8%)	7 (2%)	7 30
All	All	660/730 (90%)	596 (90%)	50 (8%)	14 (2%)	7 30

All (14) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	312	ALA
1	A	313	PRO
1	B	319	GLY
1	A	314	VAL
1	A	317	PRO
1	B	317	PRO
1	A	267	SER
1	B	311	LYS
1	B	313	PRO
1	A	323	PRO
1	B	312	ALA
1	B	109	HIS
1	B	315	GLY
1	A	252	GLY

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	264/295 (90%)	227 (86%)	37 (14%)	3 15
1	B	269/295 (91%)	243 (90%)	26 (10%)	8 29
All	All	533/590 (90%)	470 (88%)	63 (12%)	5 21

All (63) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	6	LEU
1	A	11	VAL
1	A	12	ILE
1	A	16	ASP
1	A	60	THR
1	A	73	VAL
1	A	98	THR
1	A	104	VAL
1	A	108	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	138	SER
1	A	141	MET
1	A	145	SER
1	A	146	GLU
1	A	150	ASP
1	A	158	LYS
1	A	160	PHE
1	A	200	THR
1	A	201	VAL
1	A	240	LEU
1	A	250	GLN
1	A	253	THR
1	A	263	PHE
1	A	271	GLN
1	A	272	GLU
1	A	278	ILE
1	A	287	LEU
1	A	289	THR
1	A	302	TYR
1	A	305	ASN
1	A	306	LYS
1	A	307	ILE
1	A	318	GLU
1	A	328	PHE
1	A	332	VAL
1	A	342	SER
1	A	344	ARG
1	A	349	LEU
1	B	5	VAL
1	B	9	SER
1	B	36	VAL
1	B	56	ILE
1	B	77	ASP
1	B	123	LYS
1	B	134	THR
1	B	148	THR
1	B	153	ILE
1	B	176	ILE
1	B	194	LEU
1	B	200	THR
1	B	204	VAL
1	B	210	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	224	VAL
1	B	263	PHE
1	B	289	THR
1	B	290	ASP
1	B	296	LEU
1	B	303	VAL
1	B	306	LYS
1	B	318	GLU
1	B	324	ASN
1	B	342	SER
1	B	343	LYS
1	B	354	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	106	HIS
1	A	168	GLN
1	A	264	HIS
1	A	271	GLN
1	A	280	ASN
1	B	140	HIS
1	B	264	HIS
1	B	280	ASN

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 3 ligands modelled in this entry, 2 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	G3H	A	602	-	8,9,9	1.06	0	10,12,12	1.39	1 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	G3H	A	602	-	-	3/7/8/8	-

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
3	A	602	G3H	O4P-P-O3P	2.60	117.57	107.64

There are no chirality outliers.

All (3) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	602	G3H	O1-C1-C2-C3
3	A	602	G3H	C1-C2-C3-O1P
3	A	602	G3H	O2-C2-C3-O1P

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	602	G3H	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers i

There are no such residues in this entry.

5.8 Polymer linkage issues i

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	335/365 (91%)	0.03	8 (2%) 59 39	16, 56, 97, 134	0
1	B	337/365 (92%)	-0.05	9 (2%) 54 35	18, 51, 90, 131	0
All	All	672/730 (92%)	-0.01	17 (2%) 57 38	16, 54, 95, 134	0

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	305	ASN	3.5
1	A	255	ALA	3.3
1	A	319	GLY	3.2
1	A	254	ASP	3.1
1	A	318	GLU	3.0
1	B	319	GLY	3.0
1	B	233	VAL	3.0
1	B	320	ALA	2.9
1	B	179	GLY	2.9
1	B	232	ASN	2.8
1	B	195	TYR	2.8
1	A	348	ALA	2.4
1	A	54	ALA	2.1
1	A	224	VAL	2.1
1	B	317	PRO	2.1
1	B	323	PRO	2.0
1	A	268	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains i

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)


There are no monosaccharides in this entry.

6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	G3H	A	602	10/10	0.88	0.18	69,91,100,101	0
2	ZN	B	501	1/1	0.95	0.09	68,68,68,68	0
2	ZN	A	601	1/1	0.95	0.07	59,59,59,59	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.