



# Full wwPDB X-ray Structure Validation Report i

Nov 21, 2023 – 05:09 PM JST

PDB ID : 7W2H  
Title : A double cysteine variant of the sigma-1 receptor from Xenopus laevis complexed with S1RA  
Authors : Meng, F.; Sun, Z.; Zhou, X.  
Deposited on : 2021-11-23  
Resolution : 3.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>  
with specific help available everywhere you see the i symbol.

The types of validation reports are described at  
<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references](#) i) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## X-RAY DIFFRACTION

The reported resolution of this entry is 3.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1212 (4.00-3.60)
Clashscore	141614	1288 (4.00-3.60)
Ramachandran outliers	138981	1243 (4.00-3.60)
Sidechain outliers	138945	1237 (4.00-3.60)
RSRZ outliers	127900	1121 (4.00-3.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



Continued on next page...

*Continued from previous page...*



## 2 Entry composition [\(i\)](#)

There are 2 unique types of molecules in this entry. The entry contains 40341 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Sigma non-opioid intracellular receptor 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	213	Total	C	N	O	S	0	0	0
			1671	1081	276	308	6			
1	C	214	Total	C	N	O	S	0	0	0
			1685	1092	278	309	6			
1	E	206	Total	C	N	O	S	0	0	0
			1620	1047	266	301	6			
1	B	213	Total	C	N	O	S	0	0	0
			1671	1081	276	308	6			
1	D	214	Total	C	N	O	S	0	0	0
			1685	1092	278	309	6			
1	F	206	Total	C	N	O	S	0	0	0
			1620	1047	266	301	6			
1	G	213	Total	C	N	O	S	0	0	0
			1671	1081	276	308	6			
1	H	213	Total	C	N	O	S	0	0	0
			1671	1081	276	308	6			
1	I	210	Total	C	N	O	S	0	0	0
			1651	1067	273	305	6			
1	J	213	Total	C	N	O	S	0	0	0
			1671	1081	276	308	6			
1	K	214	Total	C	N	O	S	0	0	0
			1685	1092	278	309	6			
1	L	210	Total	C	N	O	S	0	0	0
			1651	1067	273	305	6			
1	M	196	Total	C	N	O	S	0	0	0
			1552	1001	255	290	6			
1	N	210	Total	C	N	O	S	0	0	0
			1651	1067	273	305	6			
1	O	212	Total	C	N	O	S	0	0	0
			1663	1075	275	307	6			
1	P	202	Total	C	N	O	S	0	0	0
			1597	1032	262	297	6			

Continued on next page...

*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	Q	212	Total	C	N	O	S	0	0	0
			1663	1075	275	307	6			
1	R	212	Total	C	N	O	S	0	0	0
			1663	1075	275	307	6			
1	S	209	Total	C	N	O	S	0	0	0
			1640	1061	269	304	6			
1	T	213	Total	C	N	O	S	0	0	0
			1671	1081	276	308	6			
1	U	213	Total	C	N	O	S	0	0	0
			1671	1081	276	308	6			
1	V	210	Total	C	N	O	S	0	0	0
			1651	1067	273	305	6			
1	W	213	Total	C	N	O	S	0	0	0
			1671	1081	276	308	6			
1	X	213	Total	C	N	O	S	0	0	0
			1671	1081	276	308	6			

There are 144 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-3	SER	-	expression tag	UNP Q6DCU6
A	-2	VAL	-	expression tag	UNP Q6DCU6
A	-1	ASP	-	expression tag	UNP Q6DCU6
A	0	THR	-	expression tag	UNP Q6DCU6
A	179	CYS	LEU	engineered mutation	UNP Q6DCU6
A	203	CYS	TYR	engineered mutation	UNP Q6DCU6
C	-3	SER	-	expression tag	UNP Q6DCU6
C	-2	VAL	-	expression tag	UNP Q6DCU6
C	-1	ASP	-	expression tag	UNP Q6DCU6
C	0	THR	-	expression tag	UNP Q6DCU6
C	179	CYS	LEU	engineered mutation	UNP Q6DCU6
C	203	CYS	TYR	engineered mutation	UNP Q6DCU6
E	-3	SER	-	expression tag	UNP Q6DCU6
E	-2	VAL	-	expression tag	UNP Q6DCU6
E	-1	ASP	-	expression tag	UNP Q6DCU6
E	0	THR	-	expression tag	UNP Q6DCU6
E	179	CYS	LEU	engineered mutation	UNP Q6DCU6
E	203	CYS	TYR	engineered mutation	UNP Q6DCU6
B	-3	SER	-	expression tag	UNP Q6DCU6
B	-2	VAL	-	expression tag	UNP Q6DCU6
B	-1	ASP	-	expression tag	UNP Q6DCU6
B	0	THR	-	expression tag	UNP Q6DCU6
B	179	CYS	LEU	engineered mutation	UNP Q6DCU6

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	203	CYS	TYR	engineered mutation	UNP Q6DCU6
D	-3	SER	-	expression tag	UNP Q6DCU6
D	-2	VAL	-	expression tag	UNP Q6DCU6
D	-1	ASP	-	expression tag	UNP Q6DCU6
D	0	THR	-	expression tag	UNP Q6DCU6
D	179	CYS	LEU	engineered mutation	UNP Q6DCU6
D	203	CYS	TYR	engineered mutation	UNP Q6DCU6
F	-3	SER	-	expression tag	UNP Q6DCU6
F	-2	VAL	-	expression tag	UNP Q6DCU6
F	-1	ASP	-	expression tag	UNP Q6DCU6
F	0	THR	-	expression tag	UNP Q6DCU6
F	179	CYS	LEU	engineered mutation	UNP Q6DCU6
F	203	CYS	TYR	engineered mutation	UNP Q6DCU6
G	-3	SER	-	expression tag	UNP Q6DCU6
G	-2	VAL	-	expression tag	UNP Q6DCU6
G	-1	ASP	-	expression tag	UNP Q6DCU6
G	0	THR	-	expression tag	UNP Q6DCU6
G	179	CYS	LEU	engineered mutation	UNP Q6DCU6
G	203	CYS	TYR	engineered mutation	UNP Q6DCU6
H	-3	SER	-	expression tag	UNP Q6DCU6
H	-2	VAL	-	expression tag	UNP Q6DCU6
H	-1	ASP	-	expression tag	UNP Q6DCU6
H	0	THR	-	expression tag	UNP Q6DCU6
H	179	CYS	LEU	engineered mutation	UNP Q6DCU6
H	203	CYS	TYR	engineered mutation	UNP Q6DCU6
I	-3	SER	-	expression tag	UNP Q6DCU6
I	-2	VAL	-	expression tag	UNP Q6DCU6
I	-1	ASP	-	expression tag	UNP Q6DCU6
I	0	THR	-	expression tag	UNP Q6DCU6
I	179	CYS	LEU	engineered mutation	UNP Q6DCU6
I	203	CYS	TYR	engineered mutation	UNP Q6DCU6
J	-3	SER	-	expression tag	UNP Q6DCU6
J	-2	VAL	-	expression tag	UNP Q6DCU6
J	-1	ASP	-	expression tag	UNP Q6DCU6
J	0	THR	-	expression tag	UNP Q6DCU6
J	179	CYS	LEU	engineered mutation	UNP Q6DCU6
J	203	CYS	TYR	engineered mutation	UNP Q6DCU6
K	-3	SER	-	expression tag	UNP Q6DCU6
K	-2	VAL	-	expression tag	UNP Q6DCU6
K	-1	ASP	-	expression tag	UNP Q6DCU6
K	0	THR	-	expression tag	UNP Q6DCU6
K	179	CYS	LEU	engineered mutation	UNP Q6DCU6

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
K	203	CYS	TYR	engineered mutation	UNP Q6DCU6
L	-3	SER	-	expression tag	UNP Q6DCU6
L	-2	VAL	-	expression tag	UNP Q6DCU6
L	-1	ASP	-	expression tag	UNP Q6DCU6
L	0	THR	-	expression tag	UNP Q6DCU6
L	179	CYS	LEU	engineered mutation	UNP Q6DCU6
L	203	CYS	TYR	engineered mutation	UNP Q6DCU6
M	-3	SER	-	expression tag	UNP Q6DCU6
M	-2	VAL	-	expression tag	UNP Q6DCU6
M	-1	ASP	-	expression tag	UNP Q6DCU6
M	0	THR	-	expression tag	UNP Q6DCU6
M	179	CYS	LEU	engineered mutation	UNP Q6DCU6
M	203	CYS	TYR	engineered mutation	UNP Q6DCU6
N	-3	SER	-	expression tag	UNP Q6DCU6
N	-2	VAL	-	expression tag	UNP Q6DCU6
N	-1	ASP	-	expression tag	UNP Q6DCU6
N	0	THR	-	expression tag	UNP Q6DCU6
N	179	CYS	LEU	engineered mutation	UNP Q6DCU6
N	203	CYS	TYR	engineered mutation	UNP Q6DCU6
O	-3	SER	-	expression tag	UNP Q6DCU6
O	-2	VAL	-	expression tag	UNP Q6DCU6
O	-1	ASP	-	expression tag	UNP Q6DCU6
O	0	THR	-	expression tag	UNP Q6DCU6
O	179	CYS	LEU	engineered mutation	UNP Q6DCU6
O	203	CYS	TYR	engineered mutation	UNP Q6DCU6
P	-3	SER	-	expression tag	UNP Q6DCU6
P	-2	VAL	-	expression tag	UNP Q6DCU6
P	-1	ASP	-	expression tag	UNP Q6DCU6
P	0	THR	-	expression tag	UNP Q6DCU6
P	179	CYS	LEU	engineered mutation	UNP Q6DCU6
P	203	CYS	TYR	engineered mutation	UNP Q6DCU6
Q	-3	SER	-	expression tag	UNP Q6DCU6
Q	-2	VAL	-	expression tag	UNP Q6DCU6
Q	-1	ASP	-	expression tag	UNP Q6DCU6
Q	0	THR	-	expression tag	UNP Q6DCU6
Q	179	CYS	LEU	engineered mutation	UNP Q6DCU6
Q	203	CYS	TYR	engineered mutation	UNP Q6DCU6
R	-3	SER	-	expression tag	UNP Q6DCU6
R	-2	VAL	-	expression tag	UNP Q6DCU6
R	-1	ASP	-	expression tag	UNP Q6DCU6
R	0	THR	-	expression tag	UNP Q6DCU6
R	179	CYS	LEU	engineered mutation	UNP Q6DCU6

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
R	203	CYS	TYR	engineered mutation	UNP Q6DCU6
S	-3	SER	-	expression tag	UNP Q6DCU6
S	-2	VAL	-	expression tag	UNP Q6DCU6
S	-1	ASP	-	expression tag	UNP Q6DCU6
S	0	THR	-	expression tag	UNP Q6DCU6
S	179	CYS	LEU	engineered mutation	UNP Q6DCU6
S	203	CYS	TYR	engineered mutation	UNP Q6DCU6
T	-3	SER	-	expression tag	UNP Q6DCU6
T	-2	VAL	-	expression tag	UNP Q6DCU6
T	-1	ASP	-	expression tag	UNP Q6DCU6
T	0	THR	-	expression tag	UNP Q6DCU6
T	179	CYS	LEU	engineered mutation	UNP Q6DCU6
T	203	CYS	TYR	engineered mutation	UNP Q6DCU6
U	-3	SER	-	expression tag	UNP Q6DCU6
U	-2	VAL	-	expression tag	UNP Q6DCU6
U	-1	ASP	-	expression tag	UNP Q6DCU6
U	0	THR	-	expression tag	UNP Q6DCU6
U	179	CYS	LEU	engineered mutation	UNP Q6DCU6
U	203	CYS	TYR	engineered mutation	UNP Q6DCU6
V	-3	SER	-	expression tag	UNP Q6DCU6
V	-2	VAL	-	expression tag	UNP Q6DCU6
V	-1	ASP	-	expression tag	UNP Q6DCU6
V	0	THR	-	expression tag	UNP Q6DCU6
V	179	CYS	LEU	engineered mutation	UNP Q6DCU6
V	203	CYS	TYR	engineered mutation	UNP Q6DCU6
W	-3	SER	-	expression tag	UNP Q6DCU6
W	-2	VAL	-	expression tag	UNP Q6DCU6
W	-1	ASP	-	expression tag	UNP Q6DCU6
W	0	THR	-	expression tag	UNP Q6DCU6
W	179	CYS	LEU	engineered mutation	UNP Q6DCU6
W	203	CYS	TYR	engineered mutation	UNP Q6DCU6
X	-3	SER	-	expression tag	UNP Q6DCU6
X	-2	VAL	-	expression tag	UNP Q6DCU6
X	-1	ASP	-	expression tag	UNP Q6DCU6
X	0	THR	-	expression tag	UNP Q6DCU6
X	179	CYS	LEU	engineered mutation	UNP Q6DCU6
X	203	CYS	TYR	engineered mutation	UNP Q6DCU6

- Molecule 2 is 4-[2-(5-methyl-1-naphthalen-2-yl-pyrazol-3-yl)oxyethyl]morpholine (three-letter code: 88E) (formula: C<sub>20</sub>H<sub>23</sub>N<sub>3</sub>O<sub>2</sub>) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	
2	A	1	Total 25	C 20	N 3	O 2	0	0
2	C	1	Total 25	C 20	N 3	O 2	0	0
2	E	1	Total 25	C 20	N 3	O 2	0	0
2	B	1	Total 25	C 20	N 3	O 2	0	0
2	D	1	Total 25	C 20	N 3	O 2	0	0
2	F	1	Total 25	C 20	N 3	O 2	0	0
2	G	1	Total 25	C 20	N 3	O 2	0	0
2	H	1	Total 25	C 20	N 3	O 2	0	0
2	I	1	Total 25	C 20	N 3	O 2	0	0
2	J	1	Total 25	C 20	N 3	O 2	0	0
2	K	1	Total 25	C 20	N 3	O 2	0	0
2	L	1	Total 25	C 20	N 3	O 2	0	0
2	M	1	Total 25	C 20	N 3	O 2	0	0
2	N	1	Total 25	C 20	N 3	O 2	0	0

Continued on next page...


*Continued from previous page...*

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	O	1	Total C N O 25 20 3 2	0	0
2	P	1	Total C N O 25 20 3 2	0	0
2	P	1	Total C N O 25 20 3 2	0	0
2	Q	1	Total C N O 25 20 3 2	0	0
2	R	1	Total C N O 25 20 3 2	0	0
2	S	1	Total C N O 25 20 3 2	0	0
2	T	1	Total C N O 25 20 3 2	0	0
2	U	1	Total C N O 25 20 3 2	0	0
2	V	1	Total C N O 25 20 3 2	0	0
2	W	1	Total C N O 25 20 3 2	0	0
2	X	1	Total C N O 25 20 3 2	0	0


### 3 Residue-property plots [\(i\)](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Sigma non-opioid intracellular receptor 1




- Molecule 1: Sigma non-opioid intracellular receptor 1




- Molecule 1: Sigma non-opioid intracellular receptor 1




- Molecule 1: Sigma non-opioid intracellular receptor 1




- Molecule 1: Sigma non-opioid intracellular receptor 1




- Molecule 1: Sigma non-opioid intracellular receptor 1




- Molecule 1: Sigma non-opioid intracellular receptor 1



- Molecule 1: Sigma non-opioid intracellular receptor 1



- Molecule 1: Sigma non-opioid intracellular receptor 1



- Molecule 1: Sigma non-opioid intracellular receptor 1

Chain J:  84% 10% • 5%



- Molecule 1: Sigma non-opioid intracellular receptor 1

A horizontal bar chart titled "Chain K" showing the percentage distribution across five categories. The categories are represented by colored bars: red (1%), green (86%), grey (9%), black (5%), and a small red segment at the end of the grey bar (approximately 0.5%).

Category	Percentage
Red	1%
Green	86%
Grey	9%
Black	5%
Total	100%




- Molecule 1: Sigma non-opioid intracellular receptor 1

Chain L:  84% 9% 7%



- Molecule 1: Sigma non-opioid intracellular receptor 1


Chain M:  76% 11% 13%



- Molecule 1: Sigma non-opioid intracellular receptor 1

Chain N: 82%

A horizontal progress bar consisting of a green segment followed by a grey segment. The green segment is labeled '82%' in white text. The total length of the bar is indicated by a black vertical tick mark above it, with the text '11%' and '7%' positioned to its right.




8 7 6 5 4 3 2 1

- Molecule 1: Sigma non-opioid intracellular receptor 1


Chain Q:

Category	Percentage
Red	0.1%
Green	81%
Yellow	12%
Grey	6%




**E169** **Y170** **F174** **I175** **P176** **S177** **T178** **A206** **Q217** **LEU** **GLY** **PHE** **PHE**


- Molecule 1: Sigma non-opioid intracellular receptor 1




- Molecule 1: Sigma non-opioid intracellular receptor 1




- Molecule 1: Sigma non-opioid intracellular receptor 1



- Molecule 1: Sigma non-opioid intracellular receptor 1




- Molecule 1: Sigma non-opioid intracellular receptor 1







- Molecule 1: Sigma non-opioid intracellular receptor 1




- Molecule 1: Sigma non-opioid intracellular receptor 1



- Molecule 1: Sigma non-opioid intracellular receptor 1



- Molecule 1: Sigma non-opioid intracellular receptor 1



## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	134.45 Å    200.75 Å    160.59 Å 90.00°    90.03°    90.00°	Depositor
Resolution (Å)	19.85 – 3.80 19.85 – 3.80	Depositor EDS
% Data completeness (in resolution range)	80.8 (19.85-3.80) 81.0 (19.85-3.80)	Depositor EDS
$R_{merge}$	0.16	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle^1$	2.34 (at 3.82 Å)	Xtriage
Refinement program	PHENIX 1.13_2998	Depositor
$R$ , $R_{free}$	0.283 , 0.318 0.283 , 0.317	Depositor DCC
$R_{free}$ test set	3342 reflections (4.93%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	73.0	Xtriage
Anisotropy	0.784	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.29 , 26.2	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.38$ , $\langle L^2 \rangle = 0.21$	Xtriage
Estimated twinning fraction	0.369 for h,-k,-l	Xtriage
$F_o, F_c$ correlation	0.88	EDS
Total number of atoms	40341	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	82.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 51.14 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 5.8494e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section:  
88E

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.25	0/1712	0.42	0/2324
1	B	0.25	0/1712	0.42	0/2324
1	C	0.25	0/1728	0.44	0/2347
1	D	0.25	0/1728	0.42	0/2347
1	E	0.26	0/1661	0.43	0/2255
1	F	0.25	0/1661	0.42	0/2255
1	G	0.25	0/1712	0.42	0/2324
1	H	0.25	0/1712	0.43	0/2324
1	I	0.25	0/1692	0.42	0/2297
1	J	0.25	0/1712	0.42	0/2324
1	K	0.25	0/1728	0.43	0/2347
1	L	0.26	0/1692	0.43	0/2297
1	M	0.26	0/1593	0.43	0/2161
1	N	0.25	0/1692	0.43	0/2297
1	O	0.25	0/1704	0.43	0/2313
1	P	0.26	0/1638	0.45	0/2223
1	Q	0.25	0/1704	0.42	0/2313
1	R	0.25	0/1704	0.42	0/2313
1	S	0.25	0/1681	0.42	0/2283
1	T	0.25	0/1712	0.42	0/2324
1	U	0.25	0/1712	0.43	0/2324
1	V	0.25	0/1692	0.42	0/2297
1	W	0.26	0/1712	0.43	0/2324
1	X	0.25	0/1712	0.43	0/2324
All	All	0.25	0/40706	0.43	0/55261

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1671	0	1652	12	0
1	B	1671	0	1652	15	0
1	C	1685	0	1662	15	0
1	D	1685	0	1662	14	0
1	E	1620	0	1589	15	0
1	F	1620	0	1589	17	0
1	G	1671	0	1652	15	0
1	H	1671	0	1652	17	0
1	I	1651	0	1627	15	0
1	J	1671	0	1652	14	0
1	K	1685	0	1662	11	0
1	L	1651	0	1627	12	0
1	M	1552	0	1508	14	0
1	N	1651	0	1627	14	0
1	O	1663	0	1641	17	0
1	P	1597	0	1563	13	0
1	Q	1663	0	1641	13	0
1	R	1663	0	1641	17	0
1	S	1640	0	1614	11	0
1	T	1671	0	1652	15	0
1	U	1671	0	1652	15	0
1	V	1651	0	1627	17	0
1	W	1671	0	1652	13	0
1	X	1671	0	1652	18	0
2	A	25	0	0	0	0
2	B	25	0	0	0	0
2	C	25	0	0	0	0
2	D	25	0	0	0	0
2	E	25	0	0	0	0
2	F	25	0	0	0	0
2	G	25	0	0	0	0
2	H	25	0	0	0	0
2	I	25	0	0	0	0
2	J	25	0	0	0	0
2	K	25	0	0	0	0
2	L	25	0	0	0	0
2	M	25	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	N	25	0	0	0	0
2	O	25	0	0	0	0
2	P	50	0	0	1	0
2	Q	25	0	0	0	0
2	R	25	0	0	0	0
2	S	25	0	0	0	0
2	T	25	0	0	0	0
2	U	25	0	0	0	0
2	V	25	0	0	0	0
2	W	25	0	0	0	0
2	X	25	0	0	0	0
All	All	40341	0	39148	324	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (324) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:R:133:TRP:HB3	1:R:158:SER:HB3	1.71	0.72
1:R:131:ARG:HB3	1:R:160:GLN:HB3	1.75	0.69
1:K:133:TRP:HB3	1:K:158:SER:HB3	1.76	0.67
1:C:133:TRP:HB3	1:C:158:SER:HB3	1.77	0.67
1:H:133:TRP:HB3	1:H:158:SER:HB3	1.77	0.67
1:U:133:TRP:HB3	1:U:158:SER:HB3	1.75	0.66
1:T:10:VAL:O	1:T:14:ALA:N	2.29	0.65
1:P:133:TRP:HB3	1:P:158:SER:HB3	1.77	0.65
1:D:133:TRP:HB3	1:D:158:SER:HB3	1.79	0.65
1:B:36:ARG:NH1	1:B:120:GLU:OE2	2.29	0.65
1:J:117:TYR:HB2	1:J:178:THR:HG22	1.80	0.64
1:G:36:ARG:NH1	1:G:120:GLU:OE2	2.30	0.63
1:T:134:LYS:NZ	1:T:155:GLU:OE1	2.30	0.63
1:F:133:TRP:HB3	1:F:158:SER:HB3	1.78	0.63
1:S:133:TRP:HB3	1:S:158:SER:HB3	1.79	0.63
1:O:133:TRP:HB3	1:O:158:SER:HB3	1.78	0.63
1:L:133:TRP:HB3	1:L:158:SER:HB3	1.80	0.63
1:I:36:ARG:NH1	1:I:120:GLU:OE2	2.31	0.62
1:E:133:TRP:HB3	1:E:158:SER:HB3	1.82	0.61
1:X:134:LYS:HA	1:X:157:THR:HG22	1.82	0.61
1:A:36:ARG:NH1	1:A:120:GLU:OE2	2.34	0.61
1:F:36:ARG:NH1	1:F:120:GLU:OE2	2.33	0.61

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:134:LYS:HA	1:E:157:THR:HG22	1.82	0.61
1:V:133:TRP:HB3	1:V:158:SER:HB3	1.81	0.61
1:T:14:ALA:HA	1:T:17:ALA:HB3	1.83	0.61
1:Q:134:LYS:NZ	1:Q:155:GLU:OE1	2.33	0.60
1:C:134:LYS:HA	1:C:157:THR:HG22	1.84	0.60
1:G:117:TYR:HB2	1:G:178:THR:HG22	1.84	0.59
1:N:36:ARG:NH1	1:N:120:GLU:OE2	2.35	0.59
1:F:134:LYS:HA	1:F:157:THR:HG22	1.85	0.59
1:M:133:TRP:HB3	1:M:158:SER:HB3	1.84	0.59
1:B:117:TYR:HB2	1:B:178:THR:HG22	1.85	0.58
1:N:133:TRP:HB3	1:N:158:SER:HB3	1.85	0.58
1:Q:117:TYR:HB2	1:Q:178:THR:HG22	1.85	0.58
1:Q:133:TRP:HB3	1:Q:158:SER:HB3	1.85	0.58
1:T:117:TYR:HB2	1:T:178:THR:HG22	1.86	0.58
1:E:63:ARG:NH1	1:E:73:ASP:OD1	2.37	0.58
1:F:57:LYS:NZ	1:V:45:GLU:OE2	2.37	0.58
1:E:131:ARG:HB3	1:E:160:GLN:HB3	1.86	0.57
1:W:36:ARG:NH1	1:W:120:GLU:OE2	2.37	0.57
1:L:36:ARG:NH1	1:L:120:GLU:OE2	2.38	0.57
1:D:131:ARG:HB3	1:D:160:GLN:HB3	1.86	0.57
1:T:133:TRP:HB3	1:T:158:SER:HB3	1.87	0.57
1:X:133:TRP:HB3	1:X:158:SER:HB3	1.86	0.56
1:O:131:ARG:HB3	1:O:160:GLN:HB3	1.87	0.56
1:L:134:LYS:HA	1:L:157:THR:HG22	1.88	0.56
1:H:131:ARG:HB3	1:H:160:GLN:HB3	1.87	0.56
1:U:92:LEU:HD11	1:U:95:ALA:HB2	1.88	0.56
1:W:133:TRP:HB3	1:W:158:SER:HB3	1.88	0.56
1:B:45:GLU:HG2	1:X:53:VAL:HG11	1.88	0.56
1:I:133:TRP:HB3	1:I:158:SER:HB3	1.86	0.56
1:I:134:LYS:HA	1:I:157:THR:HG22	1.88	0.55
1:S:36:ARG:NH1	1:S:120:GLU:OE2	2.39	0.55
1:I:134:LYS:NZ	1:I:155:GLU:OE1	2.35	0.55
1:C:131:ARG:HB3	1:C:160:GLN:HB3	1.89	0.55
1:B:45:GLU:OE2	1:X:57:LYS:NZ	2.39	0.55
1:Q:134:LYS:HA	1:Q:157:THR:HG22	1.88	0.54
1:P:36:ARG:NH1	1:P:120:GLU:OE2	2.40	0.54
1:T:134:LYS:HA	1:T:157:THR:HG22	1.89	0.54
1:D:117:TYR:HB2	1:D:178:THR:HG22	1.89	0.54
1:B:134:LYS:HA	1:B:157:THR:HG22	1.89	0.54
1:G:45:GLU:HG2	1:O:53:VAL:HG11	1.89	0.54
1:G:134:LYS:HA	1:G:157:THR:HG22	1.89	0.54

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:K:131:ARG:HB3	1:K:160:GLN:HB3	1.90	0.54
1:C:23:ILE:O	1:C:27:LEU:HD13	2.08	0.54
1:E:36:ARG:NH1	1:E:120:GLU:OE2	2.40	0.54
1:H:117:TYR:HB2	1:H:178:THR:HG22	1.89	0.54
1:U:131:ARG:HB3	1:U:160:GLN:HB3	1.88	0.54
1:J:58:ILE:HD13	1:J:168:VAL:HG21	1.89	0.54
1:J:134:LYS:HA	1:J:157:THR:HG22	1.90	0.53
1:A:131:ARG:HB3	1:A:160:GLN:HB3	1.90	0.53
1:A:134:LYS:HA	1:A:157:THR:HG22	1.91	0.53
1:M:117:TYR:HB2	1:M:178:THR:HG22	1.90	0.53
1:G:45:GLU:OE2	1:O:57:LYS:NZ	2.42	0.53
1:D:134:LYS:HA	1:D:157:THR:HG22	1.90	0.53
1:F:134:LYS:NZ	1:F:155:GLU:OE1	2.38	0.53
1:U:5:LEU:HD21	1:U:7:LEU:HD13	1.91	0.53
1:B:133:TRP:HB3	1:B:158:SER:HB3	1.90	0.53
1:J:131:ARG:HB3	1:J:160:GLN:HB3	1.90	0.53
1:C:36:ARG:NH1	1:C:120:GLU:OE2	2.41	0.53
1:A:117:TYR:HB2	1:A:178:THR:HG22	1.91	0.52
1:I:57:LYS:NZ	1:M:45:GLU:OE2	2.42	0.52
1:S:134:LYS:HA	1:S:157:THR:HG22	1.90	0.52
1:O:134:LYS:HA	1:O:157:THR:HG22	1.91	0.52
1:H:6:GLY:HA3	1:H:10:VAL:HG21	1.90	0.52
1:R:63:ARG:NH1	1:R:73:ASP:OD1	2.41	0.52
1:U:63:ARG:NH1	1:U:73:ASP:OD1	2.42	0.52
1:F:131:ARG:HB3	1:F:160:GLN:HB3	1.92	0.52
1:I:58:ILE:HD13	1:I:168:VAL:HG21	1.92	0.52
1:G:7:LEU:HD12	1:G:7:LEU:H	1.74	0.52
1:V:36:ARG:NH1	1:V:120:GLU:OE2	2.43	0.52
1:E:117:TYR:HB2	1:E:178:THR:HG22	1.93	0.51
1:N:78:TRP:HB2	1:O:136:GLY:HA2	1.93	0.51
1:U:117:TYR:HB2	1:U:178:THR:HG22	1.92	0.51
1:L:131:ARG:HB3	1:L:160:GLN:HB3	1.93	0.51
1:A:58:ILE:HD13	1:A:168:VAL:HG21	1.92	0.50
1:X:92:LEU:HD11	1:X:95:ALA:HB2	1.93	0.50
1:W:78:TRP:HB2	1:X:136:GLY:HA2	1.93	0.50
1:F:63:ARG:NH1	1:F:73:ASP:OD1	2.44	0.50
1:H:7:LEU:HG	1:H:8:ARG:HG2	1.94	0.50
1:J:133:TRP:HB3	1:J:158:SER:HB3	1.93	0.50
1:Q:101:VAL:HG22	1:Q:170:TYR:HD1	1.77	0.50
1:X:131:ARG:HB3	1:X:160:GLN:HB3	1.93	0.50
1:M:37:GLU:HB3	1:M:41:ARG:NH1	2.28	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:R:134:LYS:HA	1:R:157:THR:HG22	1.93	0.49
1:Q:78:TRP:HB2	1:R:136:GLY:HA2	1.94	0.49
1:H:92:LEU:HD11	1:H:95:ALA:HB2	1.94	0.49
1:R:58:ILE:HD13	1:R:168:VAL:HG21	1.94	0.49
1:G:133:TRP:HB3	1:G:158:SER:HB3	1.93	0.48
1:V:37:GLU:HB3	1:V:41:ARG:NH1	2.27	0.48
1:C:106:THR:HA	1:E:133:TRP:CH2	2.48	0.48
1:C:117:TYR:HB2	1:C:178:THR:HG22	1.94	0.48
1:I:192:ASP:OD2	1:I:195:THR:OG1	2.30	0.48
1:K:117:TYR:HB2	1:K:178:THR:HG22	1.94	0.48
1:R:92:LEU:HD11	1:R:95:ALA:HB2	1.94	0.48
1:X:117:TYR:HB2	1:X:178:THR:HG22	1.95	0.48
1:K:134:LYS:HA	1:K:157:THR:HG22	1.96	0.48
1:U:134:LYS:HA	1:U:157:THR:HG22	1.96	0.48
1:W:99:GLU:OE2	1:W:170:TYR:OH	2.32	0.48
1:J:36:ARG:NH1	1:J:120:GLU:OE2	2.47	0.47
1:O:134:LYS:NZ	1:O:155:GLU:OE1	2.46	0.47
1:S:92:LEU:HD11	1:S:95:ALA:HB2	1.96	0.47
1:O:63:ARG:NH1	1:O:73:ASP:OD1	2.48	0.47
1:W:117:TYR:HB2	1:W:178:THR:HG22	1.95	0.47
1:B:58:ILE:HD13	1:B:168:VAL:HG21	1.97	0.47
1:J:99:GLU:OE2	1:J:170:TYR:OH	2.30	0.47
1:W:134:LYS:HA	1:W:157:THR:HG22	1.96	0.47
1:X:127:SER:HA	1:X:145:PRO:HG3	1.96	0.47
1:A:133:TRP:HB3	1:A:158:SER:HB3	1.95	0.47
1:V:143:PHE:CG	1:V:149:ILE:HD11	2.50	0.46
1:C:101:VAL:HG22	1:C:170:TYR:HD1	1.80	0.46
1:R:117:TYR:HB2	1:R:178:THR:HG22	1.96	0.46
1:S:63:ARG:NH1	1:S:73:ASP:OD1	2.48	0.46
1:B:99:GLU:OE2	1:B:170:TYR:OH	2.32	0.46
1:D:127:SER:HA	1:D:145:PRO:HG3	1.98	0.46
1:N:99:GLU:OE2	1:N:170:TYR:OH	2.32	0.46
1:N:101:VAL:HG22	1:N:170:TYR:HD1	1.79	0.46
1:N:134:LYS:HA	1:N:157:THR:HG22	1.97	0.46
1:P:114:SER:HB3	1:P:159:VAL:HG13	1.98	0.46
1:B:131:ARG:HB3	1:B:160:GLN:HB3	1.97	0.46
1:N:117:TYR:HB2	1:N:178:THR:HG22	1.97	0.46
1:F:58:ILE:HD13	1:F:168:VAL:HG21	1.97	0.46
1:I:131:ARG:HB3	1:I:160:GLN:HB3	1.98	0.46
1:K:58:ILE:HD13	1:K:168:VAL:HG21	1.97	0.46
1:D:63:ARG:NH1	1:D:73:ASP:OD1	2.48	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:M:131:ARG:HB3	1:M:160:GLN:HB3	1.97	0.46
1:P:179:CYS:HB2	2:P:302:88E:C22	2.45	0.46
1:T:78:TRP:HB2	1:U:136:GLY:HA2	1.98	0.46
1:E:101:VAL:HG22	1:E:170:TYR:HD1	1.79	0.46
1:F:117:TYR:HB2	1:F:178:THR:HG22	1.96	0.46
1:L:114:SER:HB3	1:L:159:VAL:HG13	1.97	0.46
1:O:58:ILE:HD13	1:O:168:VAL:HG21	1.98	0.46
1:K:36:ARG:NH1	1:K:120:GLU:OE2	2.49	0.46
1:L:58:ILE:HD13	1:L:168:VAL:HG21	1.97	0.46
1:L:101:VAL:HG22	1:L:170:TYR:HD1	1.80	0.46
1:O:92:LEU:HD11	1:O:95:ALA:HB2	1.97	0.46
1:S:99:GLU:OE2	1:S:170:TYR:OH	2.31	0.46
1:C:127:SER:HA	1:C:145:PRO:HG3	1.98	0.45
1:E:114:SER:HB3	1:E:159:VAL:HG13	1.97	0.45
1:K:55:PHE:CD1	1:K:103:LEU:HD13	2.50	0.45
1:O:117:TYR:HB2	1:O:178:THR:HG22	1.98	0.45
1:V:134:LYS:HA	1:V:157:THR:HG22	1.98	0.45
1:X:134:LYS:NZ	1:X:155:GLU:OE1	2.43	0.45
1:E:127:SER:HA	1:E:145:PRO:HG3	1.98	0.45
1:I:92:LEU:HD11	1:I:95:ALA:HB2	1.98	0.45
1:A:41:ARG:O	1:A:45:GLU:HG3	2.16	0.45
1:M:92:LEU:HD11	1:M:95:ALA:HB2	1.99	0.45
1:S:58:ILE:HD13	1:S:168:VAL:HG21	1.99	0.45
1:W:63:ARG:NH1	1:W:73:ASP:OD1	2.50	0.45
1:W:101:VAL:HG22	1:W:170:TYR:HD1	1.81	0.45
1:M:133:TRP:CH2	1:O:106:THR:HA	2.51	0.45
1:H:150:VAL:HB	1:W:64:LYS:HD2	1.98	0.45
1:G:58:ILE:HD13	1:G:168:VAL:HG21	1.99	0.45
1:V:58:ILE:HD13	1:V:168:VAL:HG21	1.99	0.45
1:E:134:LYS:NZ	1:E:155:GLU:OE1	2.42	0.45
1:K:127:SER:HA	1:K:145:PRO:HG3	1.98	0.45
1:M:114:SER:HB3	1:M:159:VAL:HG13	1.98	0.45
1:P:92:LEU:HD11	1:P:95:ALA:HB2	1.99	0.45
1:P:128:GLY:O	1:P:145:PRO:HD3	2.17	0.45
1:Q:63:ARG:NH1	1:Q:73:ASP:OD1	2.50	0.45
1:V:192:ASP:OD2	1:V:195:THR:OG1	2.28	0.45
1:I:41:ARG:O	1:I:45:GLU:HG3	2.17	0.45
1:R:192:ASP:OD2	1:R:195:THR:OG1	2.33	0.44
1:S:117:TYR:HB2	1:S:178:THR:HG22	1.99	0.44
1:T:101:VAL:HG22	1:T:170:TYR:HD1	1.81	0.44
1:V:99:GLU:OE2	1:V:170:TYR:OH	2.36	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:194:LEU:HD23	1:I:116:ARG:NH1	2.32	0.44
1:L:117:TYR:HB2	1:L:178:THR:HG22	1.99	0.44
1:D:58:ILE:HD13	1:D:168:VAL:HG21	1.99	0.44
1:J:41:ARG:O	1:J:45:GLU:HG3	2.17	0.44
1:N:55:PHE:CD1	1:N:103:LEU:HD13	2.53	0.44
1:H:127:SER:HA	1:H:145:PRO:HG3	2.00	0.44
1:O:55:PHE:CG	1:O:103:LEU:HD13	2.51	0.44
1:D:78:TRP:HB2	1:F:136:GLY:HA2	2.00	0.44
1:H:134:LYS:HA	1:H:157:THR:HG22	1.99	0.44
1:S:131:ARG:HB3	1:S:160:GLN:HB3	1.99	0.44
1:T:131:ARG:HB3	1:T:160:GLN:HB3	1.99	0.44
1:P:131:ARG:HB3	1:P:160:GLN:HB3	1.98	0.44
1:T:9:ALA:O	1:T:13:VAL:N	2.51	0.44
1:V:131:ARG:HB3	1:V:160:GLN:HB3	1.99	0.44
1:A:114:SER:HB3	1:A:159:VAL:HG13	1.99	0.44
1:E:120:GLU:N	1:E:172:ARG:O	2.46	0.44
1:F:192:ASP:OD2	1:F:195:THR:OG1	2.29	0.44
1:J:37:GLU:HB3	1:J:41:ARG:NH1	2.32	0.44
1:N:114:SER:HB3	1:N:159:VAL:HG13	2.00	0.44
1:O:71:LEU:HD21	1:O:206:ALA:HA	2.00	0.44
1:R:55:PHE:CG	1:R:103:LEU:HD13	2.53	0.44
1:X:71:LEU:HD21	1:X:206:ALA:HA	2.00	0.44
1:H:58:ILE:HD13	1:H:168:VAL:HG21	1.99	0.44
1:T:10:VAL:HA	1:T:13:VAL:HB	1.99	0.44
1:J:136:GLY:HA2	1:L:78:TRP:HB2	2.00	0.44
1:M:58:ILE:HD13	1:M:168:VAL:HG21	2.00	0.44
1:A:99:GLU:OE2	1:A:170:TYR:OH	2.32	0.43
1:C:58:ILE:HD13	1:C:168:VAL:HG21	1.99	0.43
1:D:118:TRP:HA	1:D:153:VAL:HG13	2.00	0.43
1:X:55:PHE:CG	1:X:103:LEU:HD13	2.53	0.43
1:J:118:TRP:HA	1:J:153:VAL:HG13	1.99	0.43
1:P:117:TYR:HB2	1:P:178:THR:HG22	2.00	0.43
1:D:106:THR:HA	1:F:133:TRP:CH2	2.53	0.43
1:C:32:TYR:HB3	1:C:99:GLU:OE2	2.19	0.43
1:G:41:ARG:O	1:G:45:GLU:HG3	2.18	0.43
1:J:20:LEU:HD23	1:J:20:LEU:HA	1.87	0.43
1:E:37:GLU:HB3	1:E:41:ARG:NH1	2.34	0.43
1:I:117:TYR:HB2	1:I:178:THR:HG22	1.99	0.43
1:O:127:SER:HA	1:O:145:PRO:HG3	1.99	0.43
1:R:127:SER:HA	1:R:145:PRO:HG3	2.00	0.43
1:V:114:SER:HB3	1:V:159:VAL:HG13	2.00	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:55:PHE:CD1	1:C:103:LEU:HD13	2.53	0.43
1:B:41:ARG:O	1:B:45:GLU:HG3	2.19	0.43
1:I:105:GLY:HA3	1:I:166:TRP:CE3	2.54	0.43
1:O:174:PHE:CD2	1:O:176:PRO:HD2	2.54	0.43
1:A:118:TRP:HA	1:A:153:VAL:HG13	2.00	0.43
1:F:41:ARG:O	1:F:45:GLU:HG3	2.19	0.43
1:F:105:GLY:HA3	1:F:166:TRP:CE3	2.54	0.43
1:J:143:PHE:CG	1:J:149:ILE:HD11	2.53	0.43
1:B:127:SER:HA	1:B:145:PRO:HG3	2.01	0.43
1:M:100:TYR:CE2	1:M:171:GLY:HA3	2.54	0.43
1:P:99:GLU:OE2	1:P:170:TYR:OH	2.34	0.42
1:V:116:ARG:NH1	1:X:194:LEU:HD23	2.34	0.42
1:G:71:LEU:HD23	1:G:209:LEU:HD22	2.01	0.42
1:H:63:ARG:NH1	1:H:73:ASP:OD1	2.52	0.42
1:U:128:GLY:O	1:U:145:PRO:HD3	2.19	0.42
1:K:194:LEU:HD23	1:L:116:ARG:NH1	2.33	0.42
1:F:101:VAL:HG22	1:F:170:TYR:HD1	1.85	0.42
1:L:41:ARG:O	1:L:45:GLU:HG3	2.20	0.42
1:N:118:TRP:HA	1:N:153:VAL:HG13	2.02	0.42
1:E:41:ARG:O	1:E:45:GLU:HG3	2.20	0.42
1:D:143:PHE:CG	1:D:149:ILE:HD11	2.54	0.42
1:K:101:VAL:HG22	1:K:170:TYR:HD1	1.84	0.42
1:M:143:PHE:CG	1:M:149:ILE:HD11	2.54	0.42
1:V:101:VAL:HG22	1:V:170:TYR:HD1	1.83	0.42
1:V:117:TYR:HB2	1:V:178:THR:HG22	2.01	0.42
1:X:63:ARG:NH1	1:X:73:ASP:OD1	2.52	0.42
1:B:37:GLU:HB3	1:B:41:ARG:NH1	2.35	0.42
1:W:55:PHE:CD1	1:W:103:LEU:HD13	2.55	0.42
1:E:58:ILE:HD13	1:E:168:VAL:HG21	2.01	0.42
1:B:106:THR:HA	1:D:133:TRP:CH2	2.54	0.42
1:K:6:GLY:HA3	1:K:10:VAL:HB	2.01	0.42
1:R:99:GLU:OE2	1:R:170:TYR:OH	2.32	0.42
1:S:37:GLU:HB3	1:S:41:ARG:NH1	2.34	0.42
1:C:63:ARG:NH1	1:C:73:ASP:OD1	2.53	0.42
1:V:133:TRP:CH2	1:X:106:THR:HA	2.55	0.42
1:G:106:THR:HA	1:H:133:TRP:CH2	2.54	0.42
1:U:55:PHE:CG	1:U:103:LEU:HD13	2.54	0.42
1:Q:58:ILE:HD13	1:Q:168:VAL:HG21	2.02	0.42
1:Q:131:ARG:HB3	1:Q:160:GLN:HB3	2.02	0.42
1:T:114:SER:HB3	1:T:159:VAL:HG13	2.02	0.42
1:X:174:PHE:CD2	1:X:176:PRO:HD2	2.55	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:134:LYS:NZ	1:B:155:GLU:OE1	2.50	0.41
1:F:128:GLY:O	1:F:145:PRO:HD3	2.20	0.41
1:H:118:TRP:HA	1:H:153:VAL:HG13	2.02	0.41
1:M:36:ARG:NH1	1:M:120:GLU:OE2	2.52	0.41
1:N:41:ARG:O	1:N:45:GLU:HG3	2.20	0.41
1:N:131:ARG:HB3	1:N:160:GLN:HB3	2.02	0.41
1:T:99:GLU:OE2	1:T:170:TYR:OH	2.37	0.41
1:V:151:HIS:NE2	1:V:155:GLU:O	2.53	0.41
1:L:174:PHE:CD2	1:L:176:PRO:HD2	2.55	0.41
1:Q:114:SER:HB3	1:Q:159:VAL:HG13	2.02	0.41
1:U:58:ILE:HD13	1:U:168:VAL:HG21	2.02	0.41
1:G:37:GLU:HB3	1:G:41:ARG:NH1	2.36	0.41
1:H:55:PHE:CD1	1:H:103:LEU:HD13	2.56	0.41
1:Q:92:LEU:HD11	1:Q:95:ALA:HB2	2.01	0.41
1:V:71:LEU:HD21	1:V:206:ALA:HA	2.01	0.41
1:A:37:GLU:HB3	1:A:41:ARG:NH1	2.35	0.41
1:W:118:TRP:HA	1:W:153:VAL:HG13	2.03	0.41
1:A:101:VAL:HG22	1:A:170:TYR:HD1	1.84	0.41
1:P:63:ARG:NH1	1:P:73:ASP:OD1	2.54	0.41
1:S:133:TRP:CH2	1:U:106:THR:HA	2.56	0.41
1:C:92:LEU:HD11	1:C:95:ALA:HB2	2.01	0.41
1:J:7:LEU:HA	1:J:7:LEU:HD23	1.75	0.41
1:M:105:GLY:HA3	1:M:166:TRP:CE3	2.55	0.41
1:R:101:VAL:HG22	1:R:170:TYR:HD1	1.86	0.41
1:R:118:TRP:HA	1:R:153:VAL:HG13	2.03	0.41
1:U:118:TRP:HA	1:U:153:VAL:HG13	2.02	0.41
1:I:63:ARG:NH1	1:I:73:ASP:OD1	2.54	0.41
1:P:69:HIS:CE1	1:P:213:THR:HG21	2.55	0.41
1:R:128:GLY:O	1:R:145:PRO:HD3	2.20	0.41
1:D:101:VAL:HG22	1:D:170:TYR:HD1	1.85	0.41
1:H:63:ARG:NH2	1:H:71:LEU:O	2.54	0.41
1:O:101:VAL:HG22	1:O:170:TYR:HD1	1.86	0.41
1:I:174:PHE:CD2	1:I:176:PRO:HD2	2.56	0.41
1:R:100:TYR:CE2	1:R:171:GLY:HA3	2.56	0.41
1:X:58:ILE:HD13	1:X:168:VAL:HG21	2.03	0.41
1:P:106:THR:HA	1:Q:133:TRP:CH2	2.56	0.40
1:T:63:ARG:NH1	1:T:73:ASP:OD1	2.54	0.40
1:U:36:ARG:NH1	1:U:120:GLU:OE2	2.55	0.40
1:W:174:PHE:CD2	1:W:176:PRO:HD2	2.56	0.40
1:X:114:SER:HB3	1:X:159:VAL:HG13	2.03	0.40
1:B:143:PHE:CG	1:B:149:ILE:HD11	2.56	0.40

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:92:LEU:HD11	1:D:95:ALA:HB2	2.03	0.40
1:F:127:SER:HA	1:F:145:PRO:HG3	2.02	0.40
1:M:128:GLY:HA3	1:M:165:THR:HA	2.03	0.40
1:N:34:PHE:HB2	1:N:170:TYR:CE1	2.56	0.40
1:N:63:ARG:NH1	1:N:73:ASP:OD1	2.55	0.40
1:P:133:TRP:CH2	1:R:106:THR:HA	2.56	0.40
1:T:58:ILE:HD13	1:T:168:VAL:HG21	2.02	0.40
1:U:114:SER:HB3	1:U:159:VAL:HG13	2.02	0.40
1:G:100:TYR:CE2	1:G:171:GLY:HA3	2.56	0.40
1:G:127:SER:HA	1:G:145:PRO:HG3	2.04	0.40
1:H:100:TYR:CE2	1:H:171:GLY:HA3	2.55	0.40
1:W:114:SER:HB3	1:W:159:VAL:HG13	2.02	0.40
1:G:143:PHE:CG	1:G:149:ILE:HD11	2.55	0.40
1:C:134:LYS:NZ	1:C:155:GLU:OE1	2.50	0.40
1:Q:174:PHE:CD2	1:Q:176:PRO:HD2	2.56	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [\(i\)](#)

### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	211/225 (94%)	207 (98%)	4 (2%)	0	100 100
1	B	211/225 (94%)	206 (98%)	5 (2%)	0	100 100
1	C	212/225 (94%)	206 (97%)	6 (3%)	0	100 100
1	D	212/225 (94%)	206 (97%)	6 (3%)	0	100 100
1	E	204/225 (91%)	199 (98%)	5 (2%)	0	100 100
1	F	204/225 (91%)	199 (98%)	5 (2%)	0	100 100
1	G	211/225 (94%)	207 (98%)	4 (2%)	0	100 100
1	H	211/225 (94%)	207 (98%)	4 (2%)	0	100 100

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	I	208/225 (92%)	203 (98%)	5 (2%)	0	100 100
1	J	211/225 (94%)	207 (98%)	4 (2%)	0	100 100
1	K	212/225 (94%)	207 (98%)	5 (2%)	0	100 100
1	L	208/225 (92%)	203 (98%)	5 (2%)	0	100 100
1	M	194/225 (86%)	189 (97%)	5 (3%)	0	100 100
1	N	208/225 (92%)	203 (98%)	5 (2%)	0	100 100
1	O	210/225 (93%)	206 (98%)	4 (2%)	0	100 100
1	P	200/225 (89%)	196 (98%)	4 (2%)	0	100 100
1	Q	210/225 (93%)	205 (98%)	5 (2%)	0	100 100
1	R	210/225 (93%)	206 (98%)	4 (2%)	0	100 100
1	S	207/225 (92%)	203 (98%)	3 (1%)	1 (0%)	29 66
1	T	211/225 (94%)	205 (97%)	6 (3%)	0	100 100
1	U	211/225 (94%)	206 (98%)	5 (2%)	0	100 100
1	V	208/225 (92%)	204 (98%)	3 (1%)	1 (0%)	29 66
1	W	211/225 (94%)	205 (97%)	6 (3%)	0	100 100
1	X	211/225 (94%)	207 (98%)	4 (2%)	0	100 100
All	All	5006/5400 (93%)	4892 (98%)	112 (2%)	2 (0%)	100 100

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	S	31	SER
1	V	31	SER

### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	178/188 (95%)	177 (99%)	1 (1%)	86 92
1	B	178/188 (95%)	177 (99%)	1 (1%)	86 92

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	179/188 (95%)	177 (99%)	2 (1%)	73	85
1	D	179/188 (95%)	178 (99%)	1 (1%)	86	92
1	E	173/188 (92%)	172 (99%)	1 (1%)	86	92
1	F	173/188 (92%)	172 (99%)	1 (1%)	86	92
1	G	178/188 (95%)	177 (99%)	1 (1%)	86	92
1	H	178/188 (95%)	176 (99%)	2 (1%)	73	85
1	I	176/188 (94%)	175 (99%)	1 (1%)	86	92
1	J	178/188 (95%)	176 (99%)	2 (1%)	73	85
1	K	179/188 (95%)	178 (99%)	1 (1%)	86	92
1	L	176/188 (94%)	175 (99%)	1 (1%)	86	92
1	M	166/188 (88%)	165 (99%)	1 (1%)	86	92
1	N	176/188 (94%)	175 (99%)	1 (1%)	86	92
1	O	177/188 (94%)	176 (99%)	1 (1%)	86	92
1	P	171/188 (91%)	170 (99%)	1 (1%)	86	92
1	Q	177/188 (94%)	176 (99%)	1 (1%)	86	92
1	R	177/188 (94%)	176 (99%)	1 (1%)	86	92
1	S	175/188 (93%)	174 (99%)	1 (1%)	86	92
1	T	178/188 (95%)	176 (99%)	2 (1%)	73	85
1	U	178/188 (95%)	177 (99%)	1 (1%)	86	92
1	V	176/188 (94%)	175 (99%)	1 (1%)	86	92
1	W	178/188 (95%)	177 (99%)	1 (1%)	86	92
1	X	178/188 (95%)	177 (99%)	1 (1%)	86	92
All	All	4232/4512 (94%)	4204 (99%)	28 (1%)	84	91

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	117	TYR
1	C	27	LEU
1	C	117	TYR
1	E	117	TYR
1	B	117	TYR
1	D	117	TYR
1	F	117	TYR

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	G	117	TYR
1	H	5	LEU
1	H	117	TYR
1	I	117	TYR
1	J	7	LEU
1	J	117	TYR
1	K	117	TYR
1	L	117	TYR
1	M	117	TYR
1	N	117	TYR
1	O	117	TYR
1	P	117	TYR
1	Q	117	TYR
1	R	117	TYR
1	S	117	TYR
1	T	10	VAL
1	T	117	TYR
1	U	117	TYR
1	V	117	TYR
1	W	117	TYR
1	X	117	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	F	214	HIS
1	L	94	HIS
1	Q	94	HIS

### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry (i)

25 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	88E	N	301	-	27,28,28	2.23	6 (22%)	30,38,38	1.12	1 (3%)
2	88E	O	301	-	27,28,28	2.26	6 (22%)	30,38,38	1.06	2 (6%)
2	88E	A	301	-	27,28,28	2.27	6 (22%)	30,38,38	1.18	2 (6%)
2	88E	J	301	-	27,28,28	2.27	6 (22%)	30,38,38	1.15	2 (6%)
2	88E	C	301	-	27,28,28	2.25	6 (22%)	30,38,38	1.08	2 (6%)
2	88E	Q	301	-	27,28,28	2.24	6 (22%)	30,38,38	1.10	1 (3%)
2	88E	S	301	-	27,28,28	2.23	5 (18%)	30,38,38	1.20	2 (6%)
2	88E	M	301	-	27,28,28	2.24	5 (18%)	30,38,38	1.10	2 (6%)
2	88E	V	301	-	27,28,28	2.23	5 (18%)	30,38,38	1.12	2 (6%)
2	88E	K	301	-	27,28,28	2.24	5 (18%)	30,38,38	1.06	2 (6%)
2	88E	F	301	-	27,28,28	2.23	5 (18%)	30,38,38	1.09	2 (6%)
2	88E	U	301	-	27,28,28	2.25	6 (22%)	30,38,38	1.08	2 (6%)
2	88E	E	301	-	27,28,28	2.24	5 (18%)	30,38,38	1.10	2 (6%)
2	88E	P	301	-	27,28,28	2.24	5 (18%)	30,38,38	1.20	2 (6%)
2	88E	W	301	-	27,28,28	2.23	6 (22%)	30,38,38	1.11	1 (3%)
2	88E	H	301	-	27,28,28	2.25	5 (18%)	30,38,38	1.04	2 (6%)
2	88E	R	301	-	27,28,28	2.25	6 (22%)	30,38,38	1.12	2 (6%)
2	88E	T	301	-	27,28,28	2.26	6 (22%)	30,38,38	1.12	2 (6%)
2	88E	B	301	-	27,28,28	2.27	5 (18%)	30,38,38	1.18	2 (6%)
2	88E	I	301	-	27,28,28	2.22	5 (18%)	30,38,38	1.07	1 (3%)
2	88E	P	302	-	27,28,28	2.29	6 (22%)	30,38,38	1.29	2 (6%)
2	88E	X	301	-	27,28,28	2.25	6 (22%)	30,38,38	1.06	2 (6%)
2	88E	L	301	-	27,28,28	2.23	5 (18%)	30,38,38	1.10	2 (6%)
2	88E	D	301	-	27,28,28	2.24	5 (18%)	30,38,38	1.04	2 (6%)
2	88E	G	301	-	27,28,28	2.27	5 (18%)	30,38,38	1.17	2 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	88E	N	301	-	-	1/8/18/18	0/4/4/4
2	88E	O	301	-	-	1/8/18/18	0/4/4/4
2	88E	A	301	-	-	1/8/18/18	0/4/4/4
2	88E	J	301	-	-	1/8/18/18	0/4/4/4
2	88E	C	301	-	-	1/8/18/18	0/4/4/4
2	88E	Q	301	-	-	1/8/18/18	0/4/4/4
2	88E	S	301	-	-	1/8/18/18	0/4/4/4
2	88E	M	301	-	-	1/8/18/18	0/4/4/4
2	88E	V	301	-	-	1/8/18/18	0/4/4/4
2	88E	K	301	-	-	1/8/18/18	0/4/4/4
2	88E	F	301	-	-	1/8/18/18	0/4/4/4
2	88E	U	301	-	-	1/8/18/18	0/4/4/4
2	88E	E	301	-	-	1/8/18/18	0/4/4/4
2	88E	P	301	-	-	1/8/18/18	0/4/4/4
2	88E	W	301	-	-	1/8/18/18	0/4/4/4
2	88E	H	301	-	-	1/8/18/18	0/4/4/4
2	88E	R	301	-	-	1/8/18/18	0/4/4/4
2	88E	T	301	-	-	1/8/18/18	0/4/4/4
2	88E	B	301	-	-	1/8/18/18	0/4/4/4
2	88E	I	301	-	-	1/8/18/18	0/4/4/4
2	88E	P	302	-	-	1/8/18/18	0/4/4/4
2	88E	X	301	-	-	1/8/18/18	0/4/4/4
2	88E	L	301	-	-	1/8/18/18	0/4/4/4
2	88E	D	301	-	-	1/8/18/18	0/4/4/4
2	88E	G	301	-	-	1/8/18/18	0/4/4/4

All (137) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	P	302	88E	C19-N20	-8.84	1.27	1.47
2	J	301	88E	C19-N20	-8.79	1.27	1.47
2	E	301	88E	C19-N20	-8.77	1.27	1.47
2	A	301	88E	C19-N20	-8.77	1.27	1.47
2	O	301	88E	C19-N20	-8.76	1.27	1.47
2	B	301	88E	C19-N20	-8.75	1.27	1.47
2	G	301	88E	C19-N20	-8.75	1.27	1.47
2	M	301	88E	C19-N20	-8.74	1.27	1.47
2	T	301	88E	C19-N20	-8.74	1.27	1.47
2	P	301	88E	C19-N20	-8.71	1.27	1.47

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	X	301	88E	C19-N20	-8.71	1.27	1.47
2	V	301	88E	C19-N20	-8.69	1.27	1.47
2	L	301	88E	C19-N20	-8.69	1.27	1.47
2	H	301	88E	C19-N20	-8.68	1.27	1.47
2	R	301	88E	C19-N20	-8.68	1.27	1.47
2	K	301	88E	C19-N20	-8.68	1.27	1.47
2	C	301	88E	C19-N20	-8.67	1.27	1.47
2	Q	301	88E	C19-N20	-8.67	1.27	1.47
2	S	301	88E	C19-N20	-8.65	1.27	1.47
2	D	301	88E	C19-N20	-8.65	1.27	1.47
2	F	301	88E	C19-N20	-8.65	1.27	1.47
2	U	301	88E	C19-N20	-8.65	1.27	1.47
2	W	301	88E	C19-N20	-8.65	1.27	1.47
2	I	301	88E	C19-N20	-8.63	1.27	1.47
2	N	301	88E	C19-N20	-8.62	1.27	1.47
2	P	302	88E	N5-N6	-3.25	1.33	1.39
2	P	302	88E	C21-N20	-3.21	1.38	1.46
2	G	301	88E	C25-N20	-3.17	1.38	1.46
2	O	301	88E	C25-N20	-3.16	1.38	1.46
2	J	301	88E	C25-N20	-3.16	1.38	1.46
2	A	301	88E	C25-N20	-3.15	1.38	1.46
2	M	301	88E	C25-N20	-3.15	1.38	1.46
2	B	301	88E	C25-N20	-3.14	1.38	1.46
2	X	301	88E	C25-N20	-3.14	1.38	1.46
2	N	301	88E	C25-N20	-3.14	1.38	1.46
2	K	301	88E	C25-N20	-3.14	1.38	1.46
2	P	301	88E	C21-N20	-3.14	1.38	1.46
2	U	301	88E	C21-N20	-3.13	1.38	1.46
2	T	301	88E	C25-N20	-3.13	1.38	1.46
2	P	302	88E	C25-N20	-3.13	1.38	1.46
2	R	301	88E	C21-N20	-3.13	1.38	1.46
2	C	301	88E	C25-N20	-3.13	1.38	1.46
2	W	301	88E	C25-N20	-3.13	1.38	1.46
2	P	301	88E	C25-N20	-3.13	1.38	1.46
2	O	301	88E	C21-N20	-3.12	1.38	1.46
2	D	301	88E	C21-N20	-3.12	1.38	1.46
2	S	301	88E	C25-N20	-3.12	1.38	1.46
2	X	301	88E	C21-N20	-3.12	1.38	1.46
2	K	301	88E	C21-N20	-3.12	1.38	1.46
2	R	301	88E	C25-N20	-3.12	1.38	1.46
2	H	301	88E	C25-N20	-3.11	1.38	1.46
2	V	301	88E	C25-N20	-3.11	1.38	1.46

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	Q	301	88E	C25-N20	-3.11	1.38	1.46
2	M	301	88E	N5-N6	-3.11	1.33	1.39
2	B	301	88E	C21-N20	-3.11	1.38	1.46
2	S	301	88E	C21-N20	-3.11	1.38	1.46
2	H	301	88E	C21-N20	-3.11	1.38	1.46
2	A	301	88E	C21-N20	-3.11	1.38	1.46
2	E	301	88E	C21-N20	-3.11	1.38	1.46
2	G	301	88E	C21-N20	-3.11	1.38	1.46
2	U	301	88E	C25-N20	-3.11	1.38	1.46
2	T	301	88E	C21-N20	-3.10	1.38	1.46
2	P	301	88E	N5-N6	-3.10	1.33	1.39
2	L	301	88E	C25-N20	-3.10	1.38	1.46
2	E	301	88E	C25-N20	-3.10	1.38	1.46
2	L	301	88E	C21-N20	-3.09	1.38	1.46
2	V	301	88E	C21-N20	-3.09	1.38	1.46
2	G	301	88E	N5-N6	-3.09	1.33	1.39
2	C	301	88E	C21-N20	-3.08	1.38	1.46
2	I	301	88E	C25-N20	-3.08	1.38	1.46
2	M	301	88E	C21-N20	-3.08	1.38	1.46
2	Q	301	88E	C21-N20	-3.08	1.38	1.46
2	J	301	88E	C21-N20	-3.08	1.38	1.46
2	D	301	88E	N5-N6	-3.08	1.33	1.39
2	D	301	88E	C25-N20	-3.07	1.38	1.46
2	N	301	88E	C21-N20	-3.07	1.38	1.46
2	F	301	88E	C21-N20	-3.07	1.38	1.46
2	F	301	88E	C25-N20	-3.07	1.38	1.46
2	B	301	88E	N5-N6	-3.06	1.33	1.39
2	W	301	88E	C21-N20	-3.06	1.38	1.46
2	S	301	88E	N5-N6	-3.05	1.33	1.39
2	O	301	88E	N5-N6	-3.05	1.33	1.39
2	H	301	88E	N5-N6	-3.04	1.33	1.39
2	T	301	88E	N5-N6	-3.03	1.33	1.39
2	I	301	88E	C21-N20	-3.03	1.38	1.46
2	E	301	88E	N5-N6	-3.03	1.33	1.39
2	X	301	88E	N5-N6	-3.02	1.33	1.39
2	R	301	88E	N5-N6	-3.02	1.33	1.39
2	U	301	88E	N5-N6	-3.02	1.33	1.39
2	V	301	88E	N5-N6	-3.01	1.33	1.39
2	C	301	88E	N5-N6	-3.00	1.33	1.39
2	A	301	88E	N5-N6	-3.00	1.33	1.39
2	L	301	88E	N5-N6	-2.98	1.33	1.39
2	J	301	88E	N5-N6	-2.98	1.33	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	K	301	88E	N5-N6	-2.97	1.33	1.39
2	Q	301	88E	N5-N6	-2.97	1.33	1.39
2	I	301	88E	N5-N6	-2.97	1.33	1.39
2	F	301	88E	N5-N6	-2.94	1.33	1.39
2	N	301	88E	N5-N6	-2.83	1.34	1.39
2	W	301	88E	N5-N6	-2.76	1.34	1.39
2	T	301	88E	C9-C14	-2.43	1.36	1.42
2	C	301	88E	C9-C14	-2.41	1.36	1.42
2	E	301	88E	C9-C14	-2.40	1.36	1.42
2	F	301	88E	C9-C14	-2.40	1.36	1.42
2	V	301	88E	C9-C14	-2.40	1.36	1.42
2	I	301	88E	C9-C14	-2.39	1.36	1.42
2	D	301	88E	C9-C14	-2.39	1.36	1.42
2	A	301	88E	C9-C14	-2.39	1.36	1.42
2	J	301	88E	C9-C14	-2.37	1.36	1.42
2	X	301	88E	C9-C14	-2.37	1.36	1.42
2	Q	301	88E	C9-C14	-2.37	1.36	1.42
2	K	301	88E	C9-C14	-2.37	1.36	1.42
2	W	301	88E	C9-C14	-2.37	1.36	1.42
2	G	301	88E	C9-C14	-2.37	1.36	1.42
2	P	301	88E	C9-C14	-2.36	1.36	1.42
2	P	302	88E	C9-C14	-2.36	1.36	1.42
2	H	301	88E	C9-C14	-2.36	1.36	1.42
2	B	301	88E	C9-C14	-2.36	1.36	1.42
2	S	301	88E	C9-C14	-2.35	1.36	1.42
2	L	301	88E	C9-C14	-2.34	1.36	1.42
2	N	301	88E	C9-C14	-2.34	1.36	1.42
2	O	301	88E	C9-C14	-2.34	1.36	1.42
2	U	301	88E	C9-C14	-2.33	1.36	1.42
2	R	301	88E	C9-C14	-2.33	1.36	1.42
2	M	301	88E	C9-C14	-2.33	1.36	1.42
2	W	301	88E	O17-C4	2.16	1.40	1.36
2	P	302	88E	C4-N5	-2.14	1.31	1.34
2	N	301	88E	O17-C4	2.12	1.40	1.36
2	X	301	88E	O17-C4	2.08	1.40	1.36
2	U	301	88E	O17-C4	2.07	1.40	1.36
2	A	301	88E	O17-C4	2.06	1.40	1.36
2	O	301	88E	O17-C4	2.05	1.40	1.36
2	R	301	88E	O17-C4	2.04	1.40	1.36
2	J	301	88E	O17-C4	2.03	1.40	1.36
2	C	301	88E	O17-C4	2.02	1.40	1.36
2	T	301	88E	O17-C4	2.02	1.40	1.36

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	Q	301	88E	O17-C4	2.00	1.40	1.36

All (46) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	P	302	88E	C18-O17-C4	-4.36	110.72	117.59
2	P	301	88E	C18-O17-C4	-3.40	112.23	117.59
2	S	301	88E	C18-O17-C4	-3.28	112.43	117.59
2	B	301	88E	C18-O17-C4	-2.96	112.93	117.59
2	A	301	88E	C18-O17-C4	-2.96	112.93	117.59
2	W	301	88E	C3-C4-N5	-2.81	107.46	111.42
2	A	301	88E	C3-C4-N5	-2.81	107.47	111.42
2	N	301	88E	C3-C4-N5	-2.78	107.50	111.42
2	G	301	88E	C18-O17-C4	-2.76	113.24	117.59
2	J	301	88E	C3-C4-N5	-2.76	107.53	111.42
2	R	301	88E	C3-C4-N5	-2.76	107.53	111.42
2	O	301	88E	C3-C4-N5	-2.75	107.54	111.42
2	Q	301	88E	C3-C4-N5	-2.73	107.57	111.42
2	T	301	88E	C3-C4-N5	-2.73	107.57	111.42
2	G	301	88E	C3-C4-N5	-2.72	107.58	111.42
2	X	301	88E	C3-C4-N5	-2.72	107.58	111.42
2	U	301	88E	C3-C4-N5	-2.71	107.61	111.42
2	J	301	88E	C18-O17-C4	-2.67	113.38	117.59
2	B	301	88E	C3-C4-N5	-2.66	107.67	111.42
2	K	301	88E	C3-C4-N5	-2.62	107.72	111.42
2	D	301	88E	C3-C4-N5	-2.57	107.80	111.42
2	H	301	88E	C3-C4-N5	-2.55	107.82	111.42
2	C	301	88E	C3-C4-N5	-2.55	107.82	111.42
2	C	301	88E	C18-O17-C4	-2.53	113.61	117.59
2	I	301	88E	C3-C4-N5	-2.51	107.88	111.42
2	P	302	88E	C3-C4-N5	-2.51	107.88	111.42
2	L	301	88E	C3-C4-N5	-2.49	107.92	111.42
2	R	301	88E	C18-O17-C4	-2.48	113.69	117.59
2	E	301	88E	C18-O17-C4	-2.43	113.76	117.59
2	F	301	88E	C3-C4-N5	-2.38	108.06	111.42
2	E	301	88E	C3-C4-N5	-2.36	108.09	111.42
2	V	301	88E	C3-C4-N5	-2.36	108.10	111.42
2	P	301	88E	C3-C4-N5	-2.32	108.15	111.42
2	M	301	88E	C3-C4-N5	-2.29	108.19	111.42
2	H	301	88E	C18-O17-C4	-2.28	113.99	117.59
2	S	301	88E	C3-C4-N5	-2.28	108.20	111.42
2	T	301	88E	C18-O17-C4	-2.27	114.01	117.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	K	301	88E	C18-O17-C4	-2.27	114.02	117.59
2	D	301	88E	C18-O17-C4	-2.26	114.03	117.59
2	L	301	88E	C18-O17-C4	-2.26	114.04	117.59
2	V	301	88E	C18-O17-C4	-2.24	114.06	117.59
2	F	301	88E	C18-O17-C4	-2.16	114.18	117.59
2	O	301	88E	C18-O17-C4	-2.16	114.18	117.59
2	U	301	88E	C18-O17-C4	-2.15	114.21	117.59
2	M	301	88E	C18-O17-C4	-2.07	114.32	117.59
2	X	301	88E	C18-O17-C4	-2.07	114.32	117.59

There are no chirality outliers.

All (25) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	E	301	88E	C18-C19-N20-C25
2	F	301	88E	C18-C19-N20-C25
2	I	301	88E	C18-C19-N20-C25
2	L	301	88E	C18-C19-N20-C25
2	M	301	88E	C18-C19-N20-C25
2	D	301	88E	C18-C19-N20-C25
2	N	301	88E	C18-C19-N20-C25
2	Q	301	88E	C18-C19-N20-C25
2	S	301	88E	C18-C19-N20-C25
2	U	301	88E	C18-C19-N20-C25
2	V	301	88E	C18-C19-N20-C25
2	X	301	88E	C18-C19-N20-C25
2	A	301	88E	C18-C19-N20-C25
2	C	301	88E	C18-C19-N20-C25
2	B	301	88E	C18-C19-N20-C25
2	G	301	88E	C18-C19-N20-C25
2	H	301	88E	C18-C19-N20-C25
2	K	301	88E	C18-C19-N20-C25
2	O	301	88E	C18-C19-N20-C25
2	P	301	88E	C18-C19-N20-C25
2	R	301	88E	C18-C19-N20-C25
2	T	301	88E	C18-C19-N20-C25
2	W	301	88E	C18-C19-N20-C25
2	J	301	88E	C18-C19-N20-C25
2	P	302	88E	O17-C18-C19-N20



There are no ring outliers.



1 monomer is involved in 1 short contact:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	P	302	88E	1	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











































## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [\(i\)](#)

### 6.1 Protein, DNA and RNA chains [\(i\)](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	213/225 (94%)	0.22	0 [100] [100]	47, 78, 105, 125	0
1	B	213/225 (94%)	0.22	2 (0%) 84 [79]	59, 84, 111, 135	0
1	C	214/225 (95%)	0.24	6 (2%) 53 [43]	59, 82, 109, 126	0
1	D	214/225 (95%)	0.19	3 (1%) 75 [68]	52, 79, 106, 122	0
1	E	206/225 (91%)	0.21	2 (0%) 82 [76]	53, 73, 97, 107	0
1	F	206/225 (91%)	0.21	1 (0%) 91 [87]	43, 64, 108, 120	0
1	G	213/225 (94%)	0.24	1 (0%) 91 [87]	56, 83, 109, 118	0
1	H	213/225 (94%)	0.31	6 (2%) 53 [43]	65, 91, 109, 134	0
1	I	210/225 (93%)	0.25	0 [100] [100]	44, 73, 102, 122	0
1	J	213/225 (94%)	0.16	0 [100] [100]	57, 74, 99, 123	0
1	K	214/225 (95%)	0.20	2 (0%) 84 [79]	44, 76, 102, 124	0
1	L	210/225 (93%)	0.20	0 [100] [100]	46, 70, 101, 129	0
1	M	196/225 (87%)	0.21	0 [100] [100]	51, 70, 97, 111	0
1	N	210/225 (93%)	0.31	2 (0%) 82 [76]	53, 79, 108, 121	0
1	O	212/225 (94%)	0.29	3 (1%) 75 [68]	54, 77, 98, 116	0
1	P	202/225 (89%)	0.30	3 (1%) 73 [66]	49, 73, 108, 124	0
1	Q	212/225 (94%)	0.46	6 (2%) 53 [43]	74, 103, 129, 142	0
1	R	212/225 (94%)	0.36	4 (1%) 66 [59]	73, 103, 121, 131	0
1	S	209/225 (92%)	0.20	2 (0%) 82 [76]	49, 75, 109, 122	0
1	T	213/225 (94%)	0.40	6 (2%) 53 [43]	75, 93, 120, 141	0
1	U	213/225 (94%)	0.31	3 (1%) 75 [68]	67, 95, 115, 122	0
1	V	210/225 (93%)	0.21	1 (0%) 91 [87]	50, 73, 105, 124	0
1	W	213/225 (94%)	0.30	6 (2%) 53 [43]	55, 79, 121, 141	0
1	X	213/225 (94%)	0.25	3 (1%) 75 [68]	52, 77, 97, 111	0

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
All	All	5054/5400 (93%)	0.26	62 (1%) 79 72	43, 80, 113, 142	0

All (62) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	H	69	HIS	4.0
1	C	93	LEU	3.5
1	K	27	LEU	3.5
1	U	159	VAL	3.5
1	R	77	GLN	3.3
1	P	71	LEU	3.0
1	O	48	GLY	2.9
1	N	148	THR	2.9
1	B	23	ILE	2.8
1	W	75	ASP	2.8
1	W	148	THR	2.7
1	R	125	ILE	2.7
1	K	93	LEU	2.6
1	D	27	LEU	2.6
1	D	93	LEU	2.6
1	W	27	LEU	2.6
1	W	171	GLY	2.6
1	C	199	THR	2.5
1	O	119	ALA	2.5
1	T	146	GLY	2.5
1	H	93	LEU	2.5
1	S	71	LEU	2.5
1	B	154	GLY	2.4
1	Q	89	SER	2.4
1	O	93	LEU	2.4
1	X	119	ALA	2.4
1	D	69	HIS	2.4
1	C	48	GLY	2.4
1	H	27	LEU	2.4
1	T	170	TYR	2.4
1	X	93	LEU	2.4
1	Q	213	THR	2.4
1	E	24	ARG	2.3
1	S	75	ASP	2.3
1	T	11	LEU	2.3
1	U	70	ILE	2.3
1	Q	170	TYR	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	E	23	ILE	2.2
1	H	77	GLN	2.2
1	C	27	LEU	2.2
1	F	26	TRP	2.2
1	H	26	TRP	2.2
1	T	189	SER	2.2
1	N	146	GLY	2.2
1	T	216	SER	2.2
1	V	182	ALA	2.2
1	G	27	LEU	2.2
1	R	182	ALA	2.1
1	P	75	ASP	2.1
1	Q	92	LEU	2.1
1	C	88	GLY	2.1
1	W	11	LEU	2.1
1	W	132	GLN	2.1
1	X	136	GLY	2.1
1	Q	86	TRP	2.1
1	Q	74	GLU	2.1
1	U	69	HIS	2.1
1	R	70	ILE	2.1
1	C	141	GLU	2.0
1	H	119	ALA	2.0
1	T	89	SER	2.0
1	P	103	LEU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [\(i\)](#)


There are no monosaccharides in this entry.


## 6.4 Ligands [\(i\)](#)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	88E	P	302	25/25	0.85	0.46	85,85,85,85	0
2	88E	N	301	25/25	0.86	0.54	77,77,77,77	0
2	88E	S	301	25/25	0.87	0.64	75,75,75,75	0
2	88E	M	301	25/25	0.88	0.49	69,69,69,69	0
2	88E	D	301	25/25	0.88	0.70	79,79,79,79	0
2	88E	U	301	25/25	0.88	0.66	94,94,94,94	0
2	88E	W	301	25/25	0.89	0.52	78,78,78,78	0
2	88E	Q	301	25/25	0.90	0.68	95,95,95,95	0
2	88E	L	301	25/25	0.90	0.54	70,70,70,70	0
2	88E	T	301	25/25	0.90	0.63	91,91,91,91	0
2	88E	P	301	25/25	0.90	0.62	68,68,68,68	0
2	88E	V	301	25/25	0.90	0.44	69,69,69,69	0
2	88E	C	301	25/25	0.90	0.63	80,80,80,80	0
2	88E	X	301	25/25	0.90	0.60	76,76,76,76	0
2	88E	H	301	25/25	0.92	0.72	84,84,84,84	0
2	88E	K	301	25/25	0.92	0.60	74,74,74,74	0
2	88E	O	301	25/25	0.92	0.45	76,76,76,76	0
2	88E	A	301	25/25	0.92	0.47	73,73,73,73	0
2	88E	B	301	25/25	0.93	0.54	74,74,74,74	0
2	88E	R	301	25/25	0.93	0.62	97,97,97,97	0
2	88E	I	301	25/25	0.93	0.51	70,70,70,70	0
2	88E	F	301	25/25	0.93	0.45	69,69,69,69	0
2	88E	G	301	25/25	0.94	0.52	76,76,76,76	0
2	88E	E	301	25/25	0.94	0.51	74,74,74,74	0
2	88E	J	301	25/25	0.95	0.49	69,69,69,69	0


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



































## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.