



## Full wwPDB EM Validation Report ⓘ

Sep 23, 2021 – 12:31 PM EDT

EMDB ID : EMD-24149  
Title : Cryo-EM structure of the human SSU processome, state pre-A1 - 5'ETS focused map  
Authors : Vanden Broeck, A.; Singh, S.; Klinge, S.  
Deposited on : 2021-06-04  
Resolution : 3.73 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMMapValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.0.dev97  
Validation Pipeline (wwPDB-VP) : 2.23.1

# 1 Experimental information

| Property                             | Value              | Source    |
|--------------------------------------|--------------------|-----------|
| EM reconstruction method             | SINGLE PARTICLE    | Depositor |
| Imposed symmetry                     | POINT, C1          | Depositor |
| Number of particles used             | 24598              | Depositor |
| Resolution determination method      | FSC 0.143 CUT-OFF  | Depositor |
| CTF correction method                | Not provided       |           |
| Microscope                           | FEI TITAN KRIOS    | Depositor |
| Voltage (kV)                         | 300                | Depositor |
| Electron dose ( $e^-/\text{\AA}^2$ ) | 58.0               | Depositor |
| Minimum defocus (nm)                 | 0.7000000000000001 | Depositor |
| Maximum defocus (nm)                 | 2.7                | Depositor |
| Magnification                        | Not provided       |           |
| Image detector                       | GATAN K3 (6k x 4k) | Depositor |

## 2 Map visualisation

This section contains visualisations of the EMDB entry EMD-24149. These allow visual inspection of the internal detail of the map and identification of artifacts.

Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 2.1 Orthogonal projections

This section was not generated.

### 2.2 Central slices

This section was not generated.

### 2.3 Largest variance slices

This section was not generated.

### 2.4 Orthogonal surface views

This section was not generated.

### 2.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

### 3 Map analysis ⓘ

This section contains the results of statistical analysis of the map.

#### 3.1 Map-value distribution ⓘ

This section was not generated.

#### 3.2 Volume estimate versus contour level ⓘ

This section was not generated.

#### 3.3 Rotationally averaged power spectrum ⓘ

This section was not generated. The rotationally averaged power spectrum had issues being displayed.

## 4 Fourier-Shell correlation ⓘ

This section was not generated. No FSC curve or half-maps provided.