



# Full wwPDB X-ray Structure Validation Report ⓘ

May 16, 2020 – 11:42 pm BST

PDB ID : 1EV7  
Title : CRYSTAL STRUCTURE OF DNA RESTRICTION ENDONUCLEASE  
NAEI  
Authors : Huai, Q.; Colandene, J.D.; Chen, Y.; Luo, F.; Zhao, Y.  
Deposited on : 2000-04-19  
Resolution : 2.38 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.38 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	5509 (2.40-2.36)
Clashscore	141614	6082 (2.40-2.36)
Ramachandran outliers	138981	5973 (2.40-2.36)
Sidechain outliers	138945	5975 (2.40-2.36)
RSRZ outliers	127900	5397 (2.40-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	317	 6% 57% 32% • 7%
1	B	317	 2% 59% 31% • 8%

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 4711 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called TYPE IIE RESTRICTION ENDONUCLEASE NAEI.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	295	2318	1449	435	427	7	0	0	0
1	B	293	2302	1438	432	425	7	0	0	0


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	26	Total	O	0	0
			26	26		
2	B	65	Total	O	0	0
			65	65		


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: TYPE IIE RESTRICTION ENDONUCLEASE NAEI



- Molecule 1: TYPE IIE RESTRICTION ENDONUCLEASE NAEI



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	99.78Å 56.16Å 59.05Å 90.00° 95.92° 90.00°	Depositor
Resolution (Å)	50.00 – 2.38 53.00 – 2.29	Depositor EDS
% Data completeness (in resolution range)	79.2 (50.00-2.38) 87.1 (53.00-2.29)	Depositor EDS
$R_{merge}$	0.06	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.88 (at 2.29Å)	Xtrriage
Refinement program	CNS	Depositor
R, $R_{free}$	0.237 , 0.287 0.235 , 0.282	Depositor DCC
$R_{free}$ test set	2544 reflections (9.89%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	36.5	Xtrriage
Anisotropy	0.581	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.29 , 41.3	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.92	EDS
Total number of atoms	4711	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	49.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.30% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup> Intensities estimated from amplitudes.

<sup>2</sup> Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.33	0/2363	0.60	0/3199
1	B	0.39	0/2347	0.64	1/3178 (0.0%)
All	All	0.36	0/4710	0.62	1/6377 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	172	ASN	N-CA-C	-5.90	95.06	111.00

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2318	0	2299	103	0
1	B	2302	0	2277	87	0
2	A	26	0	0	1	0
2	B	65	0	0	3	0
All	All	4711	0	4576	185	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 20.

All (185) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:250:GLY:HA2	1:B:272:VAL:HG23	1.36	1.06
1:A:188:ALA:HB1	1:A:199:ALA:HB3	1.48	0.93
1:B:10:GLU:HG2	1:B:11:PRO:HD2	1.49	0.93
1:B:184:GLN:HA	1:B:184:GLN:HE21	1.33	0.91
1:A:139:PHE:HB3	1:A:155:GLY:HA3	1.51	0.91
1:B:83:PHE:H	1:B:93:GLN:HE22	1.20	0.90
1:A:262:LEU:HD22	1:A:298:VAL:HG23	1.53	0.89
1:A:250:GLY:H	1:A:257:LYS:HD3	1.34	0.89
1:B:83:PHE:H	1:B:93:GLN:NE2	1.72	0.87
1:A:198:GLN:HE21	1:A:202:ASN:ND2	1.71	0.86
1:A:198:GLN:HE21	1:A:202:ASN:HD21	1.23	0.85
1:B:268:ARG:H	1:B:271:GLN:HE21	1.25	0.83
1:A:227:PHE:HD1	1:A:228:MET:H	1.24	0.81
1:B:144:ASN:ND2	1:B:145:ARG:H	1.78	0.80
1:A:288:THR:OG1	1:A:295:ARG:HG3	1.86	0.75
1:A:14:ASP:HB3	1:A:92:VAL:HG21	1.70	0.74
1:A:262:LEU:HD21	1:A:297:ALA:HA	1.70	0.73
1:B:296:TRP:CZ2	1:B:309:PRO:HG3	2.24	0.72
1:A:83:PHE:H	1:A:93:GLN:HE22	1.39	0.71
1:B:11:PRO:HB3	1:B:134:LYS:HE3	1.73	0.69
1:A:277:VAL:HG12	1:A:298:VAL:HA	1.74	0.68
1:A:42:GLN:HE22	1:A:72:ASN:HD21	1.40	0.68
1:B:11:PRO:CB	1:B:134:LYS:HD2	2.25	0.66
1:B:268:ARG:H	1:B:271:GLN:NE2	1.94	0.65
1:B:251:HIS:ND1	1:B:269:LYS:HA	2.11	0.65
1:B:83:PHE:N	1:B:93:GLN:HE22	1.92	0.65
1:B:189:LYS:HG3	1:B:196:HIS:CE1	2.33	0.64
1:A:308:ALA:HB1	1:A:309:PRO:HD2	1.78	0.64
1:A:242:ARG:N	1:A:243:PRO:HD2	2.13	0.64
1:B:262:LEU:HD23	1:B:262:LEU:N	2.13	0.64
1:B:10:GLU:CG	1:B:11:PRO:HD2	2.26	0.63
1:A:257:LYS:NZ	1:A:311:VAL:HG11	2.14	0.63
1:B:42:GLN:HE22	1:B:72:ASN:HD21	1.46	0.62
1:A:188:ALA:HB1	1:A:199:ALA:CB	2.26	0.62
1:B:205:PHE:O	1:B:209:HIS:HE1	1.82	0.62
1:A:15:LEU:O	1:A:15:LEU:HD23	1.99	0.62
1:B:184:GLN:HA	1:B:184:GLN:NE2	2.08	0.61
1:A:144:ASN:HB3	1:A:148:LYS:H	1.66	0.61
1:A:198:GLN:HE22	1:A:237:ALA:HB2	1.64	0.60
1:B:43:LEU:HD13	1:B:68:LEU:HD12	1.82	0.60
1:A:144:ASN:HB2	1:A:148:LYS:O	2.02	0.59
1:B:11:PRO:HB2	1:B:134:LYS:HD2	1.83	0.59

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:103:GLY:HA2	1:B:105:TRP:CZ3	2.37	0.58
1:B:262:LEU:HD23	1:B:262:LEU:H	1.68	0.58
1:B:144:ASN:ND2	1:B:145:ARG:N	2.50	0.57
1:A:105:TRP:CE2	1:A:118:VAL:HB	2.39	0.57
1:B:296:TRP:CH2	1:B:309:PRO:HG3	2.39	0.57
1:A:178:PRO:HB2	1:A:181:VAL:HG23	1.87	0.57
1:A:198:GLN:OE1	1:A:230:ARG:HB3	2.04	0.57
1:A:257:LYS:CE	1:A:311:VAL:HG11	2.35	0.57
1:A:26:ASP:OD2	1:A:29:GLY:HA2	2.03	0.57
1:A:196:HIS:N	1:A:196:HIS:CD2	2.73	0.57
1:A:196:HIS:H	1:A:196:HIS:CD2	2.20	0.56
1:A:261:ASP:C	1:A:263:GLY:H	2.08	0.56
1:B:245:GLY:HA2	1:B:308:ALA:HB2	1.87	0.56
1:B:300:VAL:HG13	1:B:301:PRO:HD2	1.88	0.56
1:A:300:VAL:HG13	1:A:301:PRO:HD2	1.88	0.56
1:A:257:LYS:HE2	1:A:311:VAL:HG11	1.88	0.55
1:A:147:LEU:HG	1:B:147:LEU:HG	1.89	0.55
1:A:311:VAL:O	1:A:311:VAL:HG22	2.06	0.55
1:A:259:ALA:O	1:A:261:ASP:N	2.39	0.55
1:A:58:HIS:HD2	2:B:374:HOH:O	1.89	0.55
1:B:242:ARG:N	1:B:243:PRO:HD2	2.22	0.54
1:A:268:ARG:H	1:A:271:GLN:HE21	1.54	0.54
1:A:136:ILE:HB	1:A:139:PHE:CE1	2.43	0.54
1:A:163:TRP:N	1:A:164:PRO:HD3	2.23	0.54
1:A:154:GLU:O	1:A:158:GLN:HG3	2.08	0.54
1:A:188:ALA:CB	1:A:199:ALA:HB3	2.31	0.54
1:A:238:ARG:HH12	1:A:257:LYS:NZ	2.06	0.53
1:A:280:ALA:HB1	1:A:284:ASP:CG	2.27	0.53
1:B:106:MET:SD	1:B:150:ARG:HB3	2.49	0.53
1:A:21:THR:O	1:A:24:SER:HB3	2.09	0.53
1:A:81:ASP:HB3	1:B:59:LYS:HB2	1.90	0.53
1:B:224:GLN:O	1:B:227:PHE:HB3	2.08	0.53
1:B:15:LEU:HA	1:B:115:ILE:HD13	1.90	0.53
1:A:224:GLN:NE2	1:A:230:ARG:HH12	2.07	0.52
1:A:311:VAL:HG13	1:A:311:VAL:O	2.08	0.52
1:B:251:HIS:O	1:B:252:GLN:HB3	2.10	0.52
1:A:47:GLN:NE2	1:A:225:ASP:HB3	2.25	0.52
1:B:26:ASP:OD2	1:B:29:GLY:HA2	2.09	0.51
1:A:272:VAL:HG22	1:A:273:VAL:N	2.26	0.51
1:B:11:PRO:HB3	1:B:134:LYS:CE	2.39	0.51
1:A:257:LYS:HZ3	1:A:311:VAL:HG11	1.73	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:53:ASN:HD21	1:A:55:ASP:HB2	1.76	0.51
1:B:10:GLU:HG2	1:B:11:PRO:CD	2.34	0.51
1:B:136:ILE:HG22	1:B:138:GLN:H	1.76	0.50
1:A:238:ARG:NH1	1:A:257:LYS:NZ	2.60	0.50
1:A:242:ARG:N	1:A:243:PRO:CD	2.75	0.50
1:A:74:HIS:CE1	1:B:58:HIS:HB3	2.47	0.49
1:A:197:GLY:HA3	1:A:230:ARG:HH12	1.76	0.49
1:B:37:ARG:CD	1:B:170:GLN:HB3	2.42	0.49
1:A:105:TRP:CZ2	1:A:118:VAL:HB	2.47	0.49
1:A:140:LEU:N	1:A:152:THR:HG23	2.28	0.49
1:B:282:GLU:HG3	1:B:295:ARG:NH1	2.27	0.49
1:B:104:ALA:HB1	2:B:344:HOH:O	2.12	0.48
1:A:136:ILE:HB	1:A:139:PHE:CD1	2.48	0.48
1:A:200:ARG:HB3	1:A:221:VAL:HG13	1.96	0.48
1:B:65:MET:HE1	1:B:100:MET:HG3	1.96	0.48
1:A:139:PHE:C	1:A:152:THR:HG23	2.33	0.47
1:A:200:ARG:HB3	1:A:221:VAL:CG1	2.44	0.47
1:B:124:GLN:O	1:B:176:HIS:HE1	1.97	0.47
1:A:260:ASN:C	1:A:262:LEU:H	2.17	0.47
1:A:147:LEU:HD11	1:B:147:LEU:HD21	1.96	0.47
1:A:235:GLY:O	1:A:236:GLY:O	2.33	0.47
1:A:184:GLN:OE1	1:A:207:ARG:HD2	2.15	0.47
1:B:144:ASN:HD22	1:B:145:ARG:H	1.59	0.47
1:B:168:LYS:HG2	1:B:168:LYS:H	1.56	0.47
1:A:241:LEU:HB3	1:A:246:ILE:HB	1.97	0.46
1:A:251:HIS:HB2	1:A:268:ARG:O	2.15	0.46
1:B:251:HIS:CG	1:B:251:HIS:O	2.68	0.46
1:A:97:LYS:HG3	1:A:107:LEU:HD23	1.97	0.46
1:A:249:LEU:HD13	1:A:260:ASN:HB2	1.97	0.46
1:B:205:PHE:O	1:B:209:HIS:CE1	2.67	0.46
1:B:246:ILE:HA	1:B:275:ALA:O	2.16	0.46
1:B:245:GLY:CA	1:B:308:ALA:HB2	2.46	0.46
1:A:310:VAL:HG22	1:A:311:VAL:N	2.31	0.45
1:A:14:ASP:HB3	1:A:92:VAL:CG2	2.45	0.45
1:B:128:TRP:O	1:B:166:HIS:CE1	2.68	0.45
1:B:300:VAL:CG1	1:B:301:PRO:HD2	2.46	0.45
1:A:219:ALA:HB2	1:A:227:PHE:CD2	2.52	0.45
1:A:126:CYS:O	1:A:168:LYS:HB2	2.16	0.45
1:A:197:GLY:HA3	1:A:230:ARG:NH1	2.32	0.45
1:A:205:PHE:O	1:A:209:HIS:NE2	2.47	0.45
1:A:226:ASP:O	1:A:229:LYS:HB3	2.17	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:280:ALA:HB1	1:A:284:ASP:OD2	2.17	0.45
1:B:92:VAL:HG11	1:B:115:ILE:HD12	1.99	0.45
1:B:163:TRP:N	1:B:164:PRO:HD3	2.32	0.45
1:B:251:HIS:CE1	1:B:269:LYS:HA	2.52	0.45
1:A:197:GLY:HA2	1:A:200:ARG:NH2	2.32	0.44
1:B:248:ILE:HG22	1:B:272:VAL:CG2	2.47	0.44
1:A:181:VAL:O	1:A:185:ILE:HG13	2.17	0.44
1:A:10:GLU:OE2	1:A:12:ASP:HB2	2.17	0.44
1:B:11:PRO:CB	1:B:134:LYS:CD	2.94	0.44
1:B:250:GLY:C	1:B:252:GLN:H	2.20	0.44
1:B:251:HIS:HD1	1:B:269:LYS:HA	1.80	0.44
1:B:290:GLU:HG2	1:B:291:ILE:N	2.32	0.44
1:A:53:ASN:HD22	1:A:55:ASP:H	1.65	0.44
1:B:142:THR:HG22	1:B:143:ALA:N	2.32	0.44
1:A:53:ASN:ND2	1:A:55:ASP:H	2.16	0.44
1:B:290:GLU:HG3	1:B:294:ARG:O	2.18	0.44
1:B:245:GLY:C	1:B:308:ALA:HB2	2.37	0.43
1:A:188:ALA:O	1:A:189:LYS:HB3	2.18	0.43
1:A:296:TRP:CZ2	1:A:309:PRO:HD3	2.53	0.43
1:B:15:LEU:HD23	1:B:15:LEU:C	2.39	0.43
1:B:222:ALA:O	1:B:223:GLN:HB2	2.18	0.43
1:B:262:LEU:CD1	1:B:297:ALA:HA	2.48	0.43
1:A:248:ILE:HG22	1:A:272:VAL:CG2	2.49	0.43
1:B:310:VAL:O	1:B:311:VAL:HB	2.17	0.43
1:A:284:ASP:O	1:A:286:ARG:N	2.52	0.43
1:B:162:LEU:HB3	1:B:163:TRP:CE3	2.54	0.43
1:B:99:SER:O	1:B:120:TRP:HA	2.18	0.43
1:A:291:ILE:HG22	1:A:292:GLN:N	2.33	0.43
1:B:141:GLY:O	1:B:149:ARG:NH1	2.50	0.43
1:B:154:GLU:HB2	2:B:330:HOH:O	2.19	0.43
1:B:218:ILE:HD12	1:B:228:MET:HE1	2.00	0.43
1:A:14:ASP:HB2	1:A:115:ILE:HD11	2.00	0.43
1:A:144:ASN:ND2	1:A:145:ARG:H	2.17	0.42
1:A:168:LYS:HA	2:A:323:HOH:O	2.20	0.42
1:B:278:VAL:HG21	1:B:303:ASP:OD1	2.18	0.42
1:A:232:ARG:HG2	1:A:233:GLY:N	2.34	0.42
1:A:126:CYS:O	1:A:169:LEU:N	2.51	0.42
1:B:276:ARG:NH2	1:B:303:ASP:O	2.51	0.42
1:A:224:GLN:O	1:A:226:ASP:N	2.52	0.42
1:B:43:LEU:HD13	1:B:68:LEU:CD1	2.48	0.42
1:A:248:ILE:CG2	1:A:272:VAL:HG21	2.50	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:238:ARG:HH12	1:A:257:LYS:HE3	1.84	0.41
1:B:262:LEU:CD2	1:B:262:LEU:N	2.83	0.41
1:B:66:GLY:O	1:B:70:GLU:HG3	2.20	0.41
1:A:308:ALA:HB1	1:A:309:PRO:CD	2.49	0.41
1:B:172:ASN:O	1:B:176:HIS:HD2	2.03	0.41
1:A:248:ILE:HG22	1:A:272:VAL:HG21	2.02	0.41
1:B:133:VAL:HB	1:B:159:VAL:HG22	2.02	0.41
1:A:238:ARG:HH12	1:A:257:LYS:CE	2.33	0.41
1:A:147:LEU:HG	1:B:147:LEU:CG	2.50	0.41
1:B:139:PHE:HB3	1:B:155:GLY:CA	2.51	0.41
1:A:198:GLN:O	1:A:202:ASN:ND2	2.54	0.41
1:A:246:ILE:HA	1:A:275:ALA:O	2.21	0.40
1:A:188:ALA:O	1:A:189:LYS:CB	2.69	0.40
1:B:46:GLY:HA3	1:B:220:THR:OG1	2.21	0.40
1:B:250:GLY:O	1:B:252:GLN:N	2.54	0.40
1:B:262:LEU:HD12	1:B:297:ALA:HA	2.03	0.40
1:A:251:HIS:O	1:A:258:VAL:HG23	2.22	0.40
1:B:112:ILE:CG2	1:B:137:PRO:HD3	2.51	0.40
1:A:222:ALA:O	1:A:223:GLN:C	2.59	0.40
1:B:262:LEU:HB3	1:B:289:ALA:HB2	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	289/317 (91%)	248 (86%)	28 (10%)	13 (4%)	<b>2</b> <b>1</b>
1	B	287/317 (90%)	268 (93%)	13 (4%)	6 (2%)	<b>7</b> <b>7</b>
All	All	576/634 (91%)	516 (90%)	41 (7%)	19 (3%)	<b>4</b> <b>3</b>

All (19) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	226	ASP
1	A	236	GLY
1	A	260	ASN
1	A	143	ALA
1	A	189	LYS
1	A	223	GLN
1	A	225	ASP
1	A	285	GLN
1	B	251	HIS
1	A	262	LEU
1	A	281	ASP
1	A	284	ASP
1	B	143	ALA
1	B	261	ASP
1	B	250	GLY
1	B	291	ILE
1	A	293	GLY
1	A	291	ILE
1	B	293	GLY

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	244/263 (93%)	238 (98%)	6 (2%)	47 65
1	B	242/263 (92%)	234 (97%)	8 (3%)	38 55
All	All	486/526 (92%)	472 (97%)	14 (3%)	42 60

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	10	GLU
1	A	14	ASP
1	A	88	GLU
1	A	144	ASN
1	A	196	HIS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	227	PHE
1	B	12	ASP
1	B	17	ARG
1	B	88	GLU
1	B	110	GLU
1	B	180	ASP
1	B	184	GLN
1	B	262	LEU
1	B	272	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (31) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	42	GLN
1	A	47	GLN
1	A	53	ASN
1	A	58	HIS
1	A	78	GLN
1	A	93	GLN
1	A	124	GLN
1	A	125	GLN
1	A	138	GLN
1	A	144	ASN
1	A	158	GLN
1	A	170	GLN
1	A	196	HIS
1	A	198	GLN
1	A	271	GLN
1	B	42	GLN
1	B	53	ASN
1	B	93	GLN
1	B	124	GLN
1	B	125	GLN
1	B	138	GLN
1	B	144	ASN
1	B	170	GLN
1	B	176	HIS
1	B	184	GLN
1	B	195	GLN
1	B	209	HIS
1	B	252	GLN
1	B	271	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	285	GLN
1	B	292	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	295/317 (93%)	0.37	20 (6%) 17 18	24, 56, 93, 103	0
1	B	293/317 (92%)	0.09	7 (2%) 59 60	20, 36, 79, 94	0
All	All	588/634 (92%)	0.23	27 (4%) 32 35	20, 45, 86, 103	0

All (27) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	10	GLU	5.5
1	A	291	ILE	5.1
1	A	283	GLY	4.7
1	A	11	PRO	4.5
1	B	11	PRO	3.9
1	A	12	ASP	3.8
1	B	232	ARG	3.5
1	A	306	VAL	3.5
1	B	260	ASN	3.4
1	A	225	ASP	3.2
1	B	195	GLN	3.1
1	A	227	PHE	2.8
1	A	253	ASP	2.8
1	A	311	VAL	2.8
1	A	189	LYS	2.7
1	A	285	GLN	2.6
1	A	226	ASP	2.4
1	A	237	ALA	2.3
1	A	231	VAL	2.3
1	A	19	ARG	2.3
1	A	309	PRO	2.2
1	A	234	SER	2.2
1	B	294	ARG	2.1
1	B	311	VAL	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	196	HIS	2.1
1	A	173	LEU	2.0
1	A	190	SER	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.