



wwPDB EM Validation Summary Report ⓘ

Jun 12, 2024 – 10:14 AM JST

PDB ID : 8JXA
EMDB ID : EMD-36694
Title : cryo-EM structure of rat megalin bodyB
Authors : Goto, S.; Tsutsumi, A.; Lee, Y.; Hosojima, M.; Kabasawa, H.; Komochi, K.; Yun-san, L.; Nagatoshi, S.; Tsumoto, K.; Nishizawa, T.; Kikkawa, M.; Saito, A.
Deposited on : 2023-06-30
Resolution : 3.80 Å (reported)
Based on initial model : .

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev92
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	4660	
1	B	4660	
2	M	5	
3	C	3	
3	D	3	
4	E	5	
4	H	5	
4	I	5	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	F	2	<div><div></div><div>50%</div><div></div><div></div><div>100%</div></div>
5	G	2	<div><div></div><div></div><div></div><div></div><div>100%</div></div>
5	J	2	<div><div></div><div></div><div></div><div></div><div>100%</div></div>
6	K	3	<div><div></div><div></div><div></div><div></div><div>100%</div></div>

2 Entry composition [i](#)

There are 9 unique types of molecules in this entry. The entry contains 11889 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called LDL receptor related protein 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	1077	Total	C	N	O	S	0	0
			8455	5100	1537	1687	131		
1	B	361	Total	C	N	O	S	0	0
			2904	1844	493	549	18		

- Molecule 2 is a protein called unclear peptide.


Mol	Chain	Residues	Atoms				AltConf	Trace
2	M	5	Total	C	N	O	0	0
			28	16	6	6		

- Molecule 3 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
3	C	3	Total	C	N	O	0	0
			39	22	2	15		
3	D	3	Total	C	N	O	0	0
			39	22	2	15		

- Molecule 4 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
4	E	5	Total	C	N	O	0	0
			61	34	2	25		
4	H	5	Total	C	N	O	0	0
			61	34	2	25		
4	I	5	Total	C	N	O	0	0
			61	34	2	25		

- Molecule 5 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
5	F	2	Total	C	N	O	0	0
			28	16	2	10		
5	G	2	Total	C	N	O	0	0
			28	16	2	10		
5	J	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 6 is an oligosaccharide called beta-D-mannopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
6	K	3	Total	C	N	O	0	0
			39	22	2	15		

- Molecule 7 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				AltConf
7	A	1	Total	C	N	O	0
			14	8	1	5	
7	A	1	Total	C	N	O	0
			14	8	1	5	

- Molecule 8 is 2-acetamido-2-deoxy-alpha-D-galactopyranose (three-letter code: A2G) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				AltConf
8	A	1	Total	C	N	O	0
			14	8	1	5	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
8	A	1	Total	C	N	O	0
			14	8	1	5	
8	A	1	Total	C	N	O	0
			14	8	1	5	
8	A	1	Total	C	N	O	0
			14	8	1	5	
8	A	1	Total	C	N	O	0
			14	8	1	5	

- Molecule 9 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		AltConf
9	A	20	Total	Ca	0
			20	20	





[illegible]

[illegible]





M4386	L4326	R4266	Q4206	Q4145	E4081	GLN	GLY	GLY	GLY	ASP	CYS	ASP	THR	GLN	ASP	SER	LEU
H4387	R4327	R4267	G4207	F4146	E4082	SER	HIS	THR	GLN	GLN	HIS	THR	THR	GLN	ASP	ASP	CYS
G4388	Y4328	L4268	K4208	D4147	E4083	ARG	LEU	TYR	CYS	ASN	PRO	ASP	TYR	CYS	ALA	SER	ILE
G4389	N4329	I4269	Q4209	G4148	E4084	ASN	ASN	PRO	ASN	ASP	ASP	ASP	TYR	LYS	GLY	ASP	LYS
M4390	Q4330	I4270	P4210	L4149	H4085	SER	ASN	ALA	ALA	CYS	ASP	ASP	ARG	CYS	PRO	GLY	ALA
C4391	S4331	M4271	K4211	A4150	I4086	GLY	VAL	MET	MET	GLY	ASP	ASP	ASP	ARG	GLY	ASP	GLY
Y4392	V4332	E4272	I4212	V4151	Q4087	ASP	ASP	PHE	PHE	ASP	ASP	ASP	PRO	ILE	LEU	ASP	ARG
F4393	S4333	A4273	E4213	D4152	T4088	THR	THR	CYS	CYS	ASP	THR	ASP	GLY	GLN	CYS	PRO	PHE
D4394	N4334	M4274	S4214	W4153	I4089	CYS	GLY	LYS	LYS	GLY	GLY	GLY	ASP	HIS	THR	HIS	THR
E4395	P4335	K4275	A4215	V4154	D4090	PHE	ALA	ASN	ASN	ASP	ARG	ASP	ASP	THR	CYS	ARG	CYS
M4396	C4336	P4276	W4216	R4155	Y4091	CYS	GLY	HIS	HIS	ASP	ASP	THR	THR	GLN	PHE	ALA	ALA
F4397	K4337	F4277	M4217	H4157	D4092	VAL	SER	VAL	VAL	ASP	CYS	THR	THR	CYS	CYS	CYS	CYS
L4398	Q4338	S4278	G4218	D4157	W4093	ASP	GLY	CYS	CYS	GLY	GLY	GLY	GLY	ASP	ASP	ARG	PRO
P4399	V4339	L4279	M4219	I4158	D4094	LYS	GLN	GLN	GLN	LYS	LYS	LYS	TYR	ASP	VAL	ASP	ASP
K4400	C4340	D4280	E4220	W4160	P4095	LYS	ASN	ASN	ASN	GLY	GLY	GLY	THR	ASP	THR	PHE	PHE
C4401	S4341	I4281	H4221	S4161	E4096	MET	HIS	TRP	TRP	CYS	CYS	CYS	ASP	CYS	GLN	GLN	GLN
K4402	H4342	F4282	S4222	D4162	H4097	SER	THR	ILE	ILE	PRO	ASP	ASP	ASP	CYS	THR	THR	THR
S4404	L4343	E4284	V4224	K4163	I4098	HIS	LYS	ASP	CYS	HIS	THR	THR	THR	ASP	GLY	GLY	LEU
S4405	C4344	D4285	L4225	K4164	G4099	TVR	PRO	GLY	GLY	PHE	PHE	ASP	ASP	ASP	ASN	ASP	ASP
S4406	L4345	K4286	V4226	S4166	L4100	GLY	SER	GLY	GLY	GLN	GLN	ASP	PHE	CYS	GLY	GLY	ARG
Y4407	R4346	Y4287	S4227	R4167	S4101	GLU	GLY	ASP	ASP	THR	THR	CYS	THR	GLY	THR	THR	THR
S4408	P4348	M4288	E4228	L4168	V4102	ALA	CYS	ILE	ILE	VAL	VAL	ASN	GLY	ASN	PRO	GLN	MET
G4409	G4349	V4289	M4229	A4171	Y4103	CYS	THR	GLY	GLY	ASP	ASP	ASP	GLY	CYS	ALA	ALA	PRO
G4410	Q4350	A4290	L4230	T4172	Y4106	ASP	THR	SER	SER	VAL	VAL	VAL	THR	GLY	LEU	LEU	MET
Y4411	S4352	E4292	W4232	L4173	T4107	ARG	THR	ARG	ARG	PRO	PRO	CYS	GLY	ASN	ALA	ALA	LEU
C4412	C4353	K4293	P4233	D4174	A4109	SER	LYS	PRO	PRO	GLY	GLY	GLY	GLY	ASN	ASN	ASN	CYS
E4413	A4354	G4294	M4234	R4175	L4108	ALA	CYS	GLY	GLY	LYS	LYS	ASN	ILE	ASN	ALA	ALA	SER
V4414	C4355	E4295	N4234	G4176	Q4110	ASP	THR	ILE	ILE	LEU	LEU	VAL	VAL	VAL	VAL	VAL	THR
LEU	G4356	E4296	L4236	Y4177	G4111	THR	ASN	PHE	PHE	ASP	ASP	GLY	GLY	GLY	ALA	ALA	CYS
ARG	Q4357	W4296	L4236	K4179	S4112	LEU	CYS	ASN	ASN	ARG	ARG	SER	ASN	ASN	ASN	ASN	GLY
GLY	G4358	W4297	S4237	W4180	I4117	LYS	ILE	ILE	ILE	ALA	ALA	ASP	ASP	GLY	GLY	GLY	ASN
ILE	S4359	R4298	I4238	L4181	K4118	ASN	GLN	PRO	CYS	PRO	CYS	SER	PHE	CYS	CYS	CYS	ASN
PRO	D4360	Q4299	Y4246	F4189	E4125	ASN	GLN	GLY	CYS	GLY	GLY	ASP	ASP	ASN	ASN	ASN	GLY
PRO	F4361	M4300	Y4240	T4182	E4126	SER	HIS	GLU	GLU	LEU	LEU	LEU	LEU	ASN	ASN	ASN	LYS
GLY	V4362	K4301	L4241	T4183	S4127	CYS	TYR	SER	SER	ASP	ASP	ASP	ASP	GLY	GLY	GLY	CYS
THR	T4363	F4302	M4242	T4184	Q4128	GLN	VAL	PRO	PRO	ALA	ALA	ARG	ARG	CYS	CYS	CYS	ILE
THR	G4364	C4303	D4243	Q4185	I4122	ASP	CYS	GLN	GLN	SER	SER	ALA	ALA	ASP	VAL	VAL	PRO
MET	S4365	K4304	D4244	L4186	P4123	ILE	ASN	ARG	ARG	ASP	ASP	ASP	ASP	ASN	ASN	ASN	ILE
ALA	T4366	E4305	R4245	D4187	W4124	ASN	ASN	PHE	PHE	GLY	GLY	GLY	GLY	ASN	ASN	ASN	THR
VAL	S4366	M4306	Y4246	Q4188	K4088	GLY	ASN	GLY	GLY	GLY	GLY	GLY	GLY	GLN	GLN	GLN	PRO
LEU	V4367	K4307	Y4247	F4189	Y4069	VAL	VAL	ARG	ARG	GLY	GLY	GLY	GLY	GLN	GLN	GLN	THR
LEU	Q4368	K4307	Y4247	F4189	Y4070	GLY	ASN	CYS	CYS	ALA	ALA	ALA	ALA	GLY	GLY	GLY	LYS
THR	S4368	E4308	W4248	E4126	T4071	CYS	ASN	ASP	ASP	ASP	ASP	ASP	ASP	ASN	ASN	ASN	HIS
PHE	C4369	K4309	Y4248	S4127	S4077	THR	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	LYS
VAL	D4370	K4309	S4249	Q4128	E4078	GLN	GLY	THR	THR	PRO	PRO	PRO	PRO	CYS	CYS	CYS	THR
ILE	V4371	W4310	D4250	G4129	S4072	ASP	ASP	ARG	ARG	ASP	ASP	ASP	ASP	ALA	ALA	ALA	ASP
VAL	A4372	L4311	S4251	S4129	S4073	ILE	ASN	GLY	GLY	GLY	GLY	GLY	GLY	ASP	ASP	ASP	GLY
ILE	A4372	W4312	K4252	W4130	E4074	ASN	ASN	PHE	PHE	ASP	ASP	ASP	ASP	ASN	ASN	ASN	LEU
ILE	S4373	V4313	E4253	M4131	K4075	GLY	VAL	ARG	ARG	GLY	GLY	GLY	GLY	GLN	GLN	GLN	CYS
VAL	E4374	M4314	D4254	P4132	F4076	CYS	ASN	CYS	CYS	ALA	ALA	ALA	ALA	CYS	CYS	CYS	HIS
ALA	L4375	P4315	V4255	I4133	S4077	GLY	GLY	ASP	ASP	GLY	GLY	GLY	GLY	ILE	ILE	ILE	LYS
LEU	F4376	W4316	I4256	R4134	E4078	GLY	GLY	ASP	ASP	GLY	GLY	GLY	GLY	THR	THR	THR	CYS
VAL	V4377	L4317	E4257	E4135	Y4079	THR	GLY	THR	THR	THR	THR	THR	THR	ASP	ASP	ASP	GLY
LEU	T4378	T4318	I4258	W4136	S4072	ASP	ASP	ARG	ARG	ARG	ARG	ARG	ARG	GLY	GLY	GLY	GLN
VAL	M4379	Q4319	I4259	M4201	S4073	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	VAL	VAL	VAL	LYS
VAL	P4380	Q4320	K4260	F4202	E4074	CYS	GLY	THR	THR	THR	THR	THR	THR	ASP	ASP	ASP	ASP
GLY	P4381	W4320	K4261	W4203	K4075	THR	GLY	THR	THR	THR	THR	THR	THR	VAL	VAL	VAL	SER
LEU	F4382	R4321	Y4261	D4204	F4076	GLY	GLY	THR	THR	THR	THR	THR	THR	GLY	GLY	GLY	GLY
VAL	C4383	F4322	D4262	T4204	S4077	THR	GLY	THR	THR	THR	THR	THR	THR	THR	THR	THR	GLY
VAL	R4384	L4323	Y4264	D4205	E4078	THR	GLY	THR	THR	THR	THR	THR	THR	THR	THR	THR	GLY
GLY	C4385	H4324	T4264	D4205	L4080	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	GLY

[illegible]

- Molecule 2: unclear peptide

Chain M: 100%

There are no outlier residues recorded for this chain.

- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C:  67% 100%





- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D: 





- Molecule 4: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:  40% 80% 20%





- Molecule 4: α -D-mannopyranose-(1-3)-[α -D-mannopyranose-(1-6)] β -D-mannopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose

Chain H:  60% 80% 20%



- Molecule 4: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: beta-D-mannopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	101096	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING ONLY	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	600	Depositor
Maximum defocus (nm)	1600	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.252	Depositor
Minimum map value	-0.147	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.003	Depositor
Recommended contour level	0.0434	Depositor
Map size (\AA)	366.86002, 366.86002, 366.86002	wwPDB
Map dimensions	260, 260, 260	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.411, 1.411, 1.411	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MAN, BMA, CA, A2G, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.28	0/8659	0.54	0/11737
1	B	0.24	0/2981	0.50	0/4047
2	M	0.14	0/7	0.28	0/8
All	All	0.27	0/11647	0.53	0/15792

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	8455	0	7527	128	0
1	B	2904	0	2797	42	0
2	M	28	0	12	0	0
3	C	39	0	34	0	0
3	D	39	0	34	1	0
4	E	61	0	52	0	0
4	H	61	0	52	0	0
4	I	61	0	52	0	0
5	F	28	0	25	0	0
5	G	28	0	25	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	J	28	0	25	0	0
6	K	39	0	34	0	0
7	A	28	0	26	0	0
8	A	70	0	60	0	0
9	A	20	0	0	0	0
All	All	11889	0	10755	170	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

The worst 5 of 170 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:4179:LYS:HA	1:B:4357:GLN:HB2	1.66	0.76
1:B:4086:ILE:HG22	1:B:4107:VAL:HG12	1.74	0.70
1:A:3238:ARG:NH1	1:A:3464:GLN:O	2.26	0.69
1:A:3092:MET:SD	1:A:3092:MET:N	2.67	0.66
1:B:4129:SER:O	1:B:4130:ASN:ND2	2.28	0.66

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1073/4660 (23%)	984 (92%)	87 (8%)	2 (0%)	47	79
1	B	359/4660 (8%)	332 (92%)	26 (7%)	1 (0%)	41	74
2	M	1/5 (20%)	1 (100%)	0	0	100	100
All	All	1433/9325 (15%)	1317 (92%)	113 (8%)	3 (0%)	50	79

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	3315	ASP
1	B	4414	VAL
1	A	3305	HIS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	965/4089 (24%)	923 (96%)	42 (4%)	28	57
1	B	320/4089 (8%)	297 (93%)	23 (7%)	14	45
2	M	1/1 (100%)	1 (100%)	0	100	100
All	All	1286/8179 (16%)	1221 (95%)	65 (5%)	27	54

5 of 65 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	4246	VAL
1	B	4279	LEU
1	A	3505	ARG
1	A	3468	SER
1	B	4311	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 8 such sidechains are listed below:

Mol	Chain	Res	Type
1	B	4387	HIS
1	B	4145	GLN
1	A	3714	GLN
1	A	3679	ASN
1	A	3782	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

30 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NAG	C	1	1,3	14,14,15	0.33	0	17,19,21	0.51	0
3	NAG	C	2	3	14,14,15	0.29	0	17,19,21	0.65	0
3	BMA	C	3	3	11,11,12	0.26	0	15,15,17	0.74	0
3	NAG	D	1	1,3	14,14,15	0.33	0	17,19,21	0.89	1 (5%)
3	NAG	D	2	3	14,14,15	0.32	0	17,19,21	0.89	0
3	BMA	D	3	3	11,11,12	0.23	0	15,15,17	0.64	0
4	NAG	E	1	4,1	14,14,15	0.31	0	17,19,21	0.67	0
4	NAG	E	2	4	14,14,15	0.31	0	17,19,21	0.72	0
4	BMA	E	3	4	11,11,12	0.28	0	15,15,17	1.03	1 (6%)
4	MAN	E	4	4	11,11,12	0.25	0	15,15,17	0.77	0
4	MAN	E	5	4	11,11,12	0.21	0	15,15,17	0.75	0
5	NAG	F	1	1,5	14,14,15	0.26	0	17,19,21	0.73	0
5	NAG	F	2	5	14,14,15	0.30	0	17,19,21	0.57	0
5	NAG	G	1	1,5	14,14,15	0.30	0	17,19,21	0.56	0
5	NAG	G	2	5	14,14,15	0.31	0	17,19,21	0.57	0
4	NAG	H	1	4,1	14,14,15	0.31	0	17,19,21	0.92	0
4	NAG	H	2	4	14,14,15	0.32	0	17,19,21	0.61	0
4	BMA	H	3	4	11,11,12	0.25	0	15,15,17	0.89	1 (6%)
4	MAN	H	4	4	11,11,12	0.22	0	15,15,17	0.69	0
4	MAN	H	5	4	11,11,12	0.22	0	15,15,17	0.72	0
4	NAG	I	1	4,1	14,14,15	0.34	0	17,19,21	0.82	1 (5%)
4	NAG	I	2	4	14,14,15	0.29	0	17,19,21	0.72	0
4	BMA	I	3	4	11,11,12	0.23	0	15,15,17	0.85	0
4	MAN	I	4	4	11,11,12	0.24	0	15,15,17	0.68	0
4	MAN	I	5	4	11,11,12	0.23	0	15,15,17	0.65	0
5	NAG	J	1	5	14,14,15	0.28	0	17,19,21	0.50	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	NAG	J	2	5	14,14,15	0.31	0	17,19,21	0.73	0
6	NAG	K	1	6	14,14,15	0.27	0	17,19,21	0.57	0
6	NAG	K	2	6	14,14,15	0.31	0	17,19,21	0.65	0
6	BMA	K	3	6	11,11,12	0.23	0	15,15,17	0.74	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	C	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	C	2	3	-	0/6/23/26	0/1/1/1
3	BMA	C	3	3	-	0/2/19/22	0/1/1/1
3	NAG	D	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	D	2	3	-	0/6/23/26	0/1/1/1
3	BMA	D	3	3	-	0/2/19/22	0/1/1/1
4	NAG	E	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	E	2	4	-	0/6/23/26	0/1/1/1
4	BMA	E	3	4	-	0/2/19/22	0/1/1/1
4	MAN	E	4	4	-	0/2/19/22	0/1/1/1
4	MAN	E	5	4	-	0/2/19/22	0/1/1/1
5	NAG	F	1	1,5	-	0/6/23/26	0/1/1/1
5	NAG	F	2	5	-	0/6/23/26	0/1/1/1
5	NAG	G	1	1,5	-	2/6/23/26	0/1/1/1
5	NAG	G	2	5	-	2/6/23/26	0/1/1/1
4	NAG	H	1	4,1	-	4/6/23/26	0/1/1/1
4	NAG	H	2	4	-	0/6/23/26	0/1/1/1
4	BMA	H	3	4	-	1/2/19/22	0/1/1/1
4	MAN	H	4	4	-	0/2/19/22	0/1/1/1
4	MAN	H	5	4	-	0/2/19/22	0/1/1/1
4	NAG	I	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	I	2	4	-	2/6/23/26	0/1/1/1
4	BMA	I	3	4	-	0/2/19/22	0/1/1/1
4	MAN	I	4	4	-	0/2/19/22	0/1/1/1
4	MAN	I	5	4	-	1/2/19/22	0/1/1/1
5	NAG	J	1	5	-	1/6/23/26	0/1/1/1
5	NAG	J	2	5	-	1/6/23/26	0/1/1/1
6	NAG	K	1	6	-	0/6/23/26	0/1/1/1
6	NAG	K	2	6	-	0/6/23/26	0/1/1/1
6	BMA	K	3	6	-	1/2/19/22	0/1/1/1

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	E	3	BMA	C1-C2-C3	2.49	112.72	109.67
4	I	1	NAG	C1-O5-C5	2.47	115.54	112.19
4	H	3	BMA	C1-O5-C5	2.33	115.34	112.19
3	D	1	NAG	C2-N2-C7	-2.12	119.88	122.90

There are no chirality outliers.

5 of 17 torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
4	I	1	NAG	C8-C7-N2-C2
4	H	1	NAG	C1-C2-N2-C7
4	I	1	NAG	O7-C7-N2-C2
5	G	1	NAG	C8-C7-N2-C2
5	G	1	NAG	O7-C7-N2-C2


There are no ring outliers.


2 monomers are involved in 1 short contact:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	D	2	NAG	1	0
3	D	1	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.




















5.6 Ligand geometry [i](#)

Of 27 ligands modelled in this entry, 20 are monoatomic - leaving 7 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
8	A2G	A	4705	1	14,14,15	0.41	0	17,19,21	0.53	0
8	A2G	A	4706	1	14,14,15	0.39	0	17,19,21	0.61	0
8	A2G	A	4707	1	14,14,15	0.39	0	17,19,21	0.57	0
8	A2G	A	4704	1	14,14,15	0.40	0	17,19,21	0.67	0
8	A2G	A	4703	1	14,14,15	0.40	0	17,19,21	0.69	0
7	NAG	A	4702	1	14,14,15	0.26	0	17,19,21	0.65	0
7	NAG	A	4701	1	14,14,15	0.30	0	17,19,21	0.60	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	A2G	A	4705	1	-	2/6/23/26	0/1/1/1
8	A2G	A	4706	1	-	0/6/23/26	0/1/1/1
8	A2G	A	4707	1	-	1/6/23/26	0/1/1/1
8	A2G	A	4704	1	-	0/6/23/26	0/1/1/1
8	A2G	A	4703	1	-	0/6/23/26	0/1/1/1
7	NAG	A	4702	1	-	3/6/23/26	0/1/1/1
7	NAG	A	4701	1	-	1/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

5 of 7 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	A	4702	NAG	C8-C7-N2-C2
7	A	4702	NAG	O7-C7-N2-C2
7	A	4702	NAG	C1-C2-N2-C7
8	A	4705	A2G	C1-C2-N2-C7
8	A	4707	A2G	O5-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-36694. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 130




Y Index: 130




Z Index: 130


6.2.2 Raw map



X Index: 130



Y Index: 130




Z Index: 130


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 113




Y Index: 115




Z Index: 106


6.3.2 Raw map



X Index: 113



Y Index: 115




Z Index: 106


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.0434. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_36694_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 55 nm^3 ; this corresponds to an approximate mass of 49 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.263 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.263 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.80	-	-
Author-provided FSC curve	3.86	4.37	3.89
Unmasked-calculated*	3.97	6.08	4.10

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-36694 and PDB model 8JXA. Per-residue inclusion information can be found in section [3](#) on page [8](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.0434 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0434).

9.4 Atom inclusion [i](#)



At the recommended contour level, 57% of all backbone atoms, 48% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.0434) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div></div> 0.4850	<div></div> 0.3510
A	<div></div> 0.6310	<div></div> 0.4470
B	<div></div> 0.0620	<div></div> 0.0640
C	<div></div> 0.2560	<div></div> 0.3670
D	<div></div> 0.6150	<div></div> 0.4640
E	<div></div> 0.5250	<div></div> 0.4390
F	<div></div> 0.3210	<div></div> 0.4710
G	<div></div> 0.6430	<div></div> 0.5270
H	<div></div> 0.3930	<div></div> 0.3770
I	<div></div> 0.5570	<div></div> 0.4580
J	<div></div> 0.0000	<div></div> 0.0000
K	<div></div> 0.0000	<div></div> 0.0000
M	<div></div> 0.8930	<div></div> 0.5560

1.0

0.0

<0.0