



## wwPDB EM Validation Summary Report i

Nov 19, 2022 – 02:18 PM EST

PDB ID : 7LPC  
EMDB ID : EMD-23476  
Title : Cryo-EM structure of full-length TRPV1 at 48 degrees Celsius  
Authors : Kwon, D.H.; Zhang, F.; Suo, Y.; Lee, S.-Y.  
Deposited on : 2021-02-11  
Resolution : 3.06 Å(reported)  
Based on initial model : 5IRZ

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>  
with specific help available everywhere you see the i symbol.

The types of validation reports are described at  
<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references](#) ①) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
MolProbity : 4.02b-467  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.9  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.31.2

# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:  
**ELECTRON MICROSCOPY**

The reported resolution of this entry is 3.06 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion < 40%). The numeric value is given above the bar.



## 2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 15256 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Transient receptor potential cation channel subfamily V member 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	C	454	Total	C	N	O	S	0	0
			3526	2324	572	609	21		
1	A	454	Total	C	N	O	S	0	0
			3526	2324	572	609	21		
1	B	454	Total	C	N	O	S	0	0
			3526	2324	572	609	21		
1	D	454	Total	C	N	O	S	0	0
			3526	2324	572	609	21		

There are 120 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	839	GLU	-	expression tag	UNP O35433
C	840	ASN	-	expression tag	UNP O35433
C	841	SER	-	expression tag	UNP O35433
C	842	LEU	-	expression tag	UNP O35433
C	843	GLU	-	expression tag	UNP O35433
C	844	VAL	-	expression tag	UNP O35433
C	845	LEU	-	expression tag	UNP O35433
C	846	PHE	-	expression tag	UNP O35433
C	847	GLN	-	expression tag	UNP O35433
C	848	GLY	-	expression tag	UNP O35433
C	849	PRO	-	expression tag	UNP O35433
C	850	ASP	-	expression tag	UNP O35433
C	851	TYR	-	expression tag	UNP O35433
C	852	LYS	-	expression tag	UNP O35433
C	853	ASP	-	expression tag	UNP O35433
C	854	ASP	-	expression tag	UNP O35433
C	855	ASP	-	expression tag	UNP O35433
C	856	ASP	-	expression tag	UNP O35433
C	857	LYS	-	expression tag	UNP O35433
C	858	ALA	-	expression tag	UNP O35433
C	859	HIS	-	expression tag	UNP O35433

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	860	HIS	-	expression tag	UNP O35433
C	861	HIS	-	expression tag	UNP O35433
C	862	HIS	-	expression tag	UNP O35433
C	863	HIS	-	expression tag	UNP O35433
C	864	HIS	-	expression tag	UNP O35433
C	865	HIS	-	expression tag	UNP O35433
C	866	HIS	-	expression tag	UNP O35433
C	867	HIS	-	expression tag	UNP O35433
C	868	HIS	-	expression tag	UNP O35433
A	839	GLU	-	expression tag	UNP O35433
A	840	ASN	-	expression tag	UNP O35433
A	841	SER	-	expression tag	UNP O35433
A	842	LEU	-	expression tag	UNP O35433
A	843	GLU	-	expression tag	UNP O35433
A	844	VAL	-	expression tag	UNP O35433
A	845	LEU	-	expression tag	UNP O35433
A	846	PHE	-	expression tag	UNP O35433
A	847	GLN	-	expression tag	UNP O35433
A	848	GLY	-	expression tag	UNP O35433
A	849	PRO	-	expression tag	UNP O35433
A	850	ASP	-	expression tag	UNP O35433
A	851	TYR	-	expression tag	UNP O35433
A	852	LYS	-	expression tag	UNP O35433
A	853	ASP	-	expression tag	UNP O35433
A	854	ASP	-	expression tag	UNP O35433
A	855	ASP	-	expression tag	UNP O35433
A	856	ASP	-	expression tag	UNP O35433
A	857	LYS	-	expression tag	UNP O35433
A	858	ALA	-	expression tag	UNP O35433
A	859	HIS	-	expression tag	UNP O35433
A	860	HIS	-	expression tag	UNP O35433
A	861	HIS	-	expression tag	UNP O35433
A	862	HIS	-	expression tag	UNP O35433
A	863	HIS	-	expression tag	UNP O35433
A	864	HIS	-	expression tag	UNP O35433
A	865	HIS	-	expression tag	UNP O35433
A	866	HIS	-	expression tag	UNP O35433
A	867	HIS	-	expression tag	UNP O35433
A	868	HIS	-	expression tag	UNP O35433
B	839	GLU	-	expression tag	UNP O35433
B	840	ASN	-	expression tag	UNP O35433
B	841	SER	-	expression tag	UNP O35433

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
B	842	LEU	-	expression tag	UNP O35433
B	843	GLU	-	expression tag	UNP O35433
B	844	VAL	-	expression tag	UNP O35433
B	845	LEU	-	expression tag	UNP O35433
B	846	PHE	-	expression tag	UNP O35433
B	847	GLN	-	expression tag	UNP O35433
B	848	GLY	-	expression tag	UNP O35433
B	849	PRO	-	expression tag	UNP O35433
B	850	ASP	-	expression tag	UNP O35433
B	851	TYR	-	expression tag	UNP O35433
B	852	LYS	-	expression tag	UNP O35433
B	853	ASP	-	expression tag	UNP O35433
B	854	ASP	-	expression tag	UNP O35433
B	855	ASP	-	expression tag	UNP O35433
B	856	ASP	-	expression tag	UNP O35433
B	857	LYS	-	expression tag	UNP O35433
B	858	ALA	-	expression tag	UNP O35433
B	859	HIS	-	expression tag	UNP O35433
B	860	HIS	-	expression tag	UNP O35433
B	861	HIS	-	expression tag	UNP O35433
B	862	HIS	-	expression tag	UNP O35433
B	863	HIS	-	expression tag	UNP O35433
B	864	HIS	-	expression tag	UNP O35433
B	865	HIS	-	expression tag	UNP O35433
B	866	HIS	-	expression tag	UNP O35433
B	867	HIS	-	expression tag	UNP O35433
B	868	HIS	-	expression tag	UNP O35433
D	839	GLU	-	expression tag	UNP O35433
D	840	ASN	-	expression tag	UNP O35433
D	841	SER	-	expression tag	UNP O35433
D	842	LEU	-	expression tag	UNP O35433
D	843	GLU	-	expression tag	UNP O35433
D	844	VAL	-	expression tag	UNP O35433
D	845	LEU	-	expression tag	UNP O35433
D	846	PHE	-	expression tag	UNP O35433
D	847	GLN	-	expression tag	UNP O35433
D	848	GLY	-	expression tag	UNP O35433
D	849	PRO	-	expression tag	UNP O35433
D	850	ASP	-	expression tag	UNP O35433
D	851	TYR	-	expression tag	UNP O35433
D	852	LYS	-	expression tag	UNP O35433
D	853	ASP	-	expression tag	UNP O35433

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
D	854	ASP	-	expression tag	UNP O35433
D	855	ASP	-	expression tag	UNP O35433
D	856	ASP	-	expression tag	UNP O35433
D	857	LYS	-	expression tag	UNP O35433
D	858	ALA	-	expression tag	UNP O35433
D	859	HIS	-	expression tag	UNP O35433
D	860	HIS	-	expression tag	UNP O35433
D	861	HIS	-	expression tag	UNP O35433
D	862	HIS	-	expression tag	UNP O35433
D	863	HIS	-	expression tag	UNP O35433
D	864	HIS	-	expression tag	UNP O35433
D	865	HIS	-	expression tag	UNP O35433
D	866	HIS	-	expression tag	UNP O35433
D	867	HIS	-	expression tag	UNP O35433
D	868	HIS	-	expression tag	UNP O35433

- Molecule 2 is [(2 {R})-1-[2-azanylethoxy(oxidanyl)phosphoryl]oxy-3-hexadecanoyloxy-prop an-2-yl] ( {Z})-octadec-9-enoate (three-letter code: 6OU) (formula: C<sub>39</sub>H<sub>76</sub>NO<sub>8</sub>P).




Mol	Chain	Residues	Atoms				AltConf
2	C	1	Total	C	O	P	0
			148	110	34	4	
2	C	1	Total	C	O	P	0
			148	110	34	4	
2	C	1	Total	C	O	P	0
			148	110	34	4	

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Residues	Atoms				AltConf
2	C	1	Total	C	O	P	0
			148	110	34	4	
2	C	1	Total	C	O	P	0
			148	110	34	4	
2	C	1	Total	C	O	P	0
			148	110	34	4	
2	A	1	Total	C	O	P	0
			148	110	34	4	
2	A	1	Total	C	O	P	0
			148	110	34	4	
2	A	1	Total	C	O	P	0
			148	110	34	4	
2	A	1	Total	C	O	P	0
			148	110	34	4	
2	A	1	Total	C	O	P	0
			148	110	34	4	
2	B	1	Total	C	O	P	0
			148	110	34	4	
2	B	1	Total	C	O	P	0
			148	110	34	4	
2	B	1	Total	C	O	P	0
			148	110	34	4	
2	B	1	Total	C	O	P	0
			148	110	34	4	
2	B	1	Total	C	O	P	0
			148	110	34	4	
2	D	1	Total	C	O	P	0
			148	110	34	4	
2	D	1	Total	C	O	P	0
			148	110	34	4	
2	D	1	Total	C	O	P	0
			148	110	34	4	
2	D	1	Total	C	O	P	0
			148	110	34	4	
2	D	1	Total	C	O	P	0
			148	110	34	4	

- Molecule 3 is 1-palmitoyl-2-oleoyl-sn-glycero-3-phosphocholine (three-letter code: LBN) (formula: C<sub>42</sub>H<sub>82</sub>NO<sub>8</sub>P).




Mol	Chain	Residues	Atoms					AltConf
3	C	1	Total	C	N	O	P	0
			65	50	1	13	1	
3	C	1	Total	C	N	O	P	0
			65	50	1	13	1	
3	A	1	Total	C	N	O	P	0
			65	50	1	13	1	
3	A	1	Total	C	N	O	P	0
			65	50	1	13	1	
3	B	1	Total	C	N	O	P	0
			65	50	1	13	1	
3	B	1	Total	C	N	O	P	0
			65	50	1	13	1	
3	D	1	Total	C	N	O	P	0
			65	50	1	13	1	
3	D	1	Total	C	N	O	P	0
			65	50	1	13	1	

- Molecule 4 is 1-palmitoyl-2-oleoyl-sn-glycero-3-phosphoglycerol (three-letter code: YFP) (formula: C<sub>40</sub>H<sub>77</sub>O<sub>10</sub>P).



Mol	Chain	Residues	Atoms				AltConf
4	C	1	Total 32	C 23	O 8	P 1	0
4	A	1	Total 32	C 23	O 8	P 1	0
4	B	1	Total 32	C 23	O 8	P 1	0
4	D	1	Total 32	C 23	O 8	P 1	0

- Molecule 5 is Phosphatidylinositol (three-letter code: T7X) (formula:  $C_{47}H_{83}O_{13}P$ ).




Mol	Chain	Residues	Atoms				AltConf
5	C	1	Total	C	O	P	0
			43	29	13	1	
5	A	1	Total	C	O	P	0
			43	29	13	1	
5	B	1	Total	C	O	P	0
			43	29	13	1	
5	D	1	Total	C	O	P	0
			43	29	13	1	


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Transient receptor potential cation channel subfamily V member 1




- Molecule 1: Transient receptor potential cation channel subfamily V member 1



- Molecule 1: Transient receptor potential cation channel subfamily V member 1







- Molecule 1: Transient receptor potential cation channel subfamily V member 1

A horizontal bar chart titled "Chain D:" at the top left. The chart consists of four colored segments: red, green, grey, and light blue. The red segment is labeled "17%" above it. The green segment is labeled "47%" below it. The grey segment is labeled "5%" above it. The light blue segment is labeled "48%" below it. The total length of the bar is 100%.

Category	Percentage
Red	17%
Green	47%
Grey	5%
Light Blue	48%





## 4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	29611	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	50	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	1800	Depositor
Magnification	81000	Depositor
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.266	Depositor
Minimum map value	-0.145	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.007	Depositor
Recommended contour level	0.04	Depositor
Map size (Å)	276.224, 276.224, 276.224	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.079, 1.079, 1.079	Depositor

## 5 Model quality [\(i\)](#)

### 5.1 Standard geometry [\(i\)](#)

Bond lengths and bond angles in the following residue types are not validated in this section: T7X, 6OU, LBN, YFP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.45	0/3615	0.48	0/4914
1	B	0.45	0/3615	0.48	0/4914
1	C	0.45	0/3615	0.48	0/4914
1	D	0.45	0/3615	0.48	0/4914
All	All	0.45	0/14460	0.48	0/19656

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3526	0	3396	31	0
1	B	3526	0	3396	34	0
1	C	3526	0	3396	36	0
1	D	3526	0	3396	32	0
2	A	148	0	0	1	0
2	B	148	0	0	2	0
2	C	148	0	0	2	0
2	D	148	0	0	1	0
3	A	65	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	65	0	0	0	0
3	C	65	0	0	0	0
3	D	65	0	0	0	0
4	A	32	0	0	0	0
4	B	32	0	0	0	0
4	C	32	0	0	0	0
4	D	32	0	0	0	0
5	A	43	0	0	0	0
5	B	43	0	0	0	0
5	C	43	0	0	0	0
5	D	43	0	0	0	0
All	All	15256	0	13584	125	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

The worst 5 of 125 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:536:GLU:N	1:A:536:GLU:OE1	2.19	0.76
1:B:536:GLU:N	1:B:536:GLU:OE1	2.19	0.75
1:D:536:GLU:N	1:D:536:GLU:OE1	2.19	0.75
1:C:536:GLU:N	1:C:536:GLU:OE1	2.19	0.74
1:C:660:ILE:O	1:C:664:LEU:HD12	1.94	0.68

There are no symmetry-related clashes.

### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	450/868 (52%)	441 (98%)	9 (2%)	0	100 100

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	B	450/868 (52%)	441 (98%)	9 (2%)	0	100 100
1	C	450/868 (52%)	441 (98%)	9 (2%)	0	100 100
1	D	450/868 (52%)	441 (98%)	9 (2%)	0	100 100
All	All	1800/3472 (52%)	1764 (98%)	36 (2%)	0	100 100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	355/770 (46%)	354 (100%)	1 (0%)	92 96
1	B	355/770 (46%)	354 (100%)	1 (0%)	92 96
1	C	355/770 (46%)	354 (100%)	1 (0%)	92 96
1	D	355/770 (46%)	354 (100%)	1 (0%)	92 96
All	All	1420/3080 (46%)	1416 (100%)	4 (0%)	92 96

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	664	LEU
1	A	664	LEU
1	B	664	LEU
1	D	664	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	700	GLN
1	A	700	GLN
1	B	700	GLN
1	D	700	GLN

### 5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [\(i\)](#)

40 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	6OU	A	907	-	24,24,48	1.91	3 (12%)	28,29,53	1.00	2 (7%)
5	T7X	A	904	-	43,43,61	1.00	4 (9%)	53,55,73	1.11	4 (7%)
4	YFP	B	903	-	31,31,50	1.55	4 (12%)	35,36,56	1.43	4 (11%)
3	LBN	B	905	-	32,32,51	1.42	4 (12%)	38,40,59	0.96	2 (5%)
3	LBN	D	902	-	31,31,51	0.92	1 (3%)	33,33,59	0.74	0
4	YFP	C	903	-	31,31,50	1.55	4 (12%)	35,36,56	1.44	4 (11%)
2	6OU	C	906	-	34,34,48	1.68	4 (11%)	37,39,53	0.91	2 (5%)
2	6OU	B	901	-	32,32,48	1.53	4 (12%)	34,37,53	0.82	2 (5%)
2	6OU	C	908	-	13,13,48	1.19	2 (15%)	12,13,53	0.71	0
2	6OU	D	907	-	24,24,48	1.90	3 (12%)	28,29,53	1.01	2 (7%)
2	6OU	B	908	-	13,13,48	1.20	2 (15%)	12,13,53	0.72	0
3	LBN	A	905	-	32,32,51	1.42	4 (12%)	38,40,59	0.96	2 (5%)
2	6OU	A	909	-	9,9,48	0.47	0	8,8,53	0.39	0
3	LBN	D	905	-	32,32,51	1.42	4 (12%)	38,40,59	0.96	2 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	T7X	D	904	-	43,43,61	1.00	4 (9%)	53,55,73	1.12	4 (7%)
3	LBN	B	902	-	31,31,51	0.92	1 (3%)	33,33,59	0.74	0
2	6OU	C	907	-	24,24,48	1.91	3 (12%)	28,29,53	1.00	2 (7%)
2	6OU	C	910	-	30,30,48	1.83	5 (16%)	34,35,53	0.93	2 (5%)
2	6OU	B	909	-	9,9,48	0.47	0	8,8,53	0.39	0
2	6OU	B	910	-	30,30,48	1.82	5 (16%)	34,35,53	0.93	2 (5%)
5	T7X	B	904	-	43,43,61	1.00	4 (9%)	53,55,73	1.12	4 (7%)
2	6OU	B	906	-	34,34,48	1.68	4 (11%)	37,39,53	0.91	2 (5%)
2	6OU	C	909	-	9,9,48	0.47	0	8,8,53	0.39	0
4	YFP	A	903	-	31,31,50	1.55	4 (12%)	35,36,56	1.44	4 (11%)
2	6OU	A	906	-	34,34,48	1.68	4 (11%)	37,39,53	0.91	2 (5%)
3	LBN	C	902	-	31,31,51	0.92	1 (3%)	33,33,59	0.74	0
2	6OU	A	908	-	13,13,48	1.20	2 (15%)	12,13,53	0.72	0
5	T7X	C	904	-	43,43,61	1.00	4 (9%)	53,55,73	1.11	4 (7%)
2	6OU	D	910	-	30,30,48	1.83	5 (16%)	34,35,53	0.94	2 (5%)
2	6OU	D	909	-	9,9,48	0.47	0	8,8,53	0.39	0
2	6OU	A	901	-	32,32,48	1.53	4 (12%)	34,37,53	0.83	2 (5%)
2	6OU	B	907	-	24,24,48	1.90	3 (12%)	28,29,53	1.00	2 (7%)
3	LBN	C	905	-	32,32,51	1.42	4 (12%)	38,40,59	0.96	2 (5%)
4	YFP	D	903	-	31,31,50	1.55	4 (12%)	35,36,56	1.43	4 (11%)
2	6OU	D	901	-	32,32,48	1.53	4 (12%)	34,37,53	0.82	2 (5%)
2	6OU	A	910	-	30,30,48	1.83	5 (16%)	34,35,53	0.93	2 (5%)
2	6OU	D	906	-	34,34,48	1.67	4 (11%)	37,39,53	0.91	2 (5%)
3	LBN	A	902	-	31,31,51	0.92	1 (3%)	33,33,59	0.74	0
2	6OU	C	901	-	32,32,48	1.53	4 (12%)	34,37,53	0.83	2 (5%)
2	6OU	D	908	-	13,13,48	1.19	2 (15%)	12,13,53	0.72	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	6OU	A	907	-	-	16/26/26/52	-
5	T7X	A	904	-	-	16/38/62/80	0/1/1/1
4	YFP	B	903	-	-	16/33/33/55	-

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	LBN	B	905	-	-	22/36/36/55	-
3	LBN	D	902	-	-	17/33/33/55	-
4	YFP	C	903	-	-	16/33/33/55	-
2	6OU	C	906	-	-	16/36/36/52	-
2	6OU	B	901	-	-	21/36/36/52	-
2	6OU	C	908	-	-	8/11/11/52	-
2	6OU	D	907	-	-	16/26/26/52	-
2	6OU	B	908	-	-	8/11/11/52	-
3	LBN	A	905	-	-	22/36/36/55	-
2	6OU	A	909	-	-	5/7/7/52	-
3	LBN	D	905	-	-	22/36/36/55	-
5	T7X	D	904	-	-	16/38/62/80	0/1/1/1
3	LBN	B	902	-	-	17/33/33/55	-
2	6OU	C	907	-	-	16/26/26/52	-
2	6OU	C	910	-	-	17/32/32/52	-
2	6OU	B	909	-	-	5/7/7/52	-
2	6OU	B	910	-	-	17/32/32/52	-
5	T7X	B	904	-	-	16/38/62/80	0/1/1/1
2	6OU	B	906	-	-	16/36/36/52	-
2	6OU	C	909	-	-	5/7/7/52	-
4	YFP	A	903	-	-	16/33/33/55	-
2	6OU	A	906	-	-	16/36/36/52	-
3	LBN	C	902	-	-	17/33/33/55	-
2	6OU	A	908	-	-	8/11/11/52	-
5	T7X	C	904	-	-	16/38/62/80	0/1/1/1
2	6OU	D	910	-	-	17/32/32/52	-
2	6OU	D	909	-	-	5/7/7/52	-
2	6OU	A	901	-	-	21/36/36/52	-
2	6OU	B	907	-	-	16/26/26/52	-
3	LBN	C	905	-	-	22/36/36/55	-
4	YFP	D	903	-	-	16/33/33/55	-
2	6OU	D	901	-	-	21/36/36/52	-
2	6OU	A	910	-	-	17/32/32/52	-
2	6OU	D	906	-	-	16/36/36/52	-

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	LBN	A	902	-	-	17/33/33/55	-
2	6OU	C	901	-	-	21/36/36/52	-
2	6OU	D	908	-	-	8/11/11/52	-

The worst 5 of 124 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	910	6OU	P23-O22	5.64	1.78	1.60
2	A	910	6OU	P23-O22	5.63	1.78	1.60
2	C	910	6OU	P23-O22	5.63	1.78	1.60
2	B	910	6OU	P23-O22	5.62	1.78	1.60
2	A	907	6OU	P23-O22	5.45	1.77	1.60

The worst 5 of 72 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	903	YFP	O32-C33-C35	5.51	123.37	111.50
4	C	903	YFP	O32-C33-C35	5.51	123.37	111.50
4	D	903	YFP	O32-C33-C35	5.49	123.34	111.50
4	B	903	YFP	O32-C33-C35	5.49	123.34	111.50
5	D	904	T7X	O16-C10-C12	3.51	119.06	111.50

There are no chirality outliers.

5 of 616 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	901	6OU	C21-O22-P23-O24
2	C	901	6OU	C21-O22-P23-O25
2	C	906	6OU	C15-C16-O18-C19
2	C	906	6OU	O17-C16-O18-C19
2	C	906	6OU	C40-C41-C42-C43

There are no ring outliers.

6 monomers are involved in 3 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	906	6OU	1	0
2	B	901	6OU	1	0
2	B	906	6OU	1	0
2	A	906	6OU	1	0


*Continued on next page...*


*Continued from previous page...*


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	901	6OU	1	0
2	C	901	6OU	1	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.
























































## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.


## 6 Map visualisation (i)

This section contains visualisations of the EMDB entry EMD-23476. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections (i)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [\(i\)](#)


### 6.2.1 Primary map



X Index: 128




Y Index: 128




Z Index: 128


### 6.2.2 Raw map



X Index: 128



Y Index: 128




Z Index: 128


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [\(i\)](#)


### 6.3.1 Primary map



X Index: 126




Y Index: 130




Z Index: 111


### 6.3.2 Raw map



X Index: 126



Y Index: 130




Z Index: 102

The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal surface views [\(i\)](#)

### 6.4.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.04. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.4.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.5 Mask visualisation [\(i\)](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis (i)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution (i)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate (i)



The volume at the recommended contour level is  $56 \text{ nm}^3$ ; this corresponds to an approximate mass of 50 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum [\(i\)](#)




\*Reported resolution corresponds to spatial frequency of  $0.327 \text{ \AA}^{-1}$

## 8 Fourier-Shell correlation [\(i\)](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [\(i\)](#)



\*Reported resolution corresponds to spatial frequency of  $0.327 \text{ \AA}^{-1}$

## 8.2 Resolution estimates [\(i\)](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.06	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.25	3.71	3.30

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

## 9 Map-model fit (i)


This section contains information regarding the fit between EMDB map EMD-23476 and PDB model 7LPC. Per-residue inclusion information can be found in section 3 on page 11.

### 9.1 Map-model overlay (i)




The images above show the 3D surface view of the map at the recommended contour level 0.04 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [\(i\)](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [\(i\)](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.04).

## 9.4 Atom inclusion [\(i\)](#)



At the recommended contour level, 58% of all backbone atoms, 59% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.04) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.5925	0.5290
A	0.5904	0.5260
B	0.5960	0.5340
C	0.5891	0.5220
D	0.5947	0.5330

