



wwPDB X-ray Structure Validation Summary Report (i)

Aug 29, 2023 – 03:23 AM EDT

PDB ID : 3OEH
Title : Structure of four mutant forms of yeast F1 ATPase: beta-V279F
Authors : Arsenieva, D.; Symersky, J.; Wang, Y.; Pagadala, V.; Mueller, D.M.
Deposited on : 2010-08-12
Resolution : 3.00 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at
<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references \(1\)](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.35
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35


1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2092 (3.00-3.00)
Clashscore	141614	2416 (3.00-3.00)
Ramachandran outliers	138981	2333 (3.00-3.00)
Sidechain outliers	138945	2336 (3.00-3.00)
RSRZ outliers	127900	1990 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain			
1	L	510	74%	19%	• 5%	
1	S	510	70%	23%	• 6%	
1	T	510	80%	13%	• 6%	
1	U	510	73%	21%	6%	
2	D	484	77%	19%	• •	
2	E	484	76%	19%	• •	
2	F	484	74%	21%	• •	
2	M	484	79%	17%	• •	
2	N	484	75%	21%	• •	
2	O	484	79%	17%	•	
2	V	484	75%	20%	• •	
2	W	484	78%	17%	• •	
2	X	484	83%	14%	• •	
3	G	278	69%	24%	• •	
3	P	278	68%	17%	• 12%	
3	Y	278	58%	13%	• 28%	
4	H	138	62%	17%	• 16%	
4	Q	138	57%	•	39%	
4	Z	138	12% •	88%		
5	1	61	43% •	56%		
5	I	61	56%	20%	5% 20%	
5	R	61	54% •	44%		

2 Entry composition i

There are 7 unique types of molecules in this entry. The entry contains 72707 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ATP synthase subunit alpha.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	482	Total	C 3664	N 2314	O 648	S 699	3	0	0
1	B	483	Total	C 3669	N 2317	O 649	S 700	3	0	0
1	C	484	Total	C 3680	N 2325	O 650	S 702	3	0	0
1	J	481	Total	C 3655	N 2309	O 646	S 697	3	0	0
1	K	486	Total	C 3688	N 2327	O 652	S 706	3	0	0
1	L	482	Total	C 3664	N 2314	O 648	S 699	3	0	0
1	S	478	Total	C 3635	N 2297	O 643	S 692	3	0	0
1	T	479	Total	C 3642	N 2302	O 644	S 693	3	0	0
1	U	481	Total	C 3655	N 2308	O 646	S 698	3	0	0

- Molecule 2 is a protein called ATP synthase subunit beta.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	D	470	Total	C 3549	N 2252	O 603	S 688	6	0	0
2	E	468	Total	C 3508	N 2227	O 598	S 677	6	0	0
2	F	469	Total	C 3531	N 2242	O 602	S 681	6	0	0
2	M	470	Total	C 3543	N 2249	O 600	S 688	6	0	0
2	N	470	Total	C 3545	N 2249	O 602	S 688	6	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	O	468	Total	C 3538	N 2246	O 602	S 684	6	0	0
2	V	470	Total	C 3550	N 2251	O 604	S 689	6	0	0
2	W	467	Total	C 3535	N 2244	O 601	S 684	6	0	0
2	X	469	Total	C 3547	N 2251	O 603	S 687	6	0	0

There are 81 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	-5	ALA	-	expression tag	UNP P00830
D	-4	SER	-	expression tag	UNP P00830
D	-3	HIS	-	expression tag	UNP P00830
D	-2	HIS	-	expression tag	UNP P00830
D	-1	HIS	-	expression tag	UNP P00830
D	0	HIS	-	expression tag	UNP P00830
D	1	HIS	-	expression tag	UNP P00830
D	2	HIS	-	expression tag	UNP P00830
D	279	PHE	VAL	engineered mutation	UNP P00830
E	-5	ALA	-	expression tag	UNP P00830
E	-4	SER	-	expression tag	UNP P00830
E	-3	HIS	-	expression tag	UNP P00830
E	-2	HIS	-	expression tag	UNP P00830
E	-1	HIS	-	expression tag	UNP P00830
E	0	HIS	-	expression tag	UNP P00830
E	1	HIS	-	expression tag	UNP P00830
E	2	HIS	-	expression tag	UNP P00830
E	279	PHE	VAL	engineered mutation	UNP P00830
F	-5	ALA	-	expression tag	UNP P00830
F	-4	SER	-	expression tag	UNP P00830
F	-3	HIS	-	expression tag	UNP P00830
F	-2	HIS	-	expression tag	UNP P00830
F	-1	HIS	-	expression tag	UNP P00830
F	0	HIS	-	expression tag	UNP P00830
F	1	HIS	-	expression tag	UNP P00830
F	2	HIS	-	expression tag	UNP P00830
F	279	PHE	VAL	engineered mutation	UNP P00830
M	-5	ALA	-	expression tag	UNP P00830
M	-4	SER	-	expression tag	UNP P00830
M	-3	HIS	-	expression tag	UNP P00830
M	-2	HIS	-	expression tag	UNP P00830

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
M	-1	HIS	-	expression tag	UNP P00830
M	0	HIS	-	expression tag	UNP P00830
M	1	HIS	-	expression tag	UNP P00830
M	2	HIS	-	expression tag	UNP P00830
M	279	PHE	VAL	engineered mutation	UNP P00830
N	-5	ALA	-	expression tag	UNP P00830
N	-4	SER	-	expression tag	UNP P00830
N	-3	HIS	-	expression tag	UNP P00830
N	-2	HIS	-	expression tag	UNP P00830
N	-1	HIS	-	expression tag	UNP P00830
N	0	HIS	-	expression tag	UNP P00830
N	1	HIS	-	expression tag	UNP P00830
N	2	HIS	-	expression tag	UNP P00830
N	279	PHE	VAL	engineered mutation	UNP P00830
O	-5	ALA	-	expression tag	UNP P00830
O	-4	SER	-	expression tag	UNP P00830
O	-3	HIS	-	expression tag	UNP P00830
O	-2	HIS	-	expression tag	UNP P00830
O	-1	HIS	-	expression tag	UNP P00830
O	0	HIS	-	expression tag	UNP P00830
O	1	HIS	-	expression tag	UNP P00830
O	2	HIS	-	expression tag	UNP P00830
O	279	PHE	VAL	engineered mutation	UNP P00830
V	-5	ALA	-	expression tag	UNP P00830
V	-4	SER	-	expression tag	UNP P00830
V	-3	HIS	-	expression tag	UNP P00830
V	-2	HIS	-	expression tag	UNP P00830
V	-1	HIS	-	expression tag	UNP P00830
V	0	HIS	-	expression tag	UNP P00830
V	1	HIS	-	expression tag	UNP P00830
V	2	HIS	-	expression tag	UNP P00830
V	279	PHE	VAL	engineered mutation	UNP P00830
W	-5	ALA	-	expression tag	UNP P00830
W	-4	SER	-	expression tag	UNP P00830
W	-3	HIS	-	expression tag	UNP P00830
W	-2	HIS	-	expression tag	UNP P00830
W	-1	HIS	-	expression tag	UNP P00830
W	0	HIS	-	expression tag	UNP P00830
W	1	HIS	-	expression tag	UNP P00830
W	2	HIS	-	expression tag	UNP P00830
W	279	PHE	VAL	engineered mutation	UNP P00830
X	-5	ALA	-	expression tag	UNP P00830

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
X	-4	SER	-	expression tag	UNP P00830
X	-3	HIS	-	expression tag	UNP P00830
X	-2	HIS	-	expression tag	UNP P00830
X	-1	HIS	-	expression tag	UNP P00830
X	0	HIS	-	expression tag	UNP P00830
X	1	HIS	-	expression tag	UNP P00830
X	2	HIS	-	expression tag	UNP P00830
X	279	PHE	VAL	engineered mutation	UNP P00830

- Molecule 3 is a protein called ATP synthase subunit gamma.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
3	G	266	Total C N O S 2059 1293 359 397 10	0	0	0
3	P	246	Total C N O S 1872 1175 327 361 9	0	0	0
3	Y	201	Total C N O S 1523 947 274 293 9	0	0	0


- Molecule 4 is a protein called ATP synthase subunit delta.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
4	H	116	Total C N O S 763 477 132 152 2	0	0	0
4	Q	84	Total C N O 454 277 89 88	0	0	0
4	Z	17	Total C N O 85 51 17 17	0	0	0

- Molecule 5 is a protein called ATP synthase subunit epsilon.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
5	I	49	Total C N O 339 212 57 70	0	0	0
5	R	34	Total C N O 189 116 34 39	0	0	0
5	1	27	Total C N O 145 86 31 28	0	0	0

- Molecule 6 is PHOSPHOAMINOPHOSPHONIC ACID-ADENYLATE ESTER (three-letter code: ANP) (formula: C₁₀H₁₇N₆O₁₂P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
6	A	1	31	10	6	12	3	0	0
6	B	1	31	10	6	12	3	0	0
6	C	1	31	10	6	12	3	0	0
6	D	1	31	10	6	12	3	0	0
6	F	1	31	10	6	12	3	0	0
6	J	1	31	10	6	12	3	0	0
6	K	1	31	10	6	12	3	0	0
6	L	1	31	10	6	12	3	0	0
6	M	1	31	10	6	12	3	0	0
6	O	1	31	10	6	12	3	0	0
6	S	1	31	10	6	12	3	0	0
6	T	1	31	10	6	12	3	0	0
6	U	1	31	10	6	12	3	0	0
6	V	1	31	10	6	12	3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
			Total	C	N	O	P			
6	X	1	31	10	6	12	3	0	0	


- Molecule 7 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	1	Total	Mg	0	0
			1	1		
7	B	1	Total	Mg	0	0
			1	1		
7	C	1	Total	Mg	0	0
			1	1		
7	D	1	Total	Mg	0	0
			1	1		
7	F	1	Total	Mg	0	0
			1	1		
7	J	1	Total	Mg	0	0
			1	1		
7	K	1	Total	Mg	0	0
			1	1		
7	L	1	Total	Mg	0	0
			1	1		
7	M	1	Total	Mg	0	0
			1	1		
7	O	1	Total	Mg	0	0
			1	1		
7	S	1	Total	Mg	0	0
			1	1		
7	T	1	Total	Mg	0	0
			1	1		
7	U	1	Total	Mg	0	0
			1	1		
7	V	1	Total	Mg	0	0
			1	1		
7	X	1	Total	Mg	0	0
			1	1		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: ATP synthase subunit alpha








- Molecule 1: ATP synthase subunit alpha



- Molecule 1: ATP synthase subunit alpha










- Molecule 1: ATP synthase subunit alpha




- Molecule 1: ATP synthase subunit alpha




- Molecule 1: ATP synthase subunit alpha






- Molecule 2: ATP synthase subunit beta

Chain D:




- Molecule 2: ATP synthase subunit beta

Chain E




- Molecule 2: ATP synthase subunit beta

Chain F: 





- Molecule 2: ATP synthase subunit beta

Chain M: 



- Molecule 2: ATP synthase subunit beta


Chain O:  79% 17% •



- Molecule 2: ATP synthase subunit beta


A horizontal bar chart illustrating the distribution of Chain V across various categories. The x-axis represents the percentage of Chain V, ranging from 0% to 100%. The y-axis lists the categories. The bars are colored green for most categories, with a red bar for the first category and a yellow bar for the last category.

Category	Percentage
1	5%
2	75%
3	20%
4	...



- Molecule 2: ATP synthase subunit beta


A horizontal bar chart illustrating the distribution of Chain W across four categories. The categories are represented by colored bars: red for A (3%), green for B (78%), yellow for C (17%), and orange for D (1%).



- Molecule 2: ATP synthase subunit beta

A horizontal bar chart illustrating the distribution of Chain X across various categories. The x-axis represents the percentage of Chain X, ranging from 0% to 100%. The y-axis lists the categories. The bars are colored green for most categories, with a red bar for 'Other' and a yellow bar for 'Unknown'.


Category	Percentage
Chain X	83%
Other	4%
Unknown	14%




- Molecule 3: ATP synthase subunit gamma




- Molecule 3: ATP synthase subunit gamma



- Molecule 3: ATP synthase subunit gamma







- Molecule 4: ATP synthase subunit delta




- Molecule 4: ATP synthase subunit delta



- Molecule 4: ATP synthase subunit delta



• Molecule 5: ATP synthase subunit epsilon





- Molecule 5: ATP synthase subunit epsilon





- Molecule 5: ATP synthase subunit epsilon



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	110.93Å 291.90Å 188.76Å 90.00° 101.91° 90.00°	Depositor
Resolution (Å)	20.00 – 3.00 49.39 – 3.00	Depositor EDS
% Data completeness (in resolution range)	88.8 (20.00-3.00) 88.6 (49.39-3.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.05	Depositor
$< I/\sigma(I) >$ ¹	2.29 (at 3.01Å)	Xtriage
Refinement program	REFMAC 5.5.0102	Depositor
R , R_{free}	0.209 , 0.270 0.207 , 0.264	Depositor DCC
R_{free} test set	4161 reflections (2.00%)	wwPDB-VP
Wilson B-factor (Å ²)	82.8	Xtriage
Anisotropy	0.128	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 55.8	EDS
L-test for twinning ²	$< L > = 0.49$, $< L^2 > = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	72707	wwPDB-VP
Average B, all atoms (Å ²)	110.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.33% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ANP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.46	0/3718	0.65	0/5032
1	B	0.39	0/3723	0.59	0/5039
1	C	0.42	0/3736	0.62	1/5057 (0.0%)
1	J	0.36	0/3709	0.56	0/5020
1	K	0.35	0/3742	0.54	0/5065
1	L	0.43	0/3718	0.61	1/5032 (0.0%)
1	S	0.37	0/3689	0.54	0/4992
1	T	0.34	0/3696	0.50	0/5002
1	U	0.35	0/3709	0.54	0/5021
2	D	0.47	0/3606	0.61	0/4890
2	E	0.42	0/3565	0.58	0/4840
2	F	0.40	0/3588	0.58	0/4868
2	M	0.39	0/3600	0.58	0/4883
2	N	0.37	0/3602	0.53	1/4886 (0.0%)
2	O	0.37	0/3595	0.56	0/4875
2	V	0.37	0/3607	0.53	0/4891
2	W	0.36	0/3592	0.52	0/4869
2	X	0.36	0/3604	0.53	0/4887
3	G	0.39	0/2084	0.53	0/2803
3	P	0.36	0/1889	0.53	0/2537
3	Y	0.34	0/1533	0.51	0/2056
4	H	0.39	0/772	0.59	0/1058
4	Q	0.36	0/453	0.51	0/621
4	Z	0.35	0/84	0.45	0/116
5	1	0.30	0/143	0.42	0/195
5	I	0.42	0/343	0.59	0/470
5	R	0.39	0/189	0.50	0/261
All	All	0.39	0/73289	0.56	3/99266 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	L	283	LEU	CA-CB-CG	5.70	128.40	115.30
2	N	37	LEU	CA-CB-CG	5.34	127.57	115.30
1	C	283	LEU	CA-CB-CG	5.04	126.88	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3664	0	3747	59	0
1	B	3669	0	3752	59	0
1	C	3680	0	3763	40	0
1	J	3655	0	3739	43	0
1	K	3688	0	3763	63	0
1	L	3664	0	3747	54	0
1	S	3635	0	3724	70	0
1	T	3642	0	3733	36	0
1	U	3655	0	3734	62	0
2	D	3549	0	3614	59	0
2	E	3508	0	3550	51	0
2	F	3531	0	3592	58	0
2	M	3543	0	3603	49	0
2	N	3545	0	3604	63	0
2	O	3538	0	3606	47	0
2	V	3550	0	3611	64	0
2	W	3535	0	3605	47	0
2	X	3547	0	3615	39	0
3	G	2059	0	2127	43	0
3	P	1872	0	1917	34	0
3	Y	1523	0	1569	16	0
4	H	763	0	653	21	0
4	Q	454	0	259	2	0
4	Z	85	0	45	0	0
5	1	145	0	87	0	0
5	I	339	0	280	8	0
5	R	189	0	114	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	A	31	0	13	1	0
6	B	31	0	13	4	0
6	C	31	0	13	0	0
6	D	31	0	13	0	0
6	F	31	0	13	1	0
6	J	31	0	13	1	0
6	K	31	0	13	3	0
6	L	31	0	13	1	0
6	M	31	0	13	4	0
6	O	31	0	13	3	0
6	S	31	0	13	0	0
6	T	31	0	13	1	0
6	U	31	0	13	1	0
6	V	31	0	13	1	0
6	X	31	0	13	4	0
7	A	1	0	0	0	0
7	B	1	0	0	0	0
7	C	1	0	0	0	0
7	D	1	0	0	0	0
7	F	1	0	0	0	0
7	J	1	0	0	0	0
7	K	1	0	0	0	0
7	L	1	0	0	0	0
7	M	1	0	0	0	0
7	O	1	0	0	0	0
7	S	1	0	0	0	0
7	T	1	0	0	0	0
7	U	1	0	0	0	0
7	V	1	0	0	0	0
7	X	1	0	0	0	0
All	All	72707	0	73348	1008	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

The worst 5 of 1008 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:M:85:VAL:HG11	2:M:235:THR:HG23	1.30	1.12
2:D:85:VAL:HG11	2:D:235:THR:HG23	1.15	1.09
1:A:395:PHE:HZ	1:A:419:THR:HA	1.15	1.07

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:85:VAL:HG11	2:E:235:THR:HG23	1.38	1.01
1:B:174:GLN:HA	6:B:600:ANP:HNB1	1.28	0.97

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	478/510 (94%)	454 (95%)	23 (5%)	1 (0%)	47 82
1	B	479/510 (94%)	448 (94%)	30 (6%)	1 (0%)	47 82
1	C	482/510 (94%)	453 (94%)	28 (6%)	1 (0%)	47 82
1	J	477/510 (94%)	460 (96%)	16 (3%)	1 (0%)	47 82
1	K	482/510 (94%)	442 (92%)	35 (7%)	5 (1%)	15 53
1	L	478/510 (94%)	450 (94%)	27 (6%)	1 (0%)	47 82
1	S	474/510 (93%)	447 (94%)	25 (5%)	2 (0%)	34 72
1	T	475/510 (93%)	438 (92%)	33 (7%)	4 (1%)	19 57
1	U	477/510 (94%)	432 (91%)	39 (8%)	6 (1%)	12 45
2	D	468/484 (97%)	439 (94%)	28 (6%)	1 (0%)	47 82
2	E	466/484 (96%)	436 (94%)	28 (6%)	2 (0%)	34 72
2	F	467/484 (96%)	435 (93%)	27 (6%)	5 (1%)	14 50
2	M	468/484 (97%)	437 (93%)	30 (6%)	1 (0%)	47 82
2	N	468/484 (97%)	431 (92%)	33 (7%)	4 (1%)	17 55
2	O	466/484 (96%)	442 (95%)	24 (5%)	0	100 100
2	V	468/484 (97%)	423 (90%)	38 (8%)	7 (2%)	10 42
2	W	465/484 (96%)	432 (93%)	30 (6%)	3 (1%)	25 64
2	X	467/484 (96%)	432 (92%)	33 (7%)	2 (0%)	34 72

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
3	G	262/278 (94%)	245 (94%)	17 (6%)	0	100 100
3	P	234/278 (84%)	210 (90%)	19 (8%)	5 (2%)	7 33
3	Y	189/278 (68%)	176 (93%)	13 (7%)	0	100 100
4	H	110/138 (80%)	89 (81%)	19 (17%)	2 (2%)	8 37
4	Q	74/138 (54%)	61 (82%)	13 (18%)	0	100 100
4	Z	15/138 (11%)	11 (73%)	3 (20%)	1 (7%)	1 6
5	I	23/61 (38%)	19 (83%)	3 (13%)	1 (4%)	2 15
5	R	30/61 (49%)	25 (83%)	5 (17%)	0	100 100
All	All	9485/10377 (91%)	8800 (93%)	625 (7%)	60 (1%)	25 64

5 of 60 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
4	H	101	ILE
5	I	55	GLU
1	L	390	GLY
2	N	221	GLN
2	V	347	ALA

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	388/412 (94%)	369 (95%)	19 (5%)	25 61
1	B	388/412 (94%)	373 (96%)	15 (4%)	32 69
1	C	390/412 (95%)	378 (97%)	12 (3%)	40 75
1	J	387/412 (94%)	372 (96%)	15 (4%)	32 69
1	K	390/412 (95%)	372 (95%)	18 (5%)	27 64
1	L	388/412 (94%)	365 (94%)	23 (6%)	19 54
1	S	385/412 (93%)	365 (95%)	20 (5%)	23 59

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	T	386/412 (94%)	371 (96%)	15 (4%)	32 69
1	U	387/412 (94%)	376 (97%)	11 (3%)	43 77
2	D	379/390 (97%)	362 (96%)	17 (4%)	27 64
2	E	370/390 (95%)	354 (96%)	16 (4%)	29 66
2	F	375/390 (96%)	358 (96%)	17 (4%)	27 64
2	M	378/390 (97%)	360 (95%)	18 (5%)	25 62
2	N	378/390 (97%)	357 (94%)	21 (6%)	21 56
2	O	378/390 (97%)	366 (97%)	12 (3%)	39 74
2	V	379/390 (97%)	364 (96%)	15 (4%)	31 68
2	W	378/390 (97%)	360 (95%)	18 (5%)	25 62
2	X	379/390 (97%)	364 (96%)	15 (4%)	31 68
3	G	226/236 (96%)	210 (93%)	16 (7%)	14 46
3	P	200/236 (85%)	184 (92%)	16 (8%)	12 40
3	Y	164/236 (70%)	150 (92%)	14 (8%)	10 38
4	H	64/112 (57%)	54 (84%)	10 (16%)	2 13
4	Q	11/112 (10%)	9 (82%)	2 (18%)	1 9
5	1	2/48 (4%)	2 (100%)	0	100 100
5	I	28/48 (58%)	25 (89%)	3 (11%)	6 26
5	R	5/48 (10%)	4 (80%)	1 (20%)	1 7
All	All	7583/8294 (91%)	7224 (95%)	359 (5%)	26 63

5 of 359 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	O	455	HIS
1	U	82	ARG
3	P	130	ILE
1	S	267	LEU
2	V	192	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 70 such sidechains are listed below:

Mol	Chain	Res	Type
2	V	168	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	W	385	GLN
2	X	365	GLN
1	J	262	ASN
1	J	174	GLN

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [\(i\)](#)

Of 30 ligands modelled in this entry, 15 are monoatomic - leaving 15 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	ANP	F	600	7	29,33,33	1.78	7 (24%)	31,52,52	1.95	8 (25%)
6	ANP	X	600	7	29,33,33	1.77	6 (20%)	31,52,52	2.17	8 (25%)
6	ANP	O	600	7	29,33,33	1.77	6 (20%)	31,52,52	1.97	7 (22%)
6	ANP	A	600	7	29,33,33	1.88	8 (27%)	31,52,52	1.87	5 (16%)
6	ANP	T	600	7	29,33,33	1.90	6 (20%)	31,52,52	1.97	8 (25%)
6	ANP	B	600	7	29,33,33	1.78	6 (20%)	31,52,52	1.93	6 (19%)
6	ANP	U	600	7	29,33,33	1.81	7 (24%)	31,52,52	2.15	8 (25%)
6	ANP	D	600	7	29,33,33	1.71	7 (24%)	31,52,52	1.77	8 (25%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	ANP	M	600	7	29,33,33	1.68	5 (17%)	31,52,52	2.21	6 (19%)
6	ANP	V	600	7	29,33,33	1.76	6 (20%)	31,52,52	2.10	8 (25%)
6	ANP	J	600	7	29,33,33	1.77	6 (20%)	31,52,52	1.97	7 (22%)
6	ANP	L	600	7	29,33,33	1.95	8 (27%)	31,52,52	1.86	7 (22%)
6	ANP	S	600	7	29,33,33	1.89	7 (24%)	31,52,52	1.93	8 (25%)
6	ANP	K	600	7	29,33,33	1.81	7 (24%)	31,52,52	2.12	9 (29%)
6	ANP	C	600	7	29,33,33	1.85	9 (31%)	31,52,52	2.01	8 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	ANP	F	600	7	-	3/14/38/38	0/3/3/3
6	ANP	X	600	7	-	8/14/38/38	0/3/3/3
6	ANP	O	600	7	-	3/14/38/38	0/3/3/3
6	ANP	A	600	7	-	2/14/38/38	0/3/3/3
6	ANP	T	600	7	-	2/14/38/38	0/3/3/3
6	ANP	B	600	7	-	2/14/38/38	0/3/3/3
6	ANP	U	600	7	-	4/14/38/38	0/3/3/3
6	ANP	D	600	7	-	4/14/38/38	0/3/3/3
6	ANP	M	600	7	-	4/14/38/38	0/3/3/3
6	ANP	V	600	7	-	7/14/38/38	0/3/3/3
6	ANP	J	600	7	-	2/14/38/38	0/3/3/3
6	ANP	L	600	7	-	2/14/38/38	0/3/3/3
6	ANP	S	600	7	-	4/14/38/38	0/3/3/3
6	ANP	K	600	7	-	9/14/38/38	0/3/3/3
6	ANP	C	600	7	-	3/14/38/38	0/3/3/3

The worst 5 of 101 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	S	600	ANP	PG-N3B	4.80	1.75	1.63
6	L	600	ANP	PG-N3B	4.79	1.75	1.63
6	T	600	ANP	PG-N3B	4.64	1.75	1.63
6	T	600	ANP	PB-N3B	4.55	1.75	1.63

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	X	600	ANP	PB-N3B	4.51	1.75	1.63

The worst 5 of 111 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	M	600	ANP	O1G-PG-N3B	-7.65	100.51	111.77
6	K	600	ANP	O1G-PG-N3B	-6.50	102.20	111.77
6	J	600	ANP	O1G-PG-N3B	-6.49	102.21	111.77
6	A	600	ANP	O1G-PG-N3B	-6.31	102.47	111.77
6	X	600	ANP	O1G-PG-N3B	-6.27	102.54	111.77

There are no chirality outliers.

5 of 59 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	A	600	ANP	PB-N3B-PG-O1G
6	A	600	ANP	PG-N3B-PB-O1B
6	B	600	ANP	PB-N3B-PG-O1G
6	B	600	ANP	PG-N3B-PB-O1B
6	C	600	ANP	PB-N3B-PG-O1G


There are no ring outliers.


12 monomers are involved in 25 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	F	600	ANP	1	0
6	X	600	ANP	4	0
6	O	600	ANP	3	0
6	A	600	ANP	1	0
6	T	600	ANP	1	0
6	B	600	ANP	4	0
6	U	600	ANP	1	0
6	M	600	ANP	4	0
6	V	600	ANP	1	0
6	J	600	ANP	1	0
6	L	600	ANP	1	0
6	K	600	ANP	3	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will


also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









































5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data [\(i\)](#)

6.1 Protein, DNA and RNA chains [\(i\)](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	A	482/510 (94%)	-0.49	0	100	100	41, 63, 99, 156	0
1	B	483/510 (94%)	-0.23	3 (0%)	89	72	48, 92, 148, 188	0
1	C	484/510 (94%)	-0.41	0	100	100	43, 73, 129, 177	0
1	J	481/510 (94%)	-0.26	2 (0%)	92	79	60, 100, 149, 206	0
1	K	486/510 (95%)	-0.06	16 (3%)	46	20	78, 126, 187, 217	0
1	L	482/510 (94%)	-0.40	0	100	100	47, 68, 137, 194	0
1	S	478/510 (93%)	-0.21	8 (1%)	70	41	77, 109, 153, 179	0
1	T	479/510 (93%)	0.21	29 (6%)	21	7	103, 151, 186, 202	0
1	U	481/510 (94%)	0.19	31 (6%)	19	6	104, 150, 181, 217	0
2	D	470/484 (97%)	-0.44	1 (0%)	95	87	42, 70, 123, 181	0
2	E	468/484 (96%)	-0.23	9 (1%)	66	37	46, 86, 161, 211	0
2	F	469/484 (96%)	-0.31	0	100	100	48, 89, 128, 169	0
2	M	470/484 (97%)	-0.32	2 (0%)	92	79	55, 86, 134, 180	0
2	N	470/484 (97%)	0.06	18 (3%)	40	16	71, 133, 199, 229	0
2	O	468/484 (96%)	-0.30	0	100	100	54, 94, 141, 175	0
2	V	470/484 (97%)	0.10	26 (5%)	25	9	93, 138, 180, 210	0
2	W	467/484 (96%)	-0.07	14 (2%)	50	22	89, 117, 164, 189	0
2	X	469/484 (96%)	0.06	20 (4%)	35	13	93, 134, 185, 234	0
3	G	266/278 (95%)	-0.24	2 (0%)	86	65	63, 103, 140, 167	0
3	P	246/278 (88%)	0.22	13 (5%)	26	10	69, 131, 195, 237	0
3	Y	201/278 (72%)	0.43	19 (9%)	8	3	107, 146, 192, 232	0
4	H	116/138 (84%)	-0.05	6 (5%)	27	10	82, 127, 216, 236	0
4	Q	84/138 (60%)	0.01	3 (3%)	42	17	109, 150, 208, 214	0
4	Z	17/138 (12%)	2.21	11 (64%)	0	0	190, 210, 236, 245	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
5	1	27/61 (44%)	1.54	9 (33%) 0 0	159, 168, 187, 210	0
5	I	49/61 (80%)	-0.08	1 (2%) 65 36	97, 127, 178, 217	0
5	R	34/61 (55%)	-0.33	1 (2%) 51 23	108, 122, 187, 200	0
All	All	9597/10377 (92%)	-0.14	244 (2%) 57 29	41, 108, 176, 245	0

The worst 5 of 244 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	U	26	ASN	6.3
1	T	491	LEU	5.3
2	X	7	THR	5.2
5	1	33	SER	4.9
2	X	90	GLU	4.8

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
7	MG	J	700	1/1	0.88	0.24	51,51,51,51	0
6	ANP	U	600	31/31	0.89	0.20	73,79,82,82	0
6	ANP	K	600	31/31	0.91	0.19	79,96,100,101	0
6	ANP	T	600	31/31	0.92	0.17	81,102,107,108	0
7	MG	M	700	1/1	0.92	0.35	53,53,53,53	0
7	MG	T	700	1/1	0.93	0.28	62,62,62,62	0
7	MG	D	700	1/1	0.94	0.29	48,48,48,48	0
6	ANP	J	600	31/31	0.94	0.17	60,74,82,83	0
7	MG	L	700	1/1	0.95	0.33	48,48,48,48	0


Continued on next page...


Continued from previous page...


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	ANP	B	600	31/31	0.95	0.16	66,79,81,82	0
7	MG	O	700	1/1	0.95	0.11	61,61,61,61	0
6	ANP	V	600	31/31	0.95	0.20	80,100,102,102	0
6	ANP	C	600	31/31	0.96	0.20	57,68,75,75	0
6	ANP	F	600	31/31	0.96	0.20	65,79,84,85	0
6	ANP	L	600	31/31	0.96	0.19	49,62,70,70	0
6	ANP	X	600	31/31	0.96	0.17	83,95,97,97	0
7	MG	S	700	1/1	0.96	0.27	53,53,53,53	0
6	ANP	S	600	31/31	0.96	0.14	64,78,80,80	0
7	MG	F	700	1/1	0.97	0.33	55,55,55,55	0
7	MG	C	700	1/1	0.97	0.37	52,52,52,52	0
7	MG	K	700	1/1	0.97	0.19	66,66,66,66	0
6	ANP	O	600	31/31	0.97	0.18	69,79,81,82	0
7	MG	V	700	1/1	0.97	0.21	61,61,61,61	0
6	ANP	D	600	31/31	0.98	0.19	55,65,68,69	0
6	ANP	M	600	31/31	0.98	0.20	60,70,73,74	0
7	MG	A	700	1/1	0.98	0.32	41,41,41,41	0
7	MG	B	700	1/1	0.98	0.32	57,57,57,57	0
6	ANP	A	600	31/31	0.98	0.19	44,57,61,63	0
7	MG	X	700	1/1	0.98	0.15	70,70,70,70	0
7	MG	U	700	1/1	0.99	0.30	61,61,61,61	0


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




















6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.