



Full wwPDB EM Validation Report (i)

Jan 17, 2022 – 05:53 pm GMT

PDB ID : 7PMN
EMDB ID : EMD-13539
Title : S. cerevisiae replisome-SCF(Dia2) complex bound to double-stranded DNA (conformation II)
Authors : Jenkyn-Bedford, M.; Yeeles, J.T.P.; Deegan, T.D.
Deposited on : 2021-09-02
Resolution : 3.20 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the (i) symbol.

The following versions of software and data (see [references \(i\)](#)) were used in the production of this report:

EMDB validation analysis : 0.0.0.dev97
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.24


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY


The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion < 40%). The numeric value is given above the bar.



Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain		
9	C	194	88%	12%	
10	D	294	82%	17%	
11	E	657	85%	14%	
12	F	962	44%	56%	
12	G	962	44%	56%	
12	H	962	44%	56%	
13	I	115	27%	70%	
14	J	122	24%	73%	
15	K	194	9% 69%	29%	
16	L	735	64%	35%	
17	Q	2222	34%	66%	
18	R	689	9% 78%	20%	
19	X	1238	52%	46%	
20	Y	319	31%	69%	

2 Entry composition i

There are 23 unique types of molecules in this entry. The entry contains 74640 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA replication licensing factor MCM2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	2	656	5183	3261	933	971	18	0	0

- Molecule 2 is a protein called DNA replication licensing factor MCM3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	3	615	4834	3055	859	907	13	0	0

There are 38 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
3	-37	MET	-	initiating methionine	UNP P24279
3	-36	LYS	-	expression tag	UNP P24279
3	-35	ARG	-	expression tag	UNP P24279
3	-34	ARG	-	expression tag	UNP P24279
3	-33	TRP	-	expression tag	UNP P24279
3	-32	LYS	-	expression tag	UNP P24279
3	-31	LYS	-	expression tag	UNP P24279
3	-30	ASN	-	expression tag	UNP P24279
3	-29	PHE	-	expression tag	UNP P24279
3	-28	ILE	-	expression tag	UNP P24279
3	-27	ALA	-	expression tag	UNP P24279
3	-26	VAL	-	expression tag	UNP P24279
3	-25	SER	-	expression tag	UNP P24279
3	-24	ALA	-	expression tag	UNP P24279
3	-23	ALA	-	expression tag	UNP P24279
3	-22	ASN	-	expression tag	UNP P24279
3	-21	ARG	-	expression tag	UNP P24279
3	-20	PHE	-	expression tag	UNP P24279
3	-19	LYS	-	expression tag	UNP P24279
3	-18	LYS	-	expression tag	UNP P24279
3	-17	ILE	-	expression tag	UNP P24279

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
3	-16	SER	-	expression tag	UNP P24279
3	-15	SER	-	expression tag	UNP P24279
3	-14	SER	-	expression tag	UNP P24279
3	-13	GLY	-	expression tag	UNP P24279
3	-12	ALA	-	expression tag	UNP P24279
3	-11	LEU	-	expression tag	UNP P24279
3	-10	GLU	-	expression tag	UNP P24279
3	-9	ASN	-	expression tag	UNP P24279
3	-8	LEU	-	expression tag	UNP P24279
3	-7	TYR	-	expression tag	UNP P24279
3	-6	PHE	-	expression tag	UNP P24279
3	-5	GLN	-	expression tag	UNP P24279
3	-4	GLY	-	expression tag	UNP P24279
3	-3	GLU	-	expression tag	UNP P24279
3	-2	ALA	-	expression tag	UNP P24279
3	-1	PRO	-	expression tag	UNP P24279
3	0	VAL	-	expression tag	UNP P24279

- Molecule 3 is a protein called DNA replication licensing factor MCM4.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	4	595	Total	C	N	O	S	0	0
			4731	2986	813	904	28		

- Molecule 4 is a protein called Minichromosome maintenance protein 5.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	5	660	Total	C	N	O	S	0	0
			5231	3289	912	1007	23		

- Molecule 5 is a protein called DNA replication licensing factor MCM6.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	6	641	Total	C	N	O	S	0	0
			5042	3177	886	954	25		

- Molecule 6 is a protein called DNA replication licensing factor MCM7.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	7	633	Total	C	N	O	S	0	0
			4936	3121	857	932	26		

- Molecule 7 is a protein called DNA replication complex GINS protein PSF1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	A	197	1611	1012	277	313	9	0	0

- Molecule 8 is a protein called DNA replication complex GINS protein PSF2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	B	192	1609	1034	285	286	4	0	0

- Molecule 9 is a protein called DNA replication complex GINS protein PSF3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	C	171	1381	900	223	252	6	0	0

- Molecule 10 is a protein called DNA replication complex GINS protein SLD5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	D	243	2004	1276	327	389	12	0	0

- Molecule 11 is a protein called Cell division control protein 45,Cell division control protein 45.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	E	564	4569	2916	772	867	14	0	0

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	167F	ASP	-	expression tag	UNP Q08032
E	167G	TYR	-	expression tag	UNP Q08032
E	167H	LYS	-	expression tag	UNP Q08032
E	167I	ASP	-	expression tag	UNP Q08032
E	167J	ASP	-	expression tag	UNP Q08032
E	167K	ASP	-	expression tag	UNP Q08032
E	167L	GLY	-	expression tag	UNP Q08032
E	167M	ASP	-	expression tag	UNP Q08032
E	167N	TYR	-	expression tag	UNP Q08032
E	167O	LYS	-	expression tag	UNP Q08032

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	167P	ASP	-	expression tag	UNP Q08032
E	167Q	ASP	-	expression tag	UNP Q08032

- Molecule 12 is a protein called DNA polymerase alpha-binding protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	F	424	Total	C 3404	N 2188	O 564	S 637	15	0
12	G	422	Total	C 3380	N 2172	O 557	S 636	15	0
12	H	425	Total	C 3411	N 2193	O 565	S 638	15	0

There are 105 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
F	-34	MET	-	initiating methionine	UNP Q01454
F	-33	LYS	-	expression tag	UNP Q01454
F	-32	ARG	-	expression tag	UNP Q01454
F	-31	ARG	-	expression tag	UNP Q01454
F	-30	TRP	-	expression tag	UNP Q01454
F	-29	LYS	-	expression tag	UNP Q01454
F	-28	LYS	-	expression tag	UNP Q01454
F	-27	ASN	-	expression tag	UNP Q01454
F	-26	PHE	-	expression tag	UNP Q01454
F	-25	ILE	-	expression tag	UNP Q01454
F	-24	ALA	-	expression tag	UNP Q01454
F	-23	VAL	-	expression tag	UNP Q01454
F	-22	SER	-	expression tag	UNP Q01454
F	-21	ALA	-	expression tag	UNP Q01454
F	-20	ALA	-	expression tag	UNP Q01454
F	-19	ASN	-	expression tag	UNP Q01454
F	-18	ARG	-	expression tag	UNP Q01454
F	-17	PHE	-	expression tag	UNP Q01454
F	-16	LYS	-	expression tag	UNP Q01454
F	-15	LYS	-	expression tag	UNP Q01454
F	-14	ILE	-	expression tag	UNP Q01454
F	-13	SER	-	expression tag	UNP Q01454
F	-12	SER	-	expression tag	UNP Q01454
F	-11	SER	-	expression tag	UNP Q01454
F	-10	GLY	-	expression tag	UNP Q01454
F	-9	ALA	-	expression tag	UNP Q01454

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	-8	LEU	-	expression tag	UNP Q01454
F	-7	GLU	-	expression tag	UNP Q01454
F	-6	ASN	-	expression tag	UNP Q01454
F	-5	LEU	-	expression tag	UNP Q01454
F	-4	TYR	-	expression tag	UNP Q01454
F	-3	PHE	-	expression tag	UNP Q01454
F	-2	GLN	-	expression tag	UNP Q01454
F	-1	GLY	-	expression tag	UNP Q01454
F	0	GLU	-	expression tag	UNP Q01454
G	-34	MET	-	initiating methionine	UNP Q01454
G	-33	LYS	-	expression tag	UNP Q01454
G	-32	ARG	-	expression tag	UNP Q01454
G	-31	ARG	-	expression tag	UNP Q01454
G	-30	TRP	-	expression tag	UNP Q01454
G	-29	LYS	-	expression tag	UNP Q01454
G	-28	LYS	-	expression tag	UNP Q01454
G	-27	ASN	-	expression tag	UNP Q01454
G	-26	PHE	-	expression tag	UNP Q01454
G	-25	ILE	-	expression tag	UNP Q01454
G	-24	ALA	-	expression tag	UNP Q01454
G	-23	VAL	-	expression tag	UNP Q01454
G	-22	SER	-	expression tag	UNP Q01454
G	-21	ALA	-	expression tag	UNP Q01454
G	-20	ALA	-	expression tag	UNP Q01454
G	-19	ASN	-	expression tag	UNP Q01454
G	-18	ARG	-	expression tag	UNP Q01454
G	-17	PHE	-	expression tag	UNP Q01454
G	-16	LYS	-	expression tag	UNP Q01454
G	-15	LYS	-	expression tag	UNP Q01454
G	-14	ILE	-	expression tag	UNP Q01454
G	-13	SER	-	expression tag	UNP Q01454
G	-12	SER	-	expression tag	UNP Q01454
G	-11	SER	-	expression tag	UNP Q01454
G	-10	GLY	-	expression tag	UNP Q01454
G	-9	ALA	-	expression tag	UNP Q01454
G	-8	LEU	-	expression tag	UNP Q01454
G	-7	GLU	-	expression tag	UNP Q01454
G	-6	ASN	-	expression tag	UNP Q01454
G	-5	LEU	-	expression tag	UNP Q01454
G	-4	TYR	-	expression tag	UNP Q01454
G	-3	PHE	-	expression tag	UNP Q01454
G	-2	GLN	-	expression tag	UNP Q01454

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	-1	GLY	-	expression tag	UNP Q01454
G	0	GLU	-	expression tag	UNP Q01454
H	-34	MET	-	initiating methionine	UNP Q01454
H	-33	LYS	-	expression tag	UNP Q01454
H	-32	ARG	-	expression tag	UNP Q01454
H	-31	ARG	-	expression tag	UNP Q01454
H	-30	TRP	-	expression tag	UNP Q01454
H	-29	LYS	-	expression tag	UNP Q01454
H	-28	LYS	-	expression tag	UNP Q01454
H	-27	ASN	-	expression tag	UNP Q01454
H	-26	PHE	-	expression tag	UNP Q01454
H	-25	ILE	-	expression tag	UNP Q01454
H	-24	ALA	-	expression tag	UNP Q01454
H	-23	VAL	-	expression tag	UNP Q01454
H	-22	SER	-	expression tag	UNP Q01454
H	-21	ALA	-	expression tag	UNP Q01454
H	-20	ALA	-	expression tag	UNP Q01454
H	-19	ASN	-	expression tag	UNP Q01454
H	-18	ARG	-	expression tag	UNP Q01454
H	-17	PHE	-	expression tag	UNP Q01454
H	-16	LYS	-	expression tag	UNP Q01454
H	-15	LYS	-	expression tag	UNP Q01454
H	-14	ILE	-	expression tag	UNP Q01454
H	-13	SER	-	expression tag	UNP Q01454
H	-12	SER	-	expression tag	UNP Q01454
H	-11	SER	-	expression tag	UNP Q01454
H	-10	GLY	-	expression tag	UNP Q01454
H	-9	ALA	-	expression tag	UNP Q01454
H	-8	LEU	-	expression tag	UNP Q01454
H	-7	GLU	-	expression tag	UNP Q01454
H	-6	ASN	-	expression tag	UNP Q01454
H	-5	LEU	-	expression tag	UNP Q01454
H	-4	TYR	-	expression tag	UNP Q01454
H	-3	PHE	-	expression tag	UNP Q01454
H	-2	GLN	-	expression tag	UNP Q01454
H	-1	GLY	-	expression tag	UNP Q01454
H	0	GLU	-	expression tag	UNP Q01454

- Molecule 13 is a DNA chain called Leading strand template DNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	I	34	Total	C	N	O	P	0	0
			742	340	161	207	34		

- Molecule 14 is a DNA chain called Lagging strand template DNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
14	J	33	629	298	101	197	33	0	0

- Molecule 15 is a protein called Suppressor of kinetochore protein 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
15	K	137	1120	709	195	212	4	0	0

- Molecule 16 is a protein called Protein DIA2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
16	L	475	3921	2533	654	710	24	0	0

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
L	-2	GLY	-	expression tag	UNP Q08496
L	-1	ALA	-	expression tag	UNP Q08496
L	0	GLY	-	expression tag	UNP Q08496

- Molecule 17 is a protein called DNA polymerase epsilon catalytic subunit A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
17	Q	766	6203	4028	1015	1124	36	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Q	290	ALA	ASP	variant	UNP P21951
Q	292	ALA	GLU	variant	UNP P21951

- Molecule 18 is a protein called DNA polymerase epsilon subunit B.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
18	R	552	4427	2843	759	807	18	0	0

- Molecule 19 is a protein called Topoisomerase 1-associated factor 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
19	X	665	5410	3505	912	974	19	0	0


- Molecule 20 is a protein called Chromosome segregation in meiosis protein 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
20	Y	98	791	511	138	138	4	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Y	-1	GLY	-	expression tag	UNP Q04659
Y	0	GLU	-	expression tag	UNP Q04659

- Molecule 21 is PHOSPHOAMINOPHOSPHONIC ACID-ADENYLATE ESTER (three-letter code: ANP) (formula: C₁₀H₁₇N₆O₁₂P₃) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
21	2	1	31	10	6	12	3	0
21	5	1	31	10	6	12	3	0

- Molecule 22 is MAGNESIUM ION (three-letter code: MG) (formula: Mg) (labeled as "Lig-

and of Interest" by depositor).

Mol	Chain	Residues	Atoms	AltConf
22	2	1	Total Mg 1 1	0
22	5	1	Total Mg 1 1	0


- Molecule 23 is ZINC ION (three-letter code: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	AltConf
23	2	1	Total Zn 1 1	0
23	4	1	Total Zn 1 1	0
23	5	1	Total Zn 1 1	0
23	6	1	Total Zn 1 1	0
23	7	1	Total Zn 1 1	0
23	Q	2	Total Zn 2 2	0


3 Residue-property plots (i)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: DNA replication licensing factor MCM2








- Molecule 2: DNA replication licensing factor MCM3








- Molecule 4: Minichromosome maintenance protein 5




- Molecule 5: DNA replication licensing factor MCM6







- Molecule 6: DNA replication licensing factor MCM7



- Molecule 7: DNA replication complex GINS protein PSF1






- Molecule 8: DNA replication complex GINS protein PSF2



- Molecule 9: DNA replication complex GINS protein PSF3



- Molecule 10: DNA replication complex GINS protein SLD5



- Molecule 11: Cell division control protein 45,Cell division control protein 45





- Molecule 12: DNA polymerase alpha-binding protein





- Molecule 12: DNA polymerase alpha-binding protein

Chain H: 44%



• Molecule 13: Leading strand template DNA

Chain I: 27%




• Molecule 14: Lagging strand template DNA

Chain J: 73%








- Molecule 15: Suppressor of kinetochore protein 1



- Molecule 16: Protein DIA2






- Molecule 17: DNA polymerase epsilon catalytic subunit A









• Molecule 18: DNA polymerase epsilon subunit B



• Molecule 19: Topoisomerase 1-associated factor 1





- Molecule 20: Chromosome segregation in meiosis protein 3

Chain Y: 31%

69%

4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	369254	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	38.8	Depositor
Minimum defocus (nm)	400	Depositor
Maximum defocus (nm)	2200	Depositor
Magnification	81000	Depositor
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	63.838	Depositor
Minimum map value	-32.137	Depositor
Average map value	0.038	Depositor
Map value standard deviation	1.533	Depositor
Recommended contour level	6.82	Depositor
Map size (Å)	398.55997, 398.55997, 398.55997	wwPDB
Map dimensions	376, 376, 376	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.06, 1.06, 1.06	Depositor

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: ANP, MG, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	2	0.35	0/5272	0.69	0/7122
2	3	0.31	0/4918	0.65	0/6668
3	4	0.32	0/4801	0.66	1/6488 (0.0%)
4	5	0.34	0/5303	0.67	0/7155
5	6	0.33	0/5125	0.68	0/6916
6	7	0.32	0/5010	0.65	1/6779 (0.0%)
7	A	0.32	0/1631	0.63	0/2194
8	B	0.29	0/1642	0.63	0/2221
9	C	0.31	0/1414	0.55	0/1911
10	D	0.33	0/2040	0.59	0/2755
11	E	0.31	0/4653	0.64	0/6297
12	F	0.31	0/3489	0.62	0/4724
12	G	0.32	0/3465	0.63	0/4696
12	H	0.32	0/3496	0.63	0/4735
13	I	0.76	1/839 (0.1%)	1.14	2/1303 (0.2%)
14	J	1.18	1/694 (0.1%)	1.39	3/1053 (0.3%)
15	K	0.33	0/1139	0.68	0/1539
16	L	0.37	0/3996	0.66	0/5395
17	Q	0.33	0/6332	0.61	0/8548
18	R	0.34	0/4526	0.66	0/6125
19	X	0.32	0/5512	0.61	0/7426
20	Y	0.35	0/807	0.60	0/1084
All	All	0.35	2/76104 (0.0%)	0.66	7/103134 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	2	0	1

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
18	R	0	1
All	All	0	2

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	J	104	DC	C1'-N1	7.40	1.58	1.49
13	I	105	DT	C1'-N1	5.42	1.56	1.49

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
13	I	103	DT	OP1-P-OP2	-7.29	108.66	119.60
14	J	1	DC	OP1-P-OP2	-6.81	109.39	119.60
13	I	1	DG	OP1-P-OP2	-6.68	109.58	119.60
14	J	101	DC	OP1-P-OP2	-6.50	109.85	119.60
3	4	710	ASP	CB-CG-OD1	6.25	123.93	118.30
6	7	530	ASP	CB-CG-OD1	5.39	123.15	118.30
14	J	10	DC	C1'-O4'-C4'	-5.06	105.04	110.10

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	2	678	ASP	Peptide
18	R	489	ASP	Peptide

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbit. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	2	5183	0	5225	2	0
2	3	4834	0	4903	2	0
3	4	4731	0	4796	2	0
4	5	5231	0	5303	6	0
5	6	5042	0	5045	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	7	4936	0	4970	3	0
7	A	1611	0	1615	3	0
8	B	1609	0	1662	1	0
9	C	1381	0	1394	0	0
10	D	2004	0	2001	2	0
11	E	4569	0	4556	0	0
12	F	3404	0	3352	2	0
12	G	3380	0	3310	0	0
12	H	3411	0	3355	1	0
13	I	742	0	379	0	0
14	J	629	0	365	0	0
15	K	1120	0	1111	1	0
16	L	3921	0	4025	1	0
17	Q	6203	0	6270	4	0
18	R	4427	0	4480	10	0
19	X	5410	0	5573	4	0
20	Y	791	0	811	0	0
21	2	31	0	13	1	0
21	5	31	0	13	2	0
22	2	1	0	0	0	0
22	5	1	0	0	0	0
23	2	1	0	0	0	0
23	4	1	0	0	0	0
23	5	1	0	0	0	0
23	6	1	0	0	0	0
23	7	1	0	0	0	0
23	Q	2	0	0	0	0
All	All	74640	0	74527	45	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 0.

All (45) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
12:F:584:THR:OG1	12:F:622:ASN:O	2.08	0.70
19:X:566:SER:O	19:X:569:ARG:NH1	2.25	0.69
18:R:543:ARG:NH1	18:R:545:ASP:OD1	2.28	0.67
18:R:413:ILE:HD13	18:R:665:ILE:HD12	1.85	0.56
1:2:546:GLY:H	21:2:1500:ANP:HNB1	1.54	0.55
7:A:137:LEU:HD13	10:D:185:THR:HG21	1.89	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:4:775:VAL:HG21	5:6:725:THR:HG22	1.89	0.55
10:D:181:LYS:O	10:D:185:THR:HG22	2.07	0.54
4:5:419:GLY:N	21:5:1500:ANP:HNB1	2.07	0.52
4:5:419:GLY:H	21:5:1500:ANP:HNB1	1.59	0.49
6:7:503:THR:OG1	6:7:504:ASP:N	2.45	0.49
18:R:413:ILE:HD13	18:R:665:ILE:CD1	2.43	0.49
18:R:413:ILE:CD1	18:R:665:ILE:HD12	2.43	0.48
2:3:674:GLU:OE1	2:3:675:ALA:N	2.45	0.48
19:X:734:SER:O	19:X:738:VAL:HG23	2.14	0.47
5:6:608:LEU:HD12	5:6:608:LEU:HA	1.79	0.47
4:5:483:ASP:OD1	4:5:483:ASP:N	2.48	0.47
18:R:523:VAL:HG11	18:R:525:TRP:CZ2	2.50	0.47
7:A:2:TYR:HD2	7:A:78:CYS:HG	1.60	0.46
3:4:422:GLU:OE1	3:4:422:GLU:N	2.47	0.45
7:A:1:MET:SD	7:A:2:TYR:N	2.90	0.45
18:R:503:LEU:HD11	18:R:542:PHE:HE1	1.81	0.45
18:R:545:ASP:OD1	18:R:545:ASP:N	2.50	0.45
6:7:435:LEU:HD21	6:7:456:VAL:HG23	1.99	0.45
18:R:503:LEU:O	18:R:505:GLN:N	2.49	0.45
4:5:450:THR:HB	4:5:502:ILE:HG21	1.98	0.44
18:R:503:LEU:HD13	18:R:620:ARG:NH2	2.32	0.44
16:L:492:ASP:OD1	16:L:493:ASN:N	2.50	0.44
19:X:189:ILE:O	19:X:194:ARG:NH1	2.50	0.44
17:Q:1430:THR:HG21	17:Q:1690:ASN:HA	2.00	0.44
17:Q:1857:THR:O	17:Q:1869:LYS:N	2.50	0.43
2:3:552:ASP:O	2:3:557:ARG:NH1	2.52	0.43
4:5:352:GLU:N	4:5:352:GLU:OE1	2.51	0.43
18:R:503:LEU:HD11	18:R:542:PHE:CE1	2.53	0.43
12:F:626:PHE:CD2	12:F:687:LEU:HD21	2.54	0.42
5:6:313:MET:N	5:6:313:MET:SD	2.92	0.42
8:B:113:SER:O	8:B:152:ARG:NH2	2.52	0.42
1:2:364:CYS:O	1:2:368:LYS:N	2.52	0.42
17:Q:1918:SER:OG	17:Q:1939:TRP:NE1	2.53	0.42
19:X:444:PHE:O	19:X:448:GLY:N	2.48	0.42
6:7:484:THR:OG1	6:7:487:GLY:N	2.45	0.42
15:K:22:ILE:HG23	15:K:94:ALA:HB1	2.02	0.41
12:H:851:GLU:OE1	12:H:851:GLU:N	2.53	0.41
4:5:473:ASP:OD1	4:5:516:ARG:N	2.52	0.41
17:Q:2130:CYS:SG	17:Q:2131:VAL:N	2.94	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	2	650/868 (75%)	630 (97%)	20 (3%)	0	100 100
2	3	603/1009 (60%)	585 (97%)	18 (3%)	0	100 100
3	4	583/933 (62%)	565 (97%)	18 (3%)	0	100 100
4	5	644/775 (83%)	626 (97%)	18 (3%)	0	100 100
5	6	631/1017 (62%)	608 (96%)	23 (4%)	0	100 100
6	7	617/845 (73%)	594 (96%)	23 (4%)	0	100 100
7	A	193/208 (93%)	186 (96%)	7 (4%)	0	100 100
8	B	188/213 (88%)	184 (98%)	4 (2%)	0	100 100
9	C	165/194 (85%)	164 (99%)	1 (1%)	0	100 100
10	D	237/294 (81%)	234 (99%)	3 (1%)	0	100 100
11	E	554/657 (84%)	539 (97%)	15 (3%)	0	100 100
12	F	418/962 (44%)	409 (98%)	9 (2%)	0	100 100
12	G	416/962 (43%)	404 (97%)	12 (3%)	0	100 100
12	H	419/962 (44%)	408 (97%)	11 (3%)	0	100 100
15	K	131/194 (68%)	124 (95%)	7 (5%)	0	100 100
16	L	469/735 (64%)	450 (96%)	19 (4%)	0	100 100
17	Q	740/2222 (33%)	721 (97%)	19 (3%)	0	100 100
18	R	544/689 (79%)	525 (96%)	19 (4%)	0	100 100
19	X	649/1238 (52%)	637 (98%)	12 (2%)	0	100 100
20	Y	96/319 (30%)	95 (99%)	1 (1%)	0	100 100
All	All	8947/15296 (58%)	8688 (97%)	259 (3%)	0	100 100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	2	569/770 (74%)	564 (99%)	5 (1%)	78 91
2	3	532/866 (61%)	528 (99%)	4 (1%)	81 93
3	4	537/848 (63%)	537 (100%)	0	100 100
4	5	591/688 (86%)	584 (99%)	7 (1%)	71 88
5	6	553/886 (62%)	545 (99%)	8 (1%)	67 86
6	7	545/753 (72%)	536 (98%)	9 (2%)	60 83
7	A	182/193 (94%)	179 (98%)	3 (2%)	62 84
8	B	182/198 (92%)	181 (100%)	1 (0%)	88 95
9	C	154/173 (89%)	154 (100%)	0	100 100
10	D	234/279 (84%)	233 (100%)	1 (0%)	91 95
11	E	507/592 (86%)	503 (99%)	4 (1%)	81 93
12	F	375/854 (44%)	374 (100%)	1 (0%)	92 96
12	G	372/854 (44%)	370 (100%)	2 (0%)	88 95
12	H	375/854 (44%)	372 (99%)	3 (1%)	81 93
15	K	124/179 (69%)	122 (98%)	2 (2%)	62 84
16	L	456/686 (66%)	450 (99%)	6 (1%)	69 87
17	Q	701/2012 (35%)	697 (99%)	4 (1%)	86 94
18	R	498/629 (79%)	495 (99%)	3 (1%)	86 94
19	X	607/1125 (54%)	598 (98%)	9 (2%)	65 85
20	Y	85/286 (30%)	85 (100%)	0	100 100
All	All	8179/13725 (60%)	8107 (99%)	72 (1%)	79 91

All (72) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	2	271	PHE
1	2	379	LYS
1	2	439	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	2	574	VAL
1	2	615	GLN
2	3	353	LEU
2	3	455	ARG
2	3	462	MET
2	3	674	GLU
4	5	90	PHE
4	5	236	CYS
4	5	300	ILE
4	5	551	ASP
4	5	712	ARG
4	5	720	ARG
4	5	750	LYS
5	6	110	LYS
5	6	119	LEU
5	6	313	MET
5	6	343	PHE
5	6	352	ARG
5	6	400	VAL
5	6	499	ARG
5	6	608	LEU
6	7	82	LEU
6	7	484	THR
6	7	503	THR
6	7	560	ARG
6	7	571	TYR
6	7	591	LEU
6	7	596	ILE
6	7	662	GLN
6	7	718	ARG
7	A	1	MET
7	A	22	ARG
7	A	129	GLU
8	B	50	TRP
10	D	126	LEU
11	E	2	TYR
11	E	325	TYR
11	E	357	LYS
11	E	619	LYS
12	F	584	THR
12	G	495	THR
12	G	827	TYR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
12	H	480	SER
12	H	548	GLN
12	H	850	ASN
15	K	146	LEU
15	K	186	ARG
16	L	221	ARG
16	L	222	PHE
16	L	354	LYS
16	L	440	PHE
16	L	580	ARG
16	L	616	LEU
17	Q	1610	MET
17	Q	1664	ARG
17	Q	1702	GLN
17	Q	1729	ASN
18	R	167	ARG
18	R	357	GLU
18	R	545	ASP
19	X	23	ARG
19	X	219	GLU
19	X	280	ASP
19	X	293	PHE
19	X	414	LEU
19	X	556	ASP
19	X	565	PHE
19	X	569	ARG
19	X	687	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
19	X	433	ASN

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [\(i\)](#)

Of 11 ligands modelled in this entry, 9 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
21	ANP	5	1500	22	29,33,33	1.11	4 (13%)	31,52,52	1.08	2 (6%)
21	ANP	2	1500	22	29,33,33	1.12	4 (13%)	31,52,52	1.05	2 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
21	ANP	5	1500	22	-	6/14/38/38	0/3/3/3
21	ANP	2	1500	22	-	4/14/38/38	0/3/3/3

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
21	2	1500	ANP	PB-O3A	-3.22	1.55	1.59
21	5	1500	ANP	PB-O3A	-3.01	1.55	1.59
21	5	1500	ANP	PG-O1G	2.40	1.50	1.46
21	2	1500	ANP	PG-O1G	2.35	1.49	1.46
21	2	1500	ANP	PG-N3B	2.29	1.69	1.63
21	5	1500	ANP	PG-N3B	2.22	1.69	1.63
21	2	1500	ANP	PB-O1B	2.20	1.49	1.46
21	5	1500	ANP	PB-O1B	2.20	1.49	1.46

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
21	5	1500	ANP	PB-O3A-PA	-3.92	118.83	132.62
21	2	1500	ANP	PB-O3A-PA	-3.55	120.12	132.62
21	2	1500	ANP	C5-C6-N6	2.32	123.88	120.35
21	5	1500	ANP	C5-C6-N6	2.29	123.84	120.35

There are no chirality outliers.

All (10) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
21	2	1500	ANP	PB-N3B-PG-O1G
21	2	1500	ANP	C5'-O5'-PA-O2A
21	5	1500	ANP	PB-N3B-PG-O1G
21	5	1500	ANP	PA-O3A-PB-O1B
21	5	1500	ANP	PA-O3A-PB-O2B
21	2	1500	ANP	C5'-O5'-PA-O3A
21	5	1500	ANP	O4'-C4'-C5'-O5'
21	2	1500	ANP	C5'-O5'-PA-O1A
21	5	1500	ANP	C3'-C4'-C5'-O5'
21	5	1500	ANP	C5'-O5'-PA-O1A


There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
21	5	1500	ANP	2	0
21	2	1500	ANP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.


6 Map visualisation (i)

This section contains visualisations of the EMDB entry EMD-13539. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections (i)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices (i)


6.2.1 Primary map



X Index: 188



Y Index: 188




Z Index: 188


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [\(i\)](#)


6.3.1 Primary map



X Index: 178



Y Index: 155



Z Index: 167


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [\(i\)](#)

6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 6.82. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis (i)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution (i)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate (i)



The volume at the recommended contour level is 634 nm^3 ; this corresponds to an approximate mass of 572 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [\(i\)](#)



*Reported resolution corresponds to spatial frequency of 0.312\AA^{-1}


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit i


This section contains information regarding the fit between EMDB map EMD-13539 and PDB model 7PMN. Per-residue inclusion information can be found in section 3 on page 13.

9.1 Map-model overlay i



The images above show the 3D surface view of the map at the recommended contour level 6.82 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Atom inclusion [\(i\)](#)



At the recommended contour level, 90% of all backbone atoms, 75% of all non-hydrogen atoms, are inside the map.