



Full wwPDB X-ray Structure Validation Report i

Jun 15, 2020 – 06:20 am BST

PDB ID : 4Q5C
Title : TvNiR in complex with sulfite, middle dose data set
Authors : Lazarenko, V.A.; Polyakov, K.M.; Trofimov, A.A.; Popov, A.N.; Tikhonova, T.V.; Tikhonov, A.V.; Popov, V.O.
Deposited on : 2014-04-16
Resolution : 1.62 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the i symbol.

The following versions of software and data (see [references](#) i) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.11
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 1.62 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4693 (1.64-1.60)
Clashscore	141614	5002 (1.64-1.60)
Ramachandran outliers	138981	4888 (1.64-1.60)
Sidechain outliers	138945	4887 (1.64-1.60)
RSRZ outliers	127900	4609 (1.64-1.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	ACT	B	609	-	-	X	-

2 Entry composition [\(i\)](#)


There are 8 unique types of molecules in this entry. The entry contains 10309 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Eight-heme nitrite reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
1	A	519	Total	C 4169	N 2585	O 758	S 788	38	0	20	0
1	B	519	Total	C 4205	N 2601	O 770	S 797	37	0	28	0

- Molecule 2 is HEME C (three-letter code: HEC) (formula: C₃₄H₃₄FeN₄O₄).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
2	A	1	Total	C 43	Fe 34	N 1	O 4	4	0	0
2	A	1	Total	C 43	Fe 34	N 1	O 4	4	0	0
2	A	1	Total	C 43	Fe 34	N 1	O 4	4	0	0
2	A	1	Total	C 43	Fe 34	N 1	O 4	4	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 3 is SULFITE ION (three-letter code: SO3) (formula: O₃S).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total O S 4 3 1	0	0
3	A	1	Total O S 4 3 1	0	0
3	A	1	Total O S 4 3 1	0	0
3	B	1	Total O S 4 3 1	0	0
3	B	1	Total O S 4 3 1	0	0

- Molecule 4 is CALCIUM ION (three-letter code: CA) (formula: Ca).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B	1	Total Ca 1 1	0	0
4	A	1	Total Ca 1 1	0	0

- Molecule 5 is (4S)-2-METHYL-2,4-PENTANEDIOL (three-letter code: MPD) (formula: C₆H₁₄O₂).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 8 6 2	0	0
5	B	1	Total C O 8 6 2	0	0

- Molecule 6 is ACETATE ION (three-letter code: ACT) (formula: C₂H₃O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C O 4 2 2	0	0
6	A	1	Total C O 4 2 2	0	0
6	B	1	Total C O 4 2 2	0	0
6	B	1	Total C O 4 2 2	0	0

- Molecule 7 is 2-AMINO-2-HYDROXYMETHYL-PROPANE-1,3-DIOL (three-letter code: TRS) (formula: C₄H₁₂NO₃).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	1	Total C N O 8 4 1 3	0	0
7	B	1	Total C N O 8 4 1 3	0	0


- Molecule 8 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	581	Total O 581 581	0	0
8	B	596	Total O 596 596	0	0


3 Residue-property plots [\(i\)](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Eight-heme nitrite reductase



- Molecule 1: Eight-heme nitrite reductase



4 Data and refinement statistics i

Property	Value	Source
Space group	P 21 3	Depositor
Cell constants a, b, c, α , β , γ	195.20 Å 195.20 Å 195.20 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.34 – 1.62 47.34 – 1.62	Depositor EDS
% Data completeness (in resolution range)	98.1 (47.34-1.62) 98.1 (47.34-1.62)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle^1$	1.68 (at 1.62 Å)	Xtriage
Refinement program	REFMAC 5.7.0029	Depositor
R , R_{free}	0.157 , 0.168 0.160 , 0.170	Depositor DCC
R_{free} test set	15378 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	17.2	Xtriage
Anisotropy	0.000	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 43.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.029 for l,-k,h	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	10309	wwPDB-VP
Average B, all atoms (Å ²)	19.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.92% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [\(i\)](#)

5.1 Standard geometry [\(i\)](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MPD, CA, HEC, SO3, ACT, TRS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.57	0/4386	0.72	3/5947 (0.1%)
1	B	0.58	0/4468	0.73	1/6053 (0.0%)
All	All	0.57	0/8854	0.72	4/12000 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	B	243	ASP	CB-CG-OD1	7.01	124.61	118.30
1	A	243	ASP	CB-CG-OD1	5.57	123.32	118.30
1	A	282	ARG	NE-CZ-NH1	5.37	122.98	120.30
1	A	282	ARG	NE-CZ-NH2	-5.17	117.72	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4169	0	3886	23	0
1	B	4205	0	3908	24	0
2	A	344	0	240	9	0
2	B	344	0	240	9	0
3	A	12	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	8	0	0	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
5	A	8	0	14	0	0
5	B	8	0	14	0	0
6	A	8	0	6	0	0
6	B	8	0	6	2	0
7	A	8	0	12	0	0
7	B	8	0	12	0	0
8	A	581	0	0	9	0
8	B	596	0	0	13	0
All	All	10309	0	8338	58	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (58) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:96[B]:ARG:NH2	8:B:1184:HOH:O	1.71	1.24
1:A:96[B]:ARG:NH2	8:A:1160:HOH:O	1.64	1.24
1:B:19[A]:THR:HG22	8:B:1276:HOH:O	1.56	1.03
1:B:19[A]:THR:CG2	8:B:1276:HOH:O	2.23	0.79
1:A:19[B]:THR:HG23	8:A:1211:HOH:O	1.84	0.77
1:A:399[A]:SER:O	8:A:923:HOH:O	2.03	0.76
1:B:316[B]:ARG:NH1	8:B:1266:HOH:O	1.74	0.73
1:B:213[A]:GLU:OE2	8:B:1259:HOH:O	2.05	0.73
2:A:606:HEC:HBC3	2:A:606:HEC:HMC1	1.71	0.72
1:A:19[B]:THR:CG2	8:A:1211:HOH:O	2.41	0.67
1:A:140:LYS:HG2	1:A:160[A]:THR:HG23	1.79	0.64
1:B:384:MET:HB2	1:B:397:SER:O	1.98	0.64
1:B:140:LYS:HG2	1:B:160[A]:THR:HG23	1.83	0.60
2:B:606:HEC:HMC1	2:B:606:HEC:HBC3	1.83	0.60
1:A:96[A]:ARG:NH1	8:A:840:HOH:O	0.72	0.57
1:A:367:PHE:CZ	2:A:604:HEC:HMC2	2.46	0.51
1:B:140:LYS:HG2	1:B:160[A]:THR:CG2	2.41	0.50
1:B:96[A]:ARG:NH1	8:B:864:HOH:O	0.66	0.50
1:B:367:PHE:CZ	2:B:604:HEC:HMC2	2.47	0.49
1:A:167:SER:HB2	1:A:216:GLU:HG2	1.95	0.48
1:A:303:TYR:CE2	2:A:601:HEC:HMC2	2.49	0.48
1:A:46:GLU:HG2	8:A:1027:HOH:O	2.14	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:606:HEC:HBD2	2:B:606:HEC:HHA	1.97	0.47
1:B:316[B]:ARG:NH2	8:B:1266:HOH:O	2.48	0.46
1:B:303:TYR:CE2	2:B:601:HEC:HMC2	2.49	0.46
1:A:5:ASN:HB3	8:B:712:HOH:O	2.17	0.45
1:B:78[B]:VAL:HG23	1:B:152:VAL:HG21	1.98	0.45
2:A:603:HEC:HMA3	2:A:604:HEC:HBA2	1.98	0.45
1:B:75:ASN:O	1:B:79[A]:GLU:HG3	2.17	0.45
1:B:167:SER:HB2	1:B:216[A]:GLU:HG2	1.99	0.45
1:A:204:GLU:OE2	8:A:1243:HOH:O	2.20	0.44
1:B:430:ILE:HG21	1:B:490:PHE:HA	2.00	0.44
2:B:603:HEC:HMA3	2:B:604:HEC:HBA2	2.00	0.43
1:A:119:HIS:CD2	2:A:603:HEC:ND	2.86	0.43
1:A:242:ARG:HD3	8:A:870:HOH:O	2.18	0.43
1:A:430:ILE:HG21	1:A:490:PHE:HA	2.01	0.43
1:A:486:ASN:HB3	2:A:604:HEC:CAA	2.49	0.43
1:B:316[B]:ARG:CZ	8:B:1266:HOH:O	2.43	0.43
1:A:386:LYS:HE2	8:A:1163:HOH:O	2.18	0.42
1:B:129:VAL:HG11	2:B:601:HEC:HMA1	2.01	0.42
2:A:606:HEC:HBD2	2:A:606:HEC:HHA	2.01	0.42
1:B:487:SER:HB3	1:B:491:HIS:CE1	2.54	0.42
1:A:387[A]:VAL:HG21	1:A:395:TYR:CE1	2.55	0.42
2:B:604:HEC:HMC1	2:B:604:HEC:HBC3	2.02	0.42
2:B:605:HEC:HMC1	2:B:605:HEC:HBC3	2.02	0.41
1:B:5:ASN:HB3	8:B:941:HOH:O	2.19	0.41
1:B:486:ASN:HB3	2:B:604:HEC:CAA	2.51	0.41
1:B:78[A]:VAL:HG12	1:B:152:VAL:HG21	2.02	0.41
2:A:604:HEC:HBC3	2:A:604:HEC:HMC1	2.01	0.41
1:A:40:ASP:HB3	1:A:58:VAL:HB	2.01	0.41
1:B:301:VAL:HG21	1:B:327:PHE:CE2	2.54	0.41
6:B:609:ACT:H1	8:B:722:HOH:O	0.48	0.41
6:B:609:ACT:CH3	8:B:722:HOH:O	0.79	0.41
1:A:305:CYS:SG	2:A:601:HEC:HMC2	2.60	0.41
1:B:242:ARG:HD3	8:B:894:HOH:O	2.20	0.41
1:A:487:SER:HB3	1:A:491:HIS:CE1	2.56	0.40
1:A:78[B]:VAL:HG12	1:A:152:VAL:HG21	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	537/521 (103%)	512 (95%)	23 (4%)	2 (0%)	34 15
1	B	545/521 (105%)	519 (95%)	24 (4%)	2 (0%)	34 15
All	All	1082/1042 (104%)	1031 (95%)	47 (4%)	4 (0%)	47 15

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	400[A]	GLN
1	B	400[B]	GLN
1	A	400[A]	GLN
1	A	400[B]	GLN

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	457/440 (104%)	450 (98%)	7 (2%)	65 43
1	B	465/440 (106%)	459 (99%)	6 (1%)	69 49
All	All	922/880 (105%)	909 (99%)	13 (1%)	81 46

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	278	ARG
1	A	316[A]	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	316[B]	ARG
1	A	406[A]	MET
1	A	406[B]	MET
1	A	414[A]	CYS
1	A	414[B]	CYS
1	B	19[A]	THR
1	B	19[B]	THR
1	B	61[A]	MET
1	B	61[B]	MET
1	B	406[A]	MET
1	B	406[B]	MET

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	143	GLN
1	B	267	GLN
1	B	409	GLN
1	B	413	ASN

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [\(i\)](#)

Of 31 ligands modelled in this entry, 2 are monoatomic - leaving 29 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	HEC	A	605	1	26,50,50	1.98	7 (26%)	18,82,82	3.10	7 (38%)
6	ACT	A	616	-	1,3,3	1.75	0	0,3,3	0.00	-
6	ACT	B	614	-	1,3,3	1.69	0	0,3,3	0.00	-
2	HEC	B	605	1	26,50,50	1.95	6 (23%)	18,82,82	3.10	7 (38%)
2	HEC	B	607	1	26,50,50	1.62	5 (19%)	18,82,82	2.30	6 (33%)
2	HEC	B	608	1	26,50,50	2.09	6 (23%)	18,82,82	2.47	6 (33%)
3	SO3	A	612	-	1,3,3	0.68	0	0,3,3	0.00	-
7	TRS	A	614	-	7,7,7	0.31	0	9,9,9	0.31	0
7	TRS	B	615	-	7,7,7	0.38	0	9,9,9	0.34	0
5	MPD	A	611	-	7,7,7	0.36	0	9,10,10	0.50	0
3	SO3	A	609	2	1,3,3	1.19	0	0,3,3	0.00	-
6	ACT	B	609	-	1,3,3	1.21	0	0,3,3	0.00	-
3	SO3	B	613	-	1,3,3	0.18	0	0,3,3	0.00	-
3	SO3	A	615	-	1,3,3	0.54	0	0,3,3	0.00	-
2	HEC	B	601	1,3	26,50,50	1.72	5 (19%)	18,82,82	2.19	6 (33%)
2	HEC	A	601	1,3	26,50,50	1.90	5 (19%)	18,82,82	2.15	4 (22%)
2	HEC	A	608	1	26,50,50	1.97	7 (26%)	18,82,82	2.23	10 (55%)
2	HEC	B	604	1	26,50,50	1.71	4 (15%)	18,82,82	2.56	7 (38%)
6	ACT	A	613	-	1,3,3	1.86	0	0,3,3	0.00	-
3	SO3	B	610	2	1,3,3	1.82	0	0,3,3	0.00	-
2	HEC	A	606	1	26,50,50	1.86	6 (23%)	18,82,82	2.47	7 (38%)
2	HEC	A	604	1	26,50,50	1.76	5 (19%)	18,82,82	2.66	6 (33%)
5	MPD	B	612	-	7,7,7	0.29	0	9,10,10	0.51	0
2	HEC	B	602	1	26,50,50	1.61	4 (15%)	18,82,82	2.65	9 (50%)
2	HEC	A	603	1	26,50,50	1.76	7 (26%)	18,82,82	2.85	7 (38%)
2	HEC	A	607	1	26,50,50	1.70	7 (26%)	18,82,82	2.55	8 (44%)
2	HEC	B	606	1	26,50,50	2.12	7 (26%)	18,82,82	2.41	6 (33%)
2	HEC	B	603	1	26,50,50	1.77	7 (26%)	18,82,82	3.03	10 (55%)
2	HEC	A	602	1	26,50,50	1.60	5 (19%)	18,82,82	2.88	8 (44%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEC	A	605	1	-	0/6/54/54	-
2	HEC	B	601	1,3	-	0/6/54/54	-
2	HEC	A	601	1,3	-	0/6/54/54	-
2	HEC	A	606	1	-	0/6/54/54	-
2	HEC	A	604	1	-	0/6/54/54	-
2	HEC	B	606	1	-	0/6/54/54	-
2	HEC	B	602	1	-	0/6/54/54	-
2	HEC	B	605	1	-	0/6/54/54	-
2	HEC	A	607	1	-	0/6/54/54	-
2	HEC	B	607	1	-	0/6/54/54	-
5	MPD	A	611	-	-	0/5/5/5	-
7	TRS	B	615	-	-	8/9/9/9	-
2	HEC	B	608	1	-	0/6/54/54	-
2	HEC	A	608	1	-	0/6/54/54	-
2	HEC	B	604	1	-	0/6/54/54	-
7	TRS	A	614	-	-	6/9/9/9	-
2	HEC	A	602	1	-	0/6/54/54	-
2	HEC	A	603	1	-	0/6/54/54	-
2	HEC	B	603	1	-	0/6/54/54	-
5	MPD	B	612	-	-	0/5/5/5	-

All (93) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	601	HEC	C3B-C2B	5.80	1.46	1.40
2	B	606	HEC	C3C-C2C	5.75	1.46	1.40
2	B	608	HEC	C3C-C2C	5.59	1.46	1.40
2	B	606	HEC	C3B-C2B	5.49	1.46	1.40
2	A	606	HEC	C3C-C2C	5.36	1.46	1.40
2	B	608	HEC	C3B-C2B	5.26	1.46	1.40
2	B	601	HEC	C3B-C2B	5.20	1.46	1.40
2	B	605	HEC	C3C-C2C	5.20	1.46	1.40
2	A	608	HEC	C3C-C2C	5.18	1.46	1.40
2	A	605	HEC	C3C-C2C	4.93	1.45	1.40
2	B	604	HEC	C3C-C2C	4.81	1.45	1.40
2	B	603	HEC	C3B-C2B	4.77	1.45	1.40
2	B	607	HEC	C3B-C2B	4.61	1.45	1.40
2	A	603	HEC	C3B-C2B	4.61	1.45	1.40
2	A	608	HEC	C3B-C2B	4.61	1.45	1.40
2	A	607	HEC	C3B-C2B	4.55	1.45	1.40
2	A	604	HEC	C3C-C2C	4.52	1.45	1.40
2	A	605	HEC	C3B-C2B	4.49	1.45	1.40
2	B	605	HEC	C3B-C2B	4.42	1.45	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	602	HEC	C3C-C2C	4.23	1.45	1.40
2	A	606	HEC	C3B-C2B	4.18	1.45	1.40
2	B	604	HEC	C3B-C2B	4.10	1.45	1.40
2	A	604	HEC	C3B-C2B	4.05	1.45	1.40
2	A	602	HEC	C3C-C2C	3.62	1.44	1.40
2	A	601	HEC	C3C-C2C	3.46	1.44	1.40
2	B	603	HEC	C3C-C2C	3.43	1.44	1.40
2	A	602	HEC	C3B-C2B	3.27	1.44	1.40
2	B	608	HEC	C3D-C2D	3.10	1.46	1.37
2	A	601	HEC	C3C-C4C	3.09	1.48	1.43
2	A	606	HEC	C3B-C4B	3.09	1.48	1.43
2	A	605	HEC	C2A-C3A	3.08	1.46	1.37
2	A	605	HEC	C3C-C4C	3.07	1.48	1.43
2	A	605	HEC	C3D-C2D	3.07	1.46	1.37
2	A	603	HEC	C3D-C2D	3.04	1.46	1.37
2	B	606	HEC	C3B-C4B	3.04	1.48	1.43
2	B	605	HEC	C3C-C4C	2.94	1.48	1.43
2	A	608	HEC	C3B-C4B	2.94	1.48	1.43
2	B	606	HEC	C1A-C2A	2.93	1.49	1.42
2	B	602	HEC	C3B-C2B	2.93	1.43	1.40
2	B	603	HEC	C3C-C4C	2.89	1.48	1.43
2	B	605	HEC	C2A-C3A	2.87	1.46	1.37
2	B	601	HEC	C3C-C2C	2.86	1.43	1.40
2	B	605	HEC	C3D-C2D	2.84	1.46	1.37
2	A	603	HEC	C3C-C4C	2.78	1.48	1.43
2	A	607	HEC	C3C-C2C	2.78	1.43	1.40
2	B	603	HEC	C3D-C2D	2.77	1.45	1.37
2	B	604	HEC	C2A-C3A	2.76	1.45	1.37
2	B	601	HEC	C3C-C4C	2.73	1.48	1.43
2	A	601	HEC	C3D-C2D	2.71	1.45	1.37
2	B	608	HEC	C3B-C4B	2.69	1.47	1.43
2	A	608	HEC	C3D-C2D	2.67	1.45	1.37
2	A	603	HEC	C2A-C3A	2.61	1.45	1.37
2	A	607	HEC	C3D-C2D	2.60	1.45	1.37
2	B	608	HEC	C2A-C3A	2.57	1.45	1.37
2	A	608	HEC	C3C-C4C	2.57	1.47	1.43
2	A	604	HEC	C2A-C3A	2.53	1.45	1.37
2	A	602	HEC	C1A-C2A	2.53	1.48	1.42
2	B	606	HEC	C3D-C2D	2.53	1.45	1.37
2	B	601	HEC	C3D-C2D	2.52	1.45	1.37
2	A	603	HEC	C3B-C4B	2.49	1.47	1.43
2	B	602	HEC	C3D-C2D	2.45	1.44	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	603	HEC	C4D-CHA	2.44	1.47	1.41
2	A	603	HEC	C3C-C2C	2.43	1.43	1.40
2	B	608	HEC	C3C-C4C	2.42	1.47	1.43
2	B	606	HEC	C2A-C3A	2.40	1.44	1.37
2	B	605	HEC	C4A-C3A	2.36	1.47	1.42
2	B	607	HEC	C2A-C3A	2.36	1.44	1.37
2	B	607	HEC	C3D-C2D	2.36	1.44	1.37
2	A	607	HEC	C3C-C4C	2.34	1.47	1.43
2	A	606	HEC	C1A-C2A	2.34	1.47	1.42
2	A	606	HEC	C2A-C3A	2.31	1.44	1.37
2	A	602	HEC	C3D-C2D	2.28	1.44	1.37
2	A	608	HEC	C4D-CHA	2.27	1.47	1.41
2	B	601	HEC	C2A-C3A	2.27	1.44	1.37
2	B	607	HEC	C1B-CHB	2.26	1.47	1.41
2	A	607	HEC	C3B-C4B	2.22	1.47	1.43
2	B	607	HEC	C3C-C2C	2.20	1.43	1.40
2	A	604	HEC	C3D-C2D	2.19	1.44	1.37
2	A	608	HEC	C2A-C3A	2.19	1.44	1.37
2	A	603	HEC	C4D-CHA	2.18	1.47	1.41
2	A	605	HEC	C4A-C3A	2.18	1.47	1.42
2	A	604	HEC	C1A-C2A	2.17	1.47	1.42
2	A	602	HEC	C2A-C3A	2.15	1.44	1.37
2	B	603	HEC	C3B-C4B	2.13	1.46	1.43
2	A	607	HEC	C1B-CHB	2.13	1.46	1.41
2	B	602	HEC	C1A-C2A	2.12	1.47	1.42
2	A	607	HEC	C2A-C3A	2.08	1.43	1.37
2	B	604	HEC	C3D-C2D	2.07	1.43	1.37
2	A	601	HEC	C1B-CHB	2.07	1.46	1.41
2	A	605	HEC	C4D-CHA	2.06	1.46	1.41
2	A	606	HEC	C3D-C2D	2.06	1.43	1.37
2	B	606	HEC	C4D-CHA	2.04	1.46	1.41
2	B	603	HEC	C2A-C3A	2.01	1.43	1.37

All (114) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	603	HEC	C1D-C2D-C3D	-7.18	102.00	107.00
2	A	605	HEC	C1D-C2D-C3D	-7.11	102.05	107.00
2	B	603	HEC	C1D-C2D-C3D	-6.36	102.57	107.00
2	B	605	HEC	CBD-CAD-C3D	-6.32	100.83	112.49
2	A	605	HEC	CBD-CAD-C3D	-6.15	101.15	112.49
2	A	604	HEC	CBA-CAA-C2A	-6.05	101.33	112.48

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	602	HEC	C1D-C2D-C3D	-5.80	102.96	107.00
2	B	601	HEC	C1D-C2D-C3D	-5.77	102.98	107.00
2	B	605	HEC	C1D-C2D-C3D	-5.77	102.98	107.00
2	B	604	HEC	CBA-CAA-C2A	-5.67	102.03	112.48
2	A	607	HEC	C1D-C2D-C3D	-5.65	103.07	107.00
2	A	601	HEC	C1D-C2D-C3D	-5.60	103.10	107.00
2	B	606	HEC	CAA-CBA-CGA	-5.39	103.63	112.67
2	B	608	HEC	CMC-C2C-C3C	5.31	132.07	125.82
2	B	605	HEC	CMB-C2B-C3B	5.21	131.95	125.82
2	B	603	HEC	CMC-C2C-C3C	5.08	131.79	125.82
2	A	605	HEC	CBA-CAA-C2A	-5.07	103.13	112.48
2	B	603	HEC	CMB-C2B-C3B	5.06	131.77	125.82
2	B	605	HEC	CMC-C2C-C3C	5.05	131.76	125.82
2	B	607	HEC	C1D-C2D-C3D	-5.04	103.49	107.00
2	A	606	HEC	CMB-C2B-C3B	5.02	131.72	125.82
2	A	606	HEC	CAA-CBA-CGA	-5.02	104.25	112.67
2	B	602	HEC	C1D-C2D-C3D	-4.99	103.52	107.00
2	A	602	HEC	CMC-C2C-C3C	4.84	131.51	125.82
2	B	602	HEC	CMB-C2B-C3B	4.84	131.51	125.82
2	A	605	HEC	CMC-C2C-C3C	4.80	131.46	125.82
2	B	606	HEC	CMC-C2C-C3C	4.79	131.46	125.82
2	B	604	HEC	CBD-CAD-C3D	-4.78	103.67	112.49
2	A	604	HEC	CBD-CAD-C3D	-4.74	103.75	112.49
2	A	602	HEC	CMB-C2B-C3B	4.72	131.37	125.82
2	B	607	HEC	CMB-C2B-C3B	4.67	131.31	125.82
2	A	604	HEC	CMB-C2B-C3B	4.59	131.21	125.82
2	B	604	HEC	C1D-C2D-C3D	-4.53	103.84	107.00
2	B	605	HEC	CBA-CAA-C2A	-4.52	104.15	112.48
2	A	602	HEC	CAD-CBD-CGD	-4.45	105.21	112.67
2	B	601	HEC	CMB-C2B-C3B	4.41	131.00	125.82
2	A	603	HEC	CBA-CAA-C2A	-4.32	104.52	112.48
2	A	602	HEC	CAA-CBA-CGA	-4.31	105.45	112.67
2	A	603	HEC	CMC-C2C-C3C	4.25	130.82	125.82
2	B	608	HEC	CBD-CAD-C3D	-4.22	104.70	112.49
2	A	601	HEC	CMB-C2B-C3B	4.11	130.66	125.82
2	A	607	HEC	CMB-C2B-C3B	4.09	130.63	125.82
2	A	607	HEC	CBA-CAA-C2A	-4.08	104.96	112.48
2	A	604	HEC	C1D-C2D-C3D	-4.06	104.17	107.00
2	B	603	HEC	CBA-CAA-C2A	-4.04	105.03	112.48
2	A	606	HEC	CMC-C2C-C3C	4.04	130.57	125.82
2	B	603	HEC	CBD-CAD-C3D	-4.00	105.12	112.49
2	B	608	HEC	C1D-C2D-C3D	-3.99	104.22	107.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	608	HEC	CMC-C2C-C3C	3.88	130.39	125.82
2	B	602	HEC	CAA-CBA-CGA	-3.87	106.18	112.67
2	A	603	HEC	CMB-C2B-C3B	3.83	130.32	125.82
2	A	601	HEC	C4C-C3C-C2C	-3.82	102.22	106.35
2	B	606	HEC	C4B-C3B-C2B	-3.80	102.25	106.35
2	A	605	HEC	CMB-C2B-C3B	3.80	130.29	125.82
2	B	602	HEC	CMC-C2C-C3C	3.75	130.23	125.82
2	A	607	HEC	CMC-C2C-C3C	3.70	130.17	125.82
2	B	608	HEC	CMB-C2B-C3B	3.69	130.16	125.82
2	A	608	HEC	C1D-C2D-C3D	-3.69	104.43	107.00
2	A	603	HEC	CBD-CAD-C3D	-3.59	105.87	112.49
2	B	607	HEC	CBA-CAA-C2A	-3.53	105.98	112.48
2	A	608	HEC	CMB-C2B-C3B	3.49	129.93	125.82
2	A	603	HEC	CMD-C2D-C3D	3.43	131.41	124.94
2	B	602	HEC	CAD-CBD-CGD	-3.41	106.95	112.67
2	B	608	HEC	CBA-CAA-C2A	-3.33	106.34	112.48
2	B	604	HEC	CMB-C2B-C3B	3.25	129.64	125.82
2	B	604	HEC	C4C-C3C-C2C	-3.21	102.89	106.35
2	A	605	HEC	CMA-C3A-C2A	3.06	130.70	124.94
2	A	606	HEC	C4B-C3B-C2B	-3.04	103.07	106.35
2	B	603	HEC	CMD-C2D-C3D	2.95	130.51	124.94
2	A	604	HEC	C4C-C3C-C2C	-2.92	103.20	106.35
2	A	606	HEC	C1D-C2D-C3D	-2.88	104.99	107.00
2	B	607	HEC	CMC-C2C-C3C	2.88	129.21	125.82
2	A	608	HEC	CBA-CAA-C2A	-2.84	107.24	112.48
2	B	601	HEC	C4C-C3C-C2C	-2.83	103.30	106.35
2	A	608	HEC	C4B-C3B-C2B	-2.83	103.30	106.35
2	B	605	HEC	CMD-C2D-C3D	2.82	130.25	124.94
2	B	603	HEC	CAA-CBA-CGA	-2.78	108.00	112.67
2	B	607	HEC	CAD-CBD-CGD	-2.77	108.02	112.67
2	B	606	HEC	CMB-C2B-C3B	2.77	129.08	125.82
2	A	606	HEC	CMB-C2B-C1B	-2.76	124.22	128.46
2	A	607	HEC	CBD-CAD-C3D	-2.68	107.55	112.49
2	B	604	HEC	C3C-C4C-NC	2.62	115.89	110.94
2	B	602	HEC	C3C-C4C-NC	2.57	115.80	110.94
2	A	606	HEC	CAD-CBD-CGD	2.55	116.96	112.67
2	B	602	HEC	C4C-C3C-C2C	-2.53	103.62	106.35
2	B	602	HEC	CMD-C2D-C3D	2.53	129.71	124.94
2	B	605	HEC	CMA-C3A-C2A	2.53	129.71	124.94
2	A	602	HEC	C4C-C3C-C2C	-2.47	103.68	106.35
2	A	604	HEC	C3C-C4C-NC	2.47	115.61	110.94
2	A	608	HEC	CBD-CAD-C3D	-2.43	108.00	112.49

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	603	HEC	CMA-C3A-C2A	2.42	129.50	124.94
2	B	606	HEC	C3B-C4B-NB	2.38	115.43	110.94
2	B	603	HEC	C3B-C4B-NB	2.37	115.42	110.94
2	A	608	HEC	CMD-C2D-C3D	2.36	129.40	124.94
2	B	608	HEC	CMD-C2D-C3D	2.36	129.39	124.94
2	B	604	HEC	CMC-C2C-C3C	2.35	128.58	125.82
2	A	602	HEC	C3C-C4C-NC	2.34	115.35	110.94
2	B	607	HEC	CBD-CAD-C3D	-2.32	108.21	112.49
2	B	602	HEC	CBD-CAD-C3D	-2.28	108.29	112.49
2	A	605	HEC	CMD-C2D-C3D	2.28	129.23	124.94
2	B	603	HEC	CMA-C3A-C2A	2.21	129.12	124.94
2	A	607	HEC	C4C-C3C-C2C	-2.17	104.01	106.35
2	B	601	HEC	CMD-C2D-C3D	2.16	129.02	124.94
2	A	607	HEC	CMD-C2D-C3D	2.15	129.00	124.94
2	B	603	HEC	CMC-C2C-C1C	-2.15	125.16	128.46
2	B	601	HEC	C3B-C4B-NB	2.14	114.99	110.94
2	A	608	HEC	CMA-C3A-C2A	2.12	128.95	124.94
2	B	606	HEC	C1D-C2D-C3D	-2.07	105.56	107.00
2	A	602	HEC	C3B-C4B-NB	2.06	114.84	110.94
2	A	601	HEC	CMC-C2C-C3C	2.06	128.25	125.82
2	A	608	HEC	C3B-C4B-NB	2.05	114.82	110.94
2	B	601	HEC	CMC-C2C-C3C	2.04	128.22	125.82
2	A	608	HEC	CAA-CBA-CGA	-2.03	109.27	112.67
2	A	607	HEC	C4B-C3B-C2B	-2.02	104.17	106.35

There are no chirality outliers.

All (14) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	A	614	TRS	C1-C-C2-O2
7	A	614	TRS	C3-C-C2-O2
7	A	614	TRS	N-C-C2-O2
7	A	614	TRS	C1-C-C3-O3
7	A	614	TRS	C2-C-C3-O3
7	A	614	TRS	N-C-C3-O3
7	B	615	TRS	N-C-C1-O1
7	B	615	TRS	C1-C-C3-O3
7	B	615	TRS	C2-C-C3-O3
7	B	615	TRS	N-C-C3-O3
7	B	615	TRS	C2-C-C1-O1
7	B	615	TRS	C3-C-C2-O2
7	B	615	TRS	N-C-C2-O2

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
7	B	615	TRS	C1-C-C2-O2


There are no ring outliers.


10 monomers are involved in 20 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	605	HEC	1	0
6	B	609	ACT	2	0
2	B	601	HEC	2	0
2	A	601	HEC	2	0
2	B	604	HEC	4	0
2	A	606	HEC	2	0
2	A	604	HEC	4	0
2	A	603	HEC	2	0
2	B	606	HEC	2	0
2	B	603	HEC	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.












































5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	519/521 (99%)	-0.24	6 (1%) 79 78	12, 18, 29, 52	2 (0%)
1	B	519/521 (99%)	-0.23	3 (0%) 89 89	12, 16, 28, 51	1 (0%)
All	All	1038/1042 (99%)	-0.24	9 (0%) 84 84	12, 17, 28, 52	3 (0%)

All (9) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	523	ALA	5.4
1	A	522	VAL	5.2
1	A	523	ALA	4.1
1	B	522	VAL	3.2
1	A	463[A]	ASP	3.0
1	A	459	GLY	2.9
1	B	463[A]	ASP	2.8
1	A	388	GLN	2.7
1	A	88[A]	LEU	2.2

6.2 Non-standard residues in protein, DNA, RNA chains i

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates i

There are no carbohydrates in this entry.


6.4 Ligands i


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,


median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	ACT	A	616	4/4	0.83	0.26	20,22,23,23	4
6	ACT	B	614	4/4	0.83	0.15	36,37,38,38	0
6	ACT	A	613	4/4	0.84	0.20	40,40,41,42	0
6	ACT	B	609	4/4	0.86	0.17	21,24,24,24	4
7	TRS	B	615	8/8	0.88	0.15	36,37,37,38	8
7	TRS	A	614	8/8	0.90	0.15	34,35,35,36	8
5	MPD	A	611	8/8	0.91	0.10	18,20,20,21	0
3	SO3	A	615	4/4	0.95	0.08	27,27,27,30	4
5	MPD	B	612	8/8	0.95	0.08	17,20,20,21	0
3	SO3	A	612	4/4	0.97	0.09	20,21,23,24	4
3	SO3	B	613	4/4	0.97	0.07	20,23,23,25	4
2	HEC	A	605	43/43	0.97	0.12	15,19,32,47	0
2	HEC	A	608	43/43	0.97	0.08	14,16,23,27	0
2	HEC	B	605	43/43	0.97	0.12	14,18,31,44	0
2	HEC	B	606	43/43	0.97	0.08	13,15,16,17	0
2	HEC	B	608	43/43	0.97	0.10	16,19,24,28	0
2	HEC	B	604	43/43	0.98	0.08	11,12,15,21	0
2	HEC	B	601	43/43	0.98	0.10	11,12,14,16	0
2	HEC	A	606	43/43	0.98	0.08	13,14,15,17	0
2	HEC	A	604	43/43	0.98	0.08	12,13,16,21	0
2	HEC	A	601	43/43	0.98	0.10	12,13,15,17	0
2	HEC	B	602	43/43	0.98	0.09	10,12,18,25	0
2	HEC	A	603	43/43	0.98	0.09	11,12,12,14	0
2	HEC	A	607	43/43	0.98	0.09	12,13,22,30	0
2	HEC	B	607	43/43	0.98	0.09	12,13,23,33	0
2	HEC	B	603	43/43	0.98	0.10	10,11,12,14	0
2	HEC	A	602	43/43	0.98	0.08	11,13,19,25	0
3	SO3	B	610	4/4	0.99	0.06	14,14,15,18	0
3	SO3	A	609	4/4	0.99	0.05	15,15,16,18	0
4	CA	A	610	1/1	0.99	0.07	16,16,16,16	0
4	CA	B	611	1/1	1.00	0.08	14,14,14,14	0


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.












































6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.