



# Full wwPDB X-ray Structure Validation Report i

May 16, 2020 – 07:08 pm BST

PDB ID : 6RKA  
Title : Inter-dimeric interface controls function and stability of S-methionine adenosyltransferase from *U. urealiticum*  
Authors : Shahar, A.; Zarivach, R.; Bershtain, S.; Kleiner, D.; Shmulevich, F.  
Deposited on : 2019-04-30  
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the i symbol.

---

The following versions of software and data (see [references](#) i) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.11
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## X-RAY DIFFRACTION


The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



## 2 Entry composition i

There are 5 unique types of molecules in this entry. The entry contains 11679 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Methionine adenosyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	373	Total	C	N	O	S	0	0	0
			2927	1857	493	566	11			
1	B	360	Total	C	N	O	S	0	1	0
			2830	1800	474	544	12			
1	C	375	Total	C	N	O	S	0	0	0
			2947	1869	499	568	11			
1	D	362	Total	C	N	O	S	0	0	0
			2843	1808	476	548	11			

There are 24 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	377	HIS	-	expression tag	UNP B2NE58
A	378	HIS	-	expression tag	UNP B2NE58
A	379	HIS	-	expression tag	UNP B2NE58
A	380	HIS	-	expression tag	UNP B2NE58
A	381	HIS	-	expression tag	UNP B2NE58
A	382	HIS	-	expression tag	UNP B2NE58
B	377	HIS	-	expression tag	UNP B2NE58
B	378	HIS	-	expression tag	UNP B2NE58
B	379	HIS	-	expression tag	UNP B2NE58
B	380	HIS	-	expression tag	UNP B2NE58
B	381	HIS	-	expression tag	UNP B2NE58
B	382	HIS	-	expression tag	UNP B2NE58
C	377	HIS	-	expression tag	UNP B2NE58
C	378	HIS	-	expression tag	UNP B2NE58
C	379	HIS	-	expression tag	UNP B2NE58
C	380	HIS	-	expression tag	UNP B2NE58
C	381	HIS	-	expression tag	UNP B2NE58
C	382	HIS	-	expression tag	UNP B2NE58
D	377	HIS	-	expression tag	UNP B2NE58
D	378	HIS	-	expression tag	UNP B2NE58
D	379	HIS	-	expression tag	UNP B2NE58

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
D	380	HIS	-	expression tag	UNP B2NE58
D	381	HIS	-	expression tag	UNP B2NE58
D	382	HIS	-	expression tag	UNP B2NE58

- Molecule 2 is ADENOSINE-5'-TRIPHOSPHATE (three-letter code: ATP) (formula: C<sub>10</sub>H<sub>16</sub>N<sub>5</sub>O<sub>13</sub>P<sub>3</sub>) (labeled as "Ligand of Interest" by author).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total C N O P					0	0
			31 10 5 13 3						
2	B	1	Total C N O P					0	1
			31 10 5 13 3						

- Molecule 3 is S-ADENOSYLMETHIONINE (three-letter code: SAM) (formula: C<sub>15</sub>H<sub>22</sub>N<sub>6</sub>O<sub>5</sub>S) (labeled as "Ligand of Interest" by author).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
3	B	1	27	15	6	5	1	0	1
3	D	1	27	15	6	5	1	0	0

- Molecule 4 is PHOSPHATE ION (three-letter code: PO4) (formula: O<sub>4</sub>P) (labeled as "Ligand of Interest" by author).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	O	P		
4	C	1	5	4	1	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	D	1	Total O P 5 4 1	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	2	Total O 2 2	0	0
5	C	1	Total O 1 1	0	0
5	D	3	Total O 3 3	0	0


### 3 Residue-property plots (i)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Methionine adenosyltransferase




- Molecule 1: Methionine adenosyltransferase





- Molecule 1: Methionine adenosyltransferase





- Molecule 1: Methionine adenosyltransferase



## 4 Data and refinement statistics i

Property	Value	Source
Space group	I 41	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	114.47 Å    114.47 Å    228.12 Å 90.00°    90.00°    90.00°	Depositor
Resolution (Å)	46.62 – 2.50 46.62 – 2.50	Depositor EDS
% Data completeness (in resolution range)	99.8 (46.62-2.50) 99.8 (46.62-2.50)	Depositor EDS
$R_{merge}$	0.31	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) >$ <sup>1</sup>	1.64 (at 2.51 Å)	Xtriage
Refinement program	REFMAC 5.8.0253	Depositor
$R$ , $R_{free}$	0.233 , 0.272 0.235 , 0.279	Depositor DCC
$R_{free}$ test set	2588 reflections (5.14%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	70.8	Xtriage
Anisotropy	0.096	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.29 , 26.3	EDS
L-test for twinning <sup>2</sup>	$<  L  > = 0.44$ , $< L^2 > = 0.27$	Xtriage
Estimated twinning fraction	0.209 for h,-k,-l	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	11679	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	85.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.97% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $< |L| >$ ,  $< L^2 >$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [\(i\)](#)

### 5.1 Standard geometry [\(i\)](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, ATP, SAM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.68	1/2980 (0.0%)	0.80	0/4031
1	B	0.67	0/2884	0.79	0/3900
1	C	0.66	0/3002	0.81	0/4061
1	D	0.69	0/2894	0.80	0/3914
All	All	0.68	1/11760 (0.0%)	0.80	0/15906

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
1	C	0	1
1	D	0	1
All	All	0	4

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	377	HIS	C-O	6.10	1.34	1.23

There are no bond angle outliers.

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	230	GLY	Peptide

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	B	230	GLY	Peptide
1	C	230	GLY	Peptide
1	D	230	GLY	Peptide

## 5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2927	0	2922	38	0
1	B	2830	0	2829	40	0
1	C	2947	0	2936	38	0
1	D	2843	0	2839	30	0
2	A	31	0	12	6	0
2	B	31	0	12	3	0
3	B	27	0	22	1	0
3	D	27	0	22	1	0
4	C	5	0	0	1	0
4	D	5	0	0	0	0
5	A	2	0	0	0	0
5	C	1	0	0	0	0
5	D	3	0	0	0	0
All	All	11679	0	11594	135	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (135) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:294:ALA:HB3	1:C:297:GLN:HG3	1.54	0.88
1:B:307:THR:O	1:B:310:THR:HG22	1.75	0.86
1:D:327:ASN:ND2	1:D:336:ASP:OD2	2.08	0.85
1:B:109:ILE:O	1:B:330:ILE:HD11	1.81	0.80
1:D:145:ARG:NH2	1:D:151:GLU:OE1	2.17	0.76
1:D:294:ALA:HB2	1:D:301:VAL:HG11	1.67	0.75
1:A:55:ALA:HB1	1:B:48[B]:CYS:SG	2.27	0.75

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:75:LYS:O	1:C:78:GLY:HA2	1.91	0.71
1:C:162:GLN:HE22	1:D:115:GLY:HA2	1.55	0.71
1:C:56:GLY:HA2	1:D:232:THR:HG21	1.74	0.70
1:A:75:LYS:O	1:A:78:GLY:HA2	1.92	0.69
1:D:54:ILE:HG21	1:D:66:VAL:HG13	1.74	0.68
1:A:54:ILE:HG21	1:A:66:VAL:HG13	1.74	0.68
1:C:377:HIS:CG	1:C:378:HIS:H	2.12	0.67
1:C:162:GLN:NE2	1:D:115:GLY:HA2	2.10	0.67
1:B:307:THR:O	1:B:310:THR:CG2	2.44	0.66
1:B:229:ILE:HD12	1:B:229:ILE:N	2.10	0.65
1:C:54:ILE:HG21	1:C:66:VAL:HG13	1.76	0.65
1:B:54:ILE:HG21	1:B:66:VAL:HG13	1.78	0.64
1:A:18:ASP:OD2	2:A:401:ATP:O2B	2.17	0.63
1:A:56:GLY:HA2	1:B:232:THR:HG21	1.82	0.61
1:C:162:GLN:HE22	1:D:115:GLY:CA	2.14	0.60
1:A:246:GLY:O	1:A:248:GLY:N	2.32	0.59
1:A:118:PHE:CE1	1:A:290:GLN:HG3	2.37	0.59
1:C:54:ILE:HG21	1:C:66:VAL:CG1	2.32	0.59
1:B:285:LYS:HB2	1:B:310:THR:OG1	2.03	0.58
1:C:118:PHE:CE1	1:C:290:GLN:HG3	2.38	0.58
1:A:54:ILE:HG21	1:A:66:VAL:CG1	2.33	0.58
2:B:402[B]:ATP:O2G	2:B:402[B]:ATP:O2A	2.22	0.58
1:A:238:LYS:NZ	2:A:401:ATP:O2B	2.36	0.57
1:D:54:ILE:HG21	1:D:66:VAL:CG1	2.34	0.57
1:A:244:TYR:O	1:A:246:GLY:O	2.23	0.56
1:A:77:LEU:N	1:A:78:GLY:HA2	2.20	0.56
1:C:77:LEU:N	1:C:78:GLY:HA2	2.20	0.56
1:B:16:HIS:CE1	2:B:402[B]:ATP:O3'	2.60	0.55
1:A:122:CYS:O	1:A:128:TYR:HA	2.07	0.55
1:C:377:HIS:CG	1:C:378:HIS:N	2.75	0.55
1:D:122:CYS:O	1:D:128:TYR:HA	2.07	0.54
1:B:54:ILE:HG21	1:B:66:VAL:CG1	2.36	0.54
1:A:75:LYS:O	1:A:78:GLY:CA	2.56	0.54
1:C:75:LYS:O	1:C:78:GLY:CA	2.55	0.54
1:B:122:CYS:O	1:B:128:TYR:HA	2.08	0.54
1:B:91:ASN:ND2	1:B:93:GLN:OE1	2.41	0.53
1:A:249:HIS:CD2	1:B:249:HIS:CD2	2.96	0.53
1:C:122:CYS:O	1:C:128:TYR:HA	2.08	0.53
1:C:56:GLY:CA	1:D:232:THR:HG21	2.39	0.53
1:B:178:LEU:HD23	1:B:179:VAL:N	2.23	0.52
1:A:178:LEU:HD23	1:A:179:VAL:N	2.24	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:113:ASP:HA	1:A:295:ILE:HG12	1.91	0.52
1:C:178:LEU:HD23	1:C:179:VAL:N	2.25	0.52
1:D:178:LEU:HD23	1:D:179:VAL:N	2.24	0.51
1:C:113:ASP:HA	1:C:295:ILE:HG12	1.92	0.51
1:C:274:ILE:HB	1:C:289:ILE:HD13	1.94	0.50
1:B:297:GLN:HG3	1:B:298:PRO:HD2	1.92	0.50
1:A:274:ILE:HB	1:A:289:ILE:HD13	1.94	0.49
1:C:118:PHE:CZ	1:C:290:GLN:HG3	2.47	0.49
1:C:294:ALA:CB	1:C:297:GLN:HG3	2.35	0.49
1:A:118:PHE:CZ	1:A:290:GLN:HG3	2.47	0.49
1:B:229:ILE:N	1:B:229:ILE:CD1	2.74	0.48
1:A:139:LEU:HD21	1:A:179:VAL:CG2	2.44	0.48
1:A:16:HIS:HE1	2:A:401:ATP:O2A	1.97	0.48
1:D:16:HIS:CE1	3:D:401:SAM:O3'	2.67	0.48
1:C:377:HIS:O	1:C:378:HIS:HB2	2.14	0.48
1:B:139:LEU:HD21	1:B:179:VAL:CG2	2.44	0.48
1:A:103:LYS:HB2	1:A:105:ASN:O	2.14	0.48
1:C:139:LEU:HD21	1:C:179:VAL:CG2	2.45	0.47
1:C:377:HIS:CD2	1:C:378:HIS:H	2.33	0.47
1:A:341:THR:HG23	1:A:341:THR:O	2.14	0.47
2:A:401:ATP:H4'	2:A:401:ATP:O2A	2.15	0.47
1:A:237:ARG:NH2	2:A:401:ATP:O3G	2.46	0.47
1:B:116:ILE:O	1:B:251:GLY:HA3	2.15	0.46
1:B:17:PRO:HG3	1:B:231:ASP:HB3	1.98	0.46
1:D:71:TRP:CE2	1:D:86:ILE:HD12	2.51	0.46
1:C:71:TRP:CE2	1:C:86:ILE:HD12	2.51	0.46
1:C:122:CYS:HA	1:C:285:LYS:O	2.16	0.46
1:A:122:CYS:HA	1:A:285:LYS:O	2.16	0.45
1:D:129:MET:HG3	1:D:354:GLY:HA3	1.99	0.45
1:B:274:ILE:HB	1:B:289:ILE:HD13	1.99	0.45
1:A:290:GLN:HE22	1:B:7:ILE:HA	1.82	0.45
1:C:265:ARG:HD3	1:C:269:TYR:CE2	2.50	0.45
1:C:116:ILE:O	1:C:251:GLY:HA3	2.16	0.44
2:A:401:ATP:O1G	1:B:253:GLY:HA2	2.18	0.44
1:B:265:ARG:HD3	1:B:269:TYR:CE2	2.52	0.44
1:A:265:ARG:HD3	1:A:269:TYR:CE2	2.52	0.44
1:B:122:CYS:HA	1:B:285:LYS:O	2.17	0.44
1:D:107:ASN:O	1:D:331:LYS:HD2	2.18	0.44
1:D:26:ASP:OD1	1:D:265:ARG:NH1	2.48	0.43
1:B:188:ASP:N	1:B:188:ASP:OD1	2.51	0.43
1:B:327:ASN:N	1:B:327:ASN:OD1	2.51	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:116:ILE:O	1:A:251:GLY:HA3	2.17	0.43
1:D:122:CYS:HA	1:D:285:LYS:O	2.19	0.43
1:D:17:PRO:HG3	1:D:231:ASP:HB3	1.99	0.43
1:B:160:LYS:HD2	3:B:401[A]:SAM:O4'	2.18	0.43
1:B:345:LEU:N	1:B:346:PRO:CD	2.81	0.43
1:D:52:ILE:HD13	1:D:74:ILE:HD11	2.00	0.43
1:A:71:TRP:CE2	1:A:86:ILE:HD12	2.53	0.43
1:B:71:TRP:CE2	1:B:86:ILE:HD12	2.54	0.43
1:C:275:ALA:HB2	1:C:289:ILE:HD12	2.01	0.43
1:B:52:ILE:HD13	1:B:74:ILE:HD11	1.99	0.43
1:A:49:ASN:ND2	1:A:229:ILE:O	2.52	0.43
1:B:26:ASP:OD1	1:B:265:ARG:NH1	2.49	0.43
1:B:298:PRO:O	1:B:330:ILE:HG23	2.19	0.43
1:C:345:LEU:N	1:C:346:PRO:CD	2.82	0.43
1:D:345:LEU:N	1:D:346:PRO:CD	2.82	0.42
1:B:129:MET:HG3	1:B:354:GLY:HA3	2.00	0.42
1:B:229:ILE:H	1:B:229:ILE:CD1	2.32	0.42
1:C:8:THR:HG21	1:C:162:GLN:HE21	1.83	0.42
1:C:49:ASN:ND2	1:C:229:ILE:O	2.53	0.42
1:C:56:GLY:HA2	1:D:232:THR:CG2	2.47	0.42
1:D:275:ALA:HB2	1:D:289:ILE:HD12	2.00	0.42
1:A:114:GLN:HG2	1:B:160:LYS:HE3	2.00	0.42
1:A:345:LEU:N	1:A:346:PRO:CD	2.82	0.42
1:D:303:MET:HE1	1:D:322:ILE:HG21	2.01	0.42
1:D:52:ILE:CD1	1:D:74:ILE:HD11	2.50	0.42
1:A:96:ASP:HB3	2:B:402[B]:ATP:N6	2.34	0.42
1:C:238:LYS:NZ	4:C:401:PO4:O1	2.49	0.42
1:D:4:LYS:HE3	1:D:166:ASP:OD2	2.20	0.42
1:A:54:ILE:HD13	1:A:66:VAL:HG13	2.02	0.42
1:A:26:ASP:OD1	1:A:265:ARG:NH1	2.50	0.41
1:A:239:ILE:HD11	1:B:239:ILE:HD11	2.02	0.41
1:C:131:LEU:HB3	1:C:165:ILE:HD12	2.02	0.41
1:C:103:LYS:NZ	1:C:296:GLY:O	2.35	0.41
1:B:229:ILE:HD12	1:B:229:ILE:H	1.83	0.41
1:A:57:GLU:HB3	1:A:93:GLN:HA	2.02	0.41
1:D:96:ASP:C	1:D:97:ILE:HG13	2.41	0.41
1:B:131:LEU:HD23	1:B:165:ILE:HD13	2.03	0.41
1:C:55:ALA:HB1	1:D:48:CYS:CB	2.51	0.41
1:A:275:ALA:HB2	1:A:289:ILE:HD12	2.02	0.41
1:D:265:ARG:HD3	1:D:269:TYR:CE2	2.56	0.41
1:A:131:LEU:HB3	1:A:165:ILE:HD12	2.03	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:129:MET:HG3	1:C:354:GLY:HA3	2.02	0.41
1:D:249:HIS:ND1	1:D:288:GLU:OE1	2.54	0.40
1:B:281:ALA:HA	1:B:368:VAL:HG13	2.04	0.40
1:B:275:ALA:HB2	1:B:289:ILE:HD12	2.02	0.40
1:C:107:ASN:O	1:C:331:LYS:HD3	2.22	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	371/382 (97%)	350 (94%)	19 (5%)	2 (0%)	29 48
1	B	357/382 (94%)	341 (96%)	15 (4%)	1 (0%)	41 61
1	C	373/382 (98%)	350 (94%)	21 (6%)	2 (0%)	29 48
1	D	358/382 (94%)	340 (95%)	16 (4%)	2 (1%)	25 43
All	All	1459/1528 (96%)	1381 (95%)	71 (5%)	7 (0%)	29 48

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	247	VAL
1	A	208	ASN
1	B	208	ASN
1	C	208	ASN
1	D	208	ASN
1	C	246	GLY
1	D	295	ILE

### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	323/332 (97%)	308 (95%)	15 (5%)	27 50
1	B	312/332 (94%)	293 (94%)	19 (6%)	18 36
1	C	325/332 (98%)	311 (96%)	14 (4%)	29 53
1	D	313/332 (94%)	297 (95%)	16 (5%)	24 45
All	All	1273/1328 (96%)	1209 (95%)	64 (5%)	24 46

All (64) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	10	GLU
1	A	49	ASN
1	A	131	LEU
1	A	145	ARG
1	A	150	LYS
1	A	152	PHE
1	A	169	ASN
1	A	187	TYR
1	A	193	ASN
1	A	211	THR
1	A	222	ARG
1	A	265	ARG
1	A	316	THR
1	A	333	PHE
1	A	341	THR
1	B	57	GLU
1	B	91	ASN
1	B	93	GLN
1	B	150	LYS
1	B	152	PHE
1	B	187	TYR
1	B	188	ASP
1	B	202	GLN
1	B	208	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	211	THR
1	B	229	ILE
1	B	265	ARG
1	B	282	LYS
1	B	290	GLN
1	B	297	GLN
1	B	316	THR
1	B	327	ASN
1	B	333	PHE
1	B	370	ASP
1	C	49	ASN
1	C	57	GLU
1	C	92	LYS
1	C	107	ASN
1	C	131	LEU
1	C	133	SER
1	C	150	LYS
1	C	152	PHE
1	C	187	TYR
1	C	211	THR
1	C	222	ARG
1	C	265	ARG
1	C	316	THR
1	C	333	PHE
1	D	113	ASP
1	D	114	GLN
1	D	150	LYS
1	D	152	PHE
1	D	187	TYR
1	D	202	GLN
1	D	211	THR
1	D	264	ASP
1	D	265	ARG
1	D	282	LYS
1	D	295	ILE
1	D	299	GLN
1	D	316	THR
1	D	327	ASN
1	D	333	PHE
1	D	370	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	16	HIS
1	A	49	ASN
1	A	290	GLN
1	A	374	ASN
1	B	16	HIS
1	B	89	ASN
1	B	91	ASN
1	B	202	GLN
1	B	374	ASN
1	C	49	ASN
1	C	93	GLN
1	C	162	GLN
1	C	193	ASN
1	C	374	ASN
1	D	82	ASN
1	D	89	ASN
1	D	93	GLN
1	D	114	GLN
1	D	193	ASN
1	D	374	ASN

### 5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

### 5.6 Ligand geometry [\(i\)](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
4	PO4	D	402	-	4,4,4	0.98	0	6,6,6	0.33	0
3	SAM	B	401[A]	-	21,29,29	0.63	0	18,42,42	0.88	2 (11%)
3	SAM	D	401	-	21,29,29	0.65	0	18,42,42	0.88	1 (5%)
2	ATP	A	401	-	26,33,33	0.67	0	31,52,52	0.82	1 (3%)
2	ATP	B	402[B]	-	26,33,33	0.67	0	31,52,52	0.93	2 (6%)
4	PO4	C	401	-	4,4,4	0.95	0	6,6,6	0.43	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ATP	A	401	-	-	6/18/38/38	0/3/3/3
3	SAM	B	401[A]	-	-	1/8/33/33	0/3/3/3
2	ATP	B	402[B]	-	-	3/18/38/38	0/3/3/3
3	SAM	D	401	-	-	5/8/33/33	0/3/3/3

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	402[B]	ATP	O4'-C4'-C3'	-2.67	99.83	105.11
2	A	401	ATP	C5-C6-N6	2.19	123.68	120.35
3	B	401[A]	SAM	C5-C6-N6	2.18	123.67	120.35
3	D	401	SAM	C5-C6-N6	2.15	123.61	120.35
2	B	402[B]	ATP	C5-C6-N6	2.14	123.60	120.35
3	B	401[A]	SAM	C5'-SD-CG	-2.07	98.11	103.40

There are no chirality outliers.

All (15) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	401[A]	SAM	CA-CB-CG-SD
3	D	401	SAM	N-CA-CB-CG
3	D	401	SAM	C-CA-CB-CG

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Res	Type	Atoms
3	D	401	SAM	CA-CB-CG-SD
3	D	401	SAM	CB-CG-SD-CE
3	D	401	SAM	CB-CG-SD-C5'
2	A	401	ATP	C4'-C5'-O5'-PA
2	A	401	ATP	PB-O3B-PG-O1G
2	B	402[B]	ATP	PG-O3B-PB-O1B
2	A	401	ATP	C3'-C4'-C5'-O5'
2	A	401	ATP	PG-O3B-PB-O1B
2	A	401	ATP	PB-O3B-PG-O3G
2	A	401	ATP	PG-O3B-PB-O2B
2	B	402[B]	ATP	C5'-O5'-PA-O1A
2	B	402[B]	ATP	O4'-C4'-C5'-O5'


There are no ring outliers.


5 monomers are involved in 12 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	401[A]	SAM	1	0
3	D	401	SAM	1	0
2	A	401	ATP	6	0
2	B	402[B]	ATP	3	0
4	C	401	PO4	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data i

### 6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	373/382 (97%)	0.10	9 (2%) 59 62	57, 79, 105, 133	0
1	B	360/382 (94%)	0.30	19 (5%) 26 28	57, 85, 130, 156	0
1	C	375/382 (98%)	0.25	13 (3%) 44 47	60, 86, 117, 155	0
1	D	362/382 (94%)	0.14	10 (2%) 53 56	56, 82, 107, 133	0
All	All	1470/1528 (96%)	0.20	51 (3%) 44 47	56, 82, 115, 156	0

All (51) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	95	VAL	7.1
1	B	312	LEU	5.6
1	B	293	PHE	5.6
1	A	247	VAL	5.2
1	D	312	LEU	5.2
1	B	304	TYR	4.7
1	A	6	ILE	4.4
1	D	303	MET	4.1
1	D	318	ILE	4.1
1	C	153	ILE	3.7
1	B	63	TYR	3.6
1	D	294	ALA	3.6
1	B	303	MET	3.5
1	D	302	ALA	3.5
1	C	295	ILE	3.4
1	C	5	LYS	3.3
1	C	173	LEU	3.3
1	A	225	ILE	3.3
1	B	117	VAL	3.3
1	A	63	TYR	3.2
1	C	100	SER	3.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	112	GLY	3.2
1	B	94	SER	3.1
1	C	63	TYR	3.0
1	B	107	ASN	2.9
1	B	370	ASP	2.9
1	A	7	ILE	2.8
1	B	135	LEU	2.8
1	D	112	GLY	2.7
1	A	106	LYS	2.6
1	D	79	TYR	2.6
1	C	170	SER	2.5
1	B	301	VAL	2.5
1	B	230	GLY	2.4
1	D	340	TRP	2.4
1	B	307	THR	2.3
1	B	302	ALA	2.3
1	C	102	ASP	2.3
1	D	247	VAL	2.2
1	C	109	ILE	2.2
1	B	169	ASN	2.2
1	C	107	ASN	2.2
1	D	173	LEU	2.2
1	A	216	ILE	2.2
1	C	131	LEU	2.2
1	B	174	ILE	2.2
1	B	225	ILE	2.1
1	A	369	GLU	2.1
1	C	187	TYR	2.1
1	A	295	ILE	2.1
1	C	192	PHE	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [\(i\)](#)


There are no carbohydrates in this entry.


## 6.4 Ligands [\(i\)](#)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	ATP	A	401	31/31	0.81	0.29	124,143,191,193	0
2	ATP	B	402[B]	31/31	0.89	0.18	79,89,97,97	31
3	SAM	B	401[A]	27/27	0.91	0.17	59,61,63,63	27
4	PO4	C	401	5/5	0.92	0.11	82,88,93,94	0
4	PO4	D	402	5/5	0.94	0.11	89,90,91,91	0
3	SAM	D	401	27/27	0.95	0.23	75,82,105,109	0


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.














## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.