



Full wwPDB X-ray Structure Validation Report i

Oct 17, 2021 – 01:53 AM EDT

PDB ID : 1SQ0
Title : Crystal Structure of the Complex of the Wild-type Von Willebrand Factor A1 domain and Glycoprotein Ib alpha at 2.6 Angstrom Resolution
Authors : Dumas, J.J.; Kumar, R.; McDonagh, T.; Sullivan, F.; Stahl, M.L.; Somers, W.S.; Mosyak, L.
Deposited on : 2004-03-17
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbitiy : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.23.2
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.23.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3163 (2.60-2.60)
Clashscore	141614	3518 (2.60-2.60)
Ramachandran outliers	138981	3455 (2.60-2.60)
Sidechain outliers	138945	3455 (2.60-2.60)
RSRZ outliers	127900	3104 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 3982 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Von Willebrand factor (vWF) [Contains: Von Willebrand antigen II].

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	198	1593	1017	281	289	6	0	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	496	MET	VAL	engineered mutation	UNP P04275

- Molecule 2 is a protein called Platelet glycoprotein Ib alpha chain (Glycoprotein Ibalpha) (GP-Ib alpha) (GPIb-alpha) (CD42B-alpha) (CD42B) [Contains: Glycocalicin].

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	265	2071	1332	342	388	9	0	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	21	ASP	ASN	SEE REMARK 999	UNP P07359
B	159	ASP	ASN	SEE REMARK 999	UNP P07359


- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	118	Total O 118 118	0	0
3	B	200	Total O 200 200	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Von Willebrand factor (vWF) [Contains: Von Willebrand antigen II]



- Molecule 2: Platelet glycoprotein Ib alpha chain (Glycoprotein Ibalpha) (GP-Ib alpha) (GPIbA) (GPIb-alpha) (CD42B-alpha) (CD42B) [Contains: Glycocalicin]



4 Data and refinement statistics i

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	72.50Å 116.10Å 67.96Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.58 – 2.60 49.58 – 2.60	Depositor EDS
% Data completeness (in resolution range)	93.9 (49.58-2.60) 93.9 (49.58-2.60)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ ¹	2.56 (at 2.61Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R , R_{free}	0.190 , 0.239 0.190 , 0.241	Depositor DCC
R_{free} test set	1787 reflections (9.86%)	wwPDB-VP
Wilson B-factor (Å ²)	35.1	Xtriage
Anisotropy	0.637	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 45.0	EDS
L-test for twinning ²	$< L > = 0.48$, $< L^2 > = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	3982	wwPDB-VP
Average B, all atoms (Å ²)	40.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.81% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.35	0/1621	0.59	0/2184
2	B	0.34	0/2118	0.62	0/2893
All	All	0.34	0/3739	0.61	0/5077

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1593	0	1643	67	0
2	B	2071	0	2104	81	0
3	A	118	0	0	4	0
3	B	200	0	0	7	0
All	All	3982	0	3747	142	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 19.

All (142) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:636:ARG:HH11	1:A:636:ARG:HG3	1.10	1.09

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:608:LYS:H	1:A:608:LYS:HD2	1.14	1.06
1:A:552:ARG:HG3	1:A:552:ARG:HH11	1.25	1.02
1:A:524:ARG:HG3	1:A:624:SER:HB3	1.60	0.83
1:A:636:ARG:HG3	1:A:636:ARG:NH1	1.90	0.79
2:B:162:GLU:HG3	3:B:456:HOH:O	1.85	0.77
1:A:608:LYS:HD2	1:A:608:LYS:N	1.93	0.77
1:A:550:TRP:CD1	1:A:701:ALA:HB1	2.20	0.77
2:B:20:ARG:HB2	2:B:22:LEU:HG	1.68	0.75
2:B:164:PRO:HG2	2:B:167:LEU:HB2	1.68	0.75
1:A:550:TRP:HZ3	2:B:9:VAL:HG22	1.53	0.74
1:A:526:SER:OG	1:A:529:GLU:HG3	1.92	0.69
2:B:146:PRO:C	2:B:148:PRO:HD3	2.14	0.68
1:A:569:LYS:NZ	1:A:608:LYS:NZ	2.44	0.66
1:A:608:LYS:H	1:A:608:LYS:CD	1.94	0.66
1:A:680:VAL:O	1:A:683:LEU:HB2	1.97	0.65
2:B:8:LYS:O	2:B:8:LYS:HD2	1.97	0.64
2:B:80:GLY:HA2	2:B:102:LEU:HA	1.78	0.64
2:B:115:LEU:HD13	2:B:136:LEU:HD21	1.80	0.64
2:B:145:THR:HB	2:B:146:PRO:HD3	1.80	0.64
1:A:552:ARG:HG3	1:A:552:ARG:NH1	2.01	0.63
1:A:510:SER:O	1:A:511:ARG:HG2	1.98	0.62
1:A:636:ARG:HH11	1:A:636:ARG:CG	1.98	0.62
2:B:115:LEU:HD13	2:B:136:LEU:CD2	2.30	0.62
2:B:175:ASP:HA	2:B:198:PRO:HD2	1.81	0.61
2:B:116:PRO:HG2	2:B:119:ALA:HB2	1.84	0.60
2:B:112:LEU:H	2:B:134:ASN:HD22	1.49	0.60
2:B:196:LEU:HB3	3:B:486:HOH:O	2.01	0.60
2:B:75:THR:HG22	2:B:98:THR:HA	1.84	0.60
1:A:569:LYS:HZ1	1:A:608:LYS:NZ	2.00	0.59
1:A:550:TRP:CZ3	2:B:9:VAL:HG22	2.37	0.59
2:B:40:GLU:HA	2:B:64:ARG:O	2.02	0.59
2:B:203:HIS:CE1	2:B:230:TRP:H	2.22	0.58
1:A:634:PHE:O	1:A:638:VAL:HG23	2.02	0.57
1:A:677:LEU:N	1:A:677:LEU:HD12	2.19	0.57
1:A:522:SER:HB3	1:A:592:ALA:HB2	1.87	0.57
2:B:58:THR:HG22	2:B:78:VAL:CG1	2.35	0.56
1:A:569:LYS:NZ	1:A:608:LYS:HZ1	2.02	0.56
1:A:649:ILE:HG23	1:A:673:LYS:O	2.05	0.56
2:B:217:ARG:O	2:B:221:GLN:HG3	2.05	0.56
2:B:230:TRP:CZ3	2:B:232:GLN:HB2	2.40	0.56
1:A:537:VAL:O	1:A:541:MET:HG3	2.06	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:682:GLU:O	1:A:685:GLN:HB2	2.06	0.55
2:B:203:HIS:HE1	2:B:230:TRP:H	1.54	0.55
1:A:552:ARG:HH12	1:A:611:ARG:HD2	1.71	0.55
1:A:550:TRP:NE1	1:A:702:PRO:HD2	2.22	0.54
2:B:172:GLU:C	2:B:173:ASN:HD22	2.10	0.54
1:A:664:LEU:O	1:A:668:GLN:HG2	2.08	0.53
1:A:673:LYS:HE2	3:A:297:HOH:O	2.07	0.53
2:B:242:ASN:HD21	2:B:244:ALA:HB3	1.73	0.53
2:B:4:CYS:HA	2:B:20:ARG:NH1	2.24	0.52
2:B:187:ILE:HD13	2:B:207:TRP:CZ3	2.43	0.52
2:B:1:HIS:CE1	2:B:3:ILE:HB	2.44	0.52
2:B:59:GLN:NE2	3:B:349:HOH:O	2.42	0.52
2:B:137:LYS:O	2:B:160:LEU:HA	2.10	0.52
2:B:230:TRP:HH2	2:B:232:GLN:OE1	1.93	0.52
2:B:17:CYS:HB2	2:B:38:LEU:HD23	1.92	0.52
2:B:146:PRO:O	2:B:148:PRO:HD3	2.09	0.51
2:B:19:LYS:HA	2:B:40:GLU:O	2.11	0.51
2:B:95:LEU:HD13	2:B:99:LEU:HD12	1.93	0.51
2:B:247:GLN:NE2	2:B:252:ASP:N	2.58	0.51
1:A:549:LYS:NZ	3:A:264:HOH:O	2.43	0.51
2:B:44:TYR:HA	2:B:66:GLU:O	2.11	0.50
1:A:536:PHE:CG	1:A:683:LEU:HG	2.47	0.50
2:B:188:PRO:HG2	2:B:191:PHE:HB2	1.92	0.50
1:A:510:SER:C	1:A:511:ARG:HG2	2.32	0.49
1:A:511:ARG:HB3	1:A:699:PRO:O	2.13	0.49
1:A:565:TYR:CE1	1:A:584:VAL:HG13	2.47	0.49
2:B:145:THR:N	2:B:146:PRO:CD	2.75	0.49
2:B:217:ARG:NE	2:B:259:TYR:O	2.45	0.49
2:B:116:PRO:O	2:B:119:ALA:HB2	2.13	0.48
2:B:234:VAL:O	2:B:235:ASP:HB2	2.13	0.48
1:A:569:LYS:NZ	1:A:608:LYS:HZ3	2.09	0.48
1:A:636:ARG:HD3	3:A:36:HOH:O	2.13	0.48
1:A:673:LYS:NZ	3:A:285:HOH:O	2.46	0.48
1:A:543:ARG:HH11	1:A:543:ARG:HG2	1.79	0.48
2:B:232:GLN:HG3	2:B:233:GLY:N	2.28	0.48
2:B:52:MET:N	2:B:53:PRO:CD	2.77	0.47
2:B:96:GLY:HA3	2:B:121:ARG:O	2.14	0.47
2:B:73:ASP:OD2	2:B:73:ASP:N	2.45	0.47
2:B:210:ASN:O	2:B:213:ILE:HG22	2.14	0.47
2:B:110:ASN:HB2	2:B:134:ASN:HD21	1.78	0.47
2:B:247:GLN:HA	2:B:256:VAL:HG23	1.97	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:602:LEU:HD13	1:A:641:LEU:HD13	1.96	0.47
1:A:608:LYS:O	1:A:616:ARG:NH2	2.41	0.47
1:A:677:LEU:HD23	1:A:682:GLU:C	2.35	0.47
2:B:181:GLU:OE2	2:B:181:GLU:HA	2.14	0.47
2:B:248:CYS:HB2	2:B:254:PHE:CD1	2.50	0.47
2:B:248:CYS:C	2:B:250:ASN:H	2.18	0.46
1:A:677:LEU:HD22	1:A:683:LEU:HD13	1.98	0.46
1:A:639:GLN:NE2	1:A:668:GLN:OE1	2.49	0.46
1:A:686:GLN:O	1:A:690:ILE:HG13	2.16	0.46
2:B:51:LEU:HD13	2:B:57:LEU:CD2	2.46	0.46
2:B:214:LEU:HD11	2:B:264:CYS:HB2	1.98	0.45
2:B:78:VAL:CG1	2:B:78:VAL:O	2.64	0.45
2:B:189:LYS:HD2	3:B:435:HOH:O	2.16	0.45
1:A:569:LYS:HZ2	1:A:608:LYS:HZ1	1.65	0.45
2:B:30:PRO:HG2	2:B:33:THR:OG1	2.17	0.45
1:A:702:PRO:HA	1:A:703:PRO:HD3	1.84	0.44
1:A:617:ILE:HD13	1:A:694:LEU:HD22	2.00	0.44
2:B:139:LEU:HD11	2:B:155:LEU:HD13	1.98	0.44
2:B:217:ARG:HH11	2:B:217:ARG:HG2	1.83	0.44
1:A:511:ARG:HG2	1:A:511:ARG:HH11	1.83	0.44
2:B:126:LEU:HD23	2:B:147:THR:HG21	2.00	0.44
1:A:513:LEU:O	1:A:551:VAL:HA	2.17	0.44
2:B:75:THR:HA	2:B:98:THR:HG23	2.00	0.43
1:A:636:ARG:NH1	1:A:636:ARG:CG	2.67	0.43
1:A:676:VAL:C	1:A:677:LEU:HD12	2.38	0.43
2:B:4:CYS:HA	2:B:20:ARG:HH12	1.80	0.43
2:B:242:ASN:C	2:B:242:ASN:ND2	2.72	0.43
2:B:118:GLY:HA2	3:B:479:HOH:O	2.18	0.43
1:A:569:LYS:HE3	1:A:569:LYS:HB3	1.84	0.43
1:A:645:LYS:HD2	1:A:645:LYS:N	2.33	0.43
1:A:550:TRP:HA	1:A:550:TRP:HE3	1.84	0.43
2:B:111:ARG:NE	3:B:433:HOH:O	2.52	0.43
1:A:541:MET:HB3	1:A:546:ILE:HD13	2.01	0.42
1:A:619:LEU:HD12	1:A:649:ILE:HB	2.01	0.42
2:B:213:ILE:HD11	2:B:216:PHE:HD2	1.84	0.42
2:B:230:TRP:CH2	2:B:232:GLN:HB2	2.54	0.42
2:B:59:GLN:HG2	2:B:81:THR:HB	2.01	0.42
1:A:604:GLN:HG3	2:B:239:MET:HE3	2.00	0.42
1:A:550:TRP:CE3	1:A:550:TRP:CA	3.02	0.42
1:A:552:ARG:NH1	1:A:552:ARG:CG	2.74	0.42
2:B:58:THR:HG22	2:B:78:VAL:HG12	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:550:TRP:HA	1:A:550:TRP:CE3	2.55	0.42
2:B:18:ASP:C	2:B:19:LYS:HG3	2.40	0.42
2:B:65:CYS:HB2	2:B:87:ASN:HD21	1.85	0.42
1:A:632:ARG:NH2	2:B:225:GLU:OE1	2.52	0.41
1:A:565:TYR:CE2	2:B:236:VAL:HB	2.54	0.41
1:A:511:ARG:NH1	1:A:700:GLU:HG2	2.35	0.41
1:A:552:ARG:NH1	1:A:611:ARG:HD2	2.36	0.41
2:B:147:THR:N	2:B:148:PRO:HD3	2.36	0.41
2:B:201:PHE:CD2	2:B:230:TRP:HB2	2.56	0.41
1:A:506:ASP:OD1	1:A:687:ARG:NH1	2.54	0.40
1:A:657:ALA:O	1:A:659:LEU:N	2.55	0.40
1:A:685:GLN:NE2	1:A:685:GLN:HA	2.35	0.40
2:B:115:LEU:CD1	2:B:136:LEU:HD21	2.50	0.40
2:B:161:THR:HG21	3:B:478:HOH:O	2.20	0.40
2:B:249:ASP:O	2:B:250:ASN:CB	2.69	0.40
1:A:565:TYR:HA	2:B:235:ASP:O	2.21	0.40
2:B:67:LEU:H	2:B:87:ASN:ND2	2.19	0.40
2:B:95:LEU:HB3	2:B:99:LEU:HD12	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	196/214 (92%)	182 (93%)	12 (6%)	2 (1%)	15 32
2	B	263/288 (91%)	240 (91%)	22 (8%)	1 (0%)	34 57
All	All	459/502 (91%)	422 (92%)	34 (7%)	3 (1%)	22 43

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	658	ASN
2	B	262	LYS
1	A	609	ILE

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	176/192 (92%)	161 (92%)	15 (8%)	10 21
2	B	238/258 (92%)	227 (95%)	11 (5%)	27 51
All	All	414/450 (92%)	388 (94%)	26 (6%)	18 36

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	510	SER
1	A	511	ARG
1	A	544	LEU
1	A	548	GLN
1	A	550	TRP
1	A	552	ARG
1	A	553	VAL
1	A	569	LYS
1	A	576	GLU
1	A	582	SER
1	A	608	LYS
1	A	636	ARG
1	A	641	LEU
1	A	683	LEU
1	A	686	GLN
2	B	8	LYS
2	B	12	HIS
2	B	39	SER
2	B	56	ARG
2	B	178	LEU
2	B	187	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	218	ARG
2	B	251	SER
2	B	254	PHE
2	B	257	TYR
2	B	258	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	548	GLN
1	A	625	GLN
1	A	628	GLN
1	A	639	GLN
1	A	661	GLN
1	A	668	GLN
2	B	12	HIS
2	B	59	GLN
2	B	61	ASN
2	B	71	GLN
2	B	87	ASN
2	B	88	GLN
2	B	134	ASN
2	B	173	ASN
2	B	203	HIS
2	B	242	ASN
2	B	247	GLN

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [\(i\)](#)

There are no ligands in this entry.

5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data [\(i\)](#)

6.1 Protein, DNA and RNA chains [\(i\)](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	198/214 (92%)	-0.48	3 (1%)	73	70	21, 38, 76, 108
2	B	265/288 (92%)	-0.58	1 (0%)	92	91	22, 35, 60, 79
All	All	463/502 (92%)	-0.54	4 (0%)	84	82	21, 36, 66, 108

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	507	PHE	3.5
1	A	550	TRP	3.0
1	A	703	PRO	2.7
2	B	2	PRO	2.3

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

6.4 Ligands [\(i\)](#)

There are no ligands in this entry.

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.