



# Full wwPDB X-ray Structure Validation Report i

Oct 3, 2023 – 09:57 PM EDT

PDB ID : 6UMD  
Title : Crystal structure of human GAC in complex with inhibitor UPGL00012  
Authors : Huang, Q.; Cerione, R.A.  
Deposited on : 2019-10-09  
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>  
with specific help available everywhere you see the i symbol.

The types of validation reports are described at  
<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.35.1  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35.1


# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:

## X-RAY DIFFRACTION


The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	2808 (2.70-2.70)
Clashscore	141614	3122 (2.70-2.70)
Ramachandran outliers	138981	3069 (2.70-2.70)
Sidechain outliers	138945	3069 (2.70-2.70)
RSRZ outliers	127900	2737 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



## 2 Entry composition (i)


There are 3 unique types of molecules in this entry. The entry contains 12842 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glutaminase kidney isoform, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	403	Total 3146	C 2005	N 531	O 582	S 28	1	0	0
1	B	409	Total 3192	C 2036	N 539	O 589	S 28	1	0	0
1	C	410	Total 3196	C 2038	N 540	O 590	S 28	1	0	0
1	D	409	Total 3192	C 2036	N 539	O 589	S 28	1	0	0

- Molecule 2 is 2-(pyridin-3-yl)-N-(5-{4-[(5-[(pyridin-3-yl)acetyl]amino)-1,3,4-thiadiazol-2-yl]amino}piperidin-1-yl}-1,3,4-thiadiazol-2-yl)acetamide (three-letter code: QAJ) (formula: C<sub>23</sub>H<sub>24</sub>N<sub>10</sub>O<sub>2</sub>S<sub>2</sub>) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	B	1	Total 37	C 23	N 10	O 2	S 2	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	D	1	Total C N O S 37 23 10 2 2	0	0




- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	7	Total O 7 7	0	0
3	B	10	Total O 10 10	0	0
3	C	11	Total O 11 11	0	0
3	D	14	Total O 14 14	0	0


### 3 Residue-property plots [\(i\)](#)



These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Glutaminase kidney isoform, mitochondrial




- Molecule 1: Glutaminase kidney isoform, mitochondrial






- Molecule 1: Glutaminase kidney isoform, mitochondrial



- Molecule 1: Glutaminase kidney isoform, mitochondrial





## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	100.48Å    139.16Å    178.19Å 90.00°    90.00°    90.00°	Depositor
Resolution (Å)	20.23 – 2.70 20.23 – 2.70	Depositor EDS
% Data completeness (in resolution range)	98.7 (20.23-2.70) 98.7 (20.23-2.70)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.10	Depositor
$< I/\sigma(I) >$ <sup>1</sup>	2.87 (at 2.71Å)	Xtriage
Refinement program	PHENIX 1.17_3644	Depositor
$R$ , $R_{free}$	0.228 , 0.288 0.228 , 0.287	Depositor DCC
$R_{free}$ test set	1586 reflections (2.33%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	47.3	Xtriage
Anisotropy	1.162	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 39.2	EDS
L-test for twinning <sup>2</sup>	$<  L  > = 0.51$ , $< L^2 > = 0.35$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	12842	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	65.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 57.47 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.3565e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $< |L| >$ ,  $< L^2 >$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: QAJ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.62	6/3216 (0.2%)	0.91	14/4339 (0.3%)
1	B	0.56	1/3264 (0.0%)	0.86	15/4406 (0.3%)
1	C	0.58	2/3268 (0.1%)	0.88	16/4411 (0.4%)
1	D	0.57	1/3264 (0.0%)	0.84	12/4406 (0.3%)
All	All	0.58	10/13012 (0.1%)	0.87	57/17562 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	B	0	2
1	C	0	2
1	D	0	2
All	All	0	8

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	283	CYS	CB-SG	-7.32	1.69	1.82
1	C	191	ASP	CA-CB	6.76	1.68	1.53
1	B	500	CYS	CB-SG	-5.93	1.72	1.81
1	A	197	LYS	CE-NZ	5.68	1.63	1.49
1	A	500	CYS	CB-SG	-5.66	1.72	1.81
1	A	287	CYS	CB-SG	5.37	1.91	1.82
1	A	176	LYS	CD-CE	5.35	1.64	1.51
1	D	463	CYS	CB-SG	-5.16	1.73	1.81
1	C	176	LYS	CD-CE	5.12	1.64	1.51
1	A	279	LYS	CD-CE	5.04	1.63	1.51

All (57) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	411	LEU	CB-CG-CD2	-15.37	84.87	111.00
1	B	186	LEU	CA-CB-CG	14.95	149.69	115.30
1	C	191	ASP	CB-CG-OD1	12.38	129.45	118.30
1	D	398	LYS	CD-CE-NZ	-11.27	85.78	111.70
1	B	142	LEU	CB-CA-C	-10.22	90.77	110.20
1	A	198	ASP	CB-CG-OD2	-10.07	109.23	118.30
1	C	176	LYS	CD-CE-NZ	10.06	134.84	111.70
1	A	139	LEU	CA-CB-CG	8.85	135.65	115.30
1	B	143	LEU	CB-CG-CD2	8.56	125.55	111.00
1	A	202	LYS	CD-CE-NZ	-8.54	92.05	111.70
1	D	147	ILE	CG1-CB-CG2	-8.32	93.11	111.40
1	C	325	GLU	CA-CB-CG	-7.52	96.86	113.40
1	B	248	ASP	CB-CA-C	-7.47	95.45	110.40
1	A	176	LYS	CD-CE-NZ	7.47	128.89	111.70
1	B	143	LEU	CB-CG-CD1	-7.41	98.41	111.00
1	D	383	GLU	N-CA-CB	-7.32	97.42	110.60
1	C	317	ARG	CG-CD-NE	-7.25	96.58	111.80
1	C	142	LEU	CA-CB-CG	7.18	131.82	115.30
1	C	382	ARG	C-N-CA	-7.07	104.02	121.70
1	D	383	GLU	CA-CB-CG	6.91	128.59	113.40
1	A	182	LEU	CB-CG-CD2	-6.89	99.28	111.00
1	B	191	ASP	CB-CG-OD1	6.87	124.48	118.30
1	C	198	ASP	CB-CA-C	6.85	124.11	110.40
1	B	191	ASP	CB-CG-OD2	-6.72	112.25	118.30
1	D	382	ARG	C-N-CA	6.68	138.39	121.70
1	A	225	MET	CB-CG-SD	-6.59	92.61	112.40
1	D	399	LYS	CB-CG-CD	-6.57	94.53	111.60
1	A	180	ASP	CB-CG-OD2	-6.52	112.44	118.30
1	B	538	LYS	CD-CE-NZ	6.40	126.43	111.70
1	D	145	TYR	CB-CG-CD2	-6.34	117.20	121.00
1	B	151	GLN	CA-CB-CG	6.29	127.24	113.40
1	D	502	SER	N-CA-CB	6.15	119.72	110.50
1	C	387	ARG	NE-CZ-NH2	5.85	123.22	120.30
1	A	186	LEU	CA-CB-CG	5.70	128.41	115.30
1	B	176	LYS	CA-CB-CG	-5.68	100.89	113.40
1	D	149	GLU	CA-CB-CG	5.67	125.88	113.40
1	A	225	MET	CA-CB-CG	5.54	122.72	113.30
1	C	213	GLN	CB-CA-C	5.48	121.36	110.40
1	C	360	GLN	CA-CB-CG	5.44	125.37	113.40
1	D	145	TYR	CB-CG-CD1	5.38	124.23	121.00
1	B	142	LEU	N-CA-CB	5.36	121.11	110.40
1	B	182	LEU	CB-CG-CD2	5.32	120.03	111.00

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	317	ARG	NE-CZ-NH1	-5.30	117.65	120.30
1	C	143	LEU	CB-CG-CD2	5.23	119.90	111.00
1	A	198	ASP	CB-CG-OD1	5.22	123.00	118.30
1	D	398	LYS	CB-CG-CD	-5.19	98.11	111.60
1	C	387	ARG	NE-CZ-NH1	-5.18	117.71	120.30
1	A	303	GLU	CA-CB-CG	5.17	124.78	113.40
1	C	182	LEU	CA-CB-CG	5.17	127.19	115.30
1	D	398	LYS	CG-CD-CE	5.17	127.40	111.90
1	A	213	GLN	N-CA-CB	-5.15	101.33	110.60
1	B	142	LEU	CA-CB-CG	5.08	126.98	115.30
1	C	383	GLU	CB-CG-CD	-5.07	100.50	114.20
1	B	317	ARG	CG-CD-NE	-5.05	101.20	111.80
1	A	176	LYS	CB-CG-CD	5.04	124.70	111.60
1	C	383	GLU	CA-CB-CG	5.01	124.43	113.40
1	C	152	GLU	CA-CB-CG	5.01	124.42	113.40

There are no chirality outliers.

All (8) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	316	LEU	Peptide
1	A	317	ARG	Peptide
1	B	316	LEU	Peptide
1	B	317	ARG	Peptide
1	C	316	LEU	Peptide
1	C	317	ARG	Peptide
1	D	316	LEU	Peptide
1	D	317	ARG	Peptide

## 5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbit. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3146	0	3115	67	1
1	B	3192	0	3171	78	1
1	C	3196	0	3174	77	0
1	D	3192	0	3171	76	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	37	0	0	0	0
2	D	37	0	0	0	0
3	A	7	0	0	2	0
3	B	10	0	0	0	0
3	C	11	0	0	2	0
3	D	14	0	0	1	0
All	All	12842	0	12631	290	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (290) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:541:ASP:OD1	1:B:543:ARG:NH1	1.70	1.23
1:B:143:LEU:HD11	1:B:212:THR:HG22	1.31	1.08
1:D:407:MET:HE2	1:D:411:LEU:HD23	1.10	1.06
1:D:141:ASP:OD1	1:D:197:LYS:HE3	1.55	1.05
1:D:407:MET:CE	1:D:411:LEU:HD23	1.87	1.04
1:B:216:ARG:HG2	1:B:218:LYS:HE3	1.49	0.93
1:D:343:SER:HG	1:D:401:PHE:HD1	0.92	0.89
1:B:202:LYS:NZ	1:C:373:PHE:O	2.05	0.89
1:C:186:LEU:HD13	1:C:186:LEU:O	1.74	0.88
1:A:145:TYR:OH	1:A:197:LYS:NZ	2.08	0.86
1:D:141:ASP:CG	1:D:197:LYS:HE3	1.97	0.85
1:A:210:LEU:HD12	1:A:213:GLN:HE21	1.39	0.84
1:B:139:LEU:HD12	1:B:142:LEU:HD21	1.58	0.83
1:C:234:LEU:HD22	1:C:520:ASP:HB3	1.61	0.81
1:A:274:SER:HB3	1:A:278:THR:HG21	1.59	0.81
1:B:166:THR:HG21	1:B:214:ALA:HB1	1.65	0.78
1:C:143:LEU:HD12	1:C:212:THR:HG22	1.64	0.78
1:C:278:THR:HG22	1:C:425:GLU:HG3	1.64	0.78
1:B:208:ILE:O	1:B:212:THR:HG23	1.86	0.76
1:D:141:ASP:OD1	1:D:197:LYS:CE	2.35	0.74
1:A:263:VAL:HG12	1:A:500:CYS:HB3	1.69	0.74
1:D:407:MET:HE2	1:D:411:LEU:CD2	2.04	0.74
1:D:188:THR:HG22	1:D:189:THR:HG23	1.69	0.73
1:A:210:LEU:HD12	1:A:213:GLN:NE2	2.03	0.73
1:C:361:PHE:HE1	1:C:447:VAL:HG12	1.57	0.70
1:A:234:LEU:HD22	1:A:520:ASP:HB3	1.74	0.69
1:A:178:CYS:O	1:A:182:LEU:HD12	1.92	0.69

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:234:LEU:HD22	1:D:520:ASP:HB3	1.75	0.69
1:D:343:SER:OG	1:D:401:PHE:CD1	2.43	0.68
1:D:407:MET:CE	1:D:411:LEU:CD2	2.67	0.68
1:C:295:ILE:HG12	1:C:361:PHE:CD2	2.28	0.68
1:B:176:LYS:NZ	1:B:183:ARG:HE	1.91	0.68
1:C:524:LEU:HD23	1:C:525:CYS:SG	2.34	0.68
1:B:197:LYS:O	1:B:201:LYS:HB2	1.94	0.67
1:D:361:PHE:HE1	1:D:447:VAL:HG12	1.59	0.67
1:D:488:ILE:HD12	1:D:514:GLY:HA3	1.76	0.67
1:B:263:VAL:HG12	1:B:500:CYS:HB3	1.76	0.66
1:A:202:LYS:O	1:A:202:LYS:HG3	1.95	0.66
1:A:169:ARG:NH1	1:A:272:ARG:HH11	1.93	0.65
1:B:143:LEU:HD12	1:B:208:ILE:HD11	1.77	0.65
1:B:216:ARG:O	1:B:216:ARG:HG3	1.97	0.65
1:B:541:ASP:CG	1:B:543:ARG:NH1	2.48	0.65
1:C:208:ILE:O	1:C:212:THR:HG23	1.97	0.65
1:B:234:LEU:HD22	1:B:520:ASP:HB3	1.78	0.64
1:D:249:TYR:O	1:D:250:ILE:HD13	1.97	0.64
1:A:145:TYR:CZ	1:A:197:LYS:NZ	2.65	0.64
1:A:139:LEU:HA	1:A:142:LEU:CD2	2.28	0.64
1:A:169:ARG:NH1	1:A:272:ARG:NH1	2.46	0.63
1:B:202:LYS:NZ	1:C:374:SER:HA	2.13	0.63
1:A:210:LEU:HA	1:A:213:GLN:NE2	2.12	0.63
1:A:209:VAL:O	1:A:213:GLN:HG2	1.98	0.63
1:B:216:ARG:HG2	1:B:218:LYS:CE	2.26	0.62
1:C:186:LEU:HD23	1:C:193:VAL:HG21	1.82	0.62
1:B:148:ALA:O	1:B:149:GLU:HB3	2.00	0.62
1:B:139:LEU:CD1	1:B:142:LEU:HD21	2.30	0.61
1:D:361:PHE:CE1	1:D:447:VAL:HG12	2.36	0.60
1:A:210:LEU:HA	1:A:213:GLN:HE21	1.67	0.60
1:A:272:ARG:NH1	1:A:369:GLU:OE1	2.33	0.60
1:A:285:GLN:O	1:A:288:VAL:HG22	2.02	0.60
1:D:224:PHE:O	1:D:228:THR:HG23	2.02	0.60
1:B:202:LYS:HA	1:B:205:GLN:HG2	1.84	0.59
1:D:477:GLY:O	1:D:529:ASN:HB2	2.01	0.59
1:B:502:SER:OG	1:B:513:LYS:HE2	2.03	0.59
1:D:216:ARG:HE	1:D:216:ARG:HA	1.68	0.59
1:B:144:PHE:CE1	1:B:197:LYS:HG2	2.39	0.58
1:D:289:LYS:HD3	1:D:338:ALA:HB2	1.86	0.57
1:D:407:MET:HE1	1:D:408:VAL:HA	1.86	0.56
1:B:250:ILE:HD11	1:B:253:LEU:HB2	1.86	0.56

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:145:TYR:N	3:C:601:HOH:O	2.33	0.56
1:D:317:ARG:HA	1:D:319:ASN:ND2	2.20	0.56
1:C:140:GLU:O	3:C:601:HOH:O	2.18	0.56
1:D:147:ILE:CG2	1:D:154:ILE:HD13	2.35	0.56
1:D:139:LEU:HD22	1:D:139:LEU:H	1.70	0.56
1:C:250:ILE:HB	1:C:380:SER:OG	2.06	0.55
1:D:295:ILE:HG12	1:D:361:PHE:CD2	2.41	0.55
1:A:402:PRO:O	1:A:405:THR:OG1	2.21	0.55
1:C:340:VAL:O	1:C:343:SER:HB3	2.07	0.55
1:A:145:TYR:CE1	1:A:197:LYS:NZ	2.73	0.55
1:C:346:LYS:O	1:C:354:LYS:NZ	2.40	0.55
1:D:252:GLN:HE21	1:D:376:ALA:HB1	1.71	0.55
1:C:488:ILE:HD12	1:C:514:GLY:HA3	1.88	0.55
1:B:139:LEU:HD12	1:B:142:LEU:CD2	2.31	0.55
1:C:349:VAL:CG1	1:C:353:GLU:HB2	2.37	0.55
1:B:176:LYS:HZ1	1:B:183:ARG:HE	1.54	0.54
1:C:153:LYS:HB3	1:C:194:MET:HB3	1.89	0.54
1:B:387:ARG:O	1:B:391:ILE:HG13	2.08	0.54
1:C:267:THR:HA	1:C:496:MET:HA	1.88	0.54
1:D:249:TYR:CE1	1:D:250:ILE:HG12	2.43	0.54
1:A:245:LYS:HG3	3:A:601:HOH:O	2.06	0.54
1:C:274:SER:HB3	1:C:278:THR:HG21	1.89	0.54
1:C:188:THR:HG22	1:C:189:THR:HG23	1.90	0.53
1:C:382:ARG:O	1:C:382:ARG:HG2	2.08	0.53
1:A:224:PHE:O	1:A:228:THR:HG23	2.09	0.53
1:D:250:ILE:HB	1:D:253:LEU:HD23	1.90	0.53
1:C:191:ASP:O	1:C:191:ASP:OD2	2.26	0.53
1:B:248:ASP:OD1	1:B:249:TYR:N	2.42	0.53
1:D:141:ASP:OD2	1:D:197:LYS:HE3	2.08	0.53
1:A:169:ARG:HH11	1:A:272:ARG:HH11	1.57	0.53
1:C:291:LEU:HD23	1:C:362:LEU:HD22	1.91	0.52
1:B:178:CYS:O	1:B:182:LEU:HD12	2.09	0.52
1:A:267:THR:HA	1:A:496:MET:HA	1.92	0.52
1:C:140:GLU:OE2	1:C:201:LYS:HG2	2.09	0.52
1:A:169:ARG:CD	1:A:272:ARG:HE	2.23	0.52
1:B:140:GLU:HB2	1:B:201:LYS:HG2	1.91	0.52
1:A:210:LEU:CD1	1:A:213:GLN:HE21	2.16	0.52
1:B:317:ARG:HA	1:B:319:ASN:CG	2.30	0.52
1:C:182:LEU:HD23	1:C:203:CYS:SG	2.50	0.52
1:C:224:PHE:O	1:C:228:THR:HG23	2.09	0.52
1:C:477:GLY:O	1:C:529:ASN:HB2	2.09	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:153:LYS:HB3	1:A:194:MET:HB3	1.92	0.51
1:A:522:VAL:O	1:A:539:LYS:HE2	2.10	0.51
1:B:317:ARG:HA	1:B:319:ASN:ND2	2.26	0.51
1:D:380:SER:HA	1:D:383:GLU:HG2	1.93	0.51
1:C:490:LEU:HB3	1:C:498:MET:HB2	1.93	0.50
1:B:317:ARG:NH1	1:B:317:ARG:HG2	2.26	0.50
1:B:349:VAL:O	1:B:354:LYS:HE3	2.12	0.50
1:C:193:VAL:HG23	1:C:193:VAL:O	2.11	0.50
1:D:446:ARG:NH1	3:D:701:HOH:O	2.38	0.50
1:B:289:LYS:HD3	1:B:338:ALA:HB2	1.92	0.50
1:B:267:THR:HA	1:B:496:MET:HA	1.94	0.50
1:C:144:PHE:HB2	1:C:200:PHE:CD2	2.46	0.50
1:C:185:THR:HA	1:C:188:THR:HB	1.93	0.50
1:C:457:LEU:HD21	1:C:491:VAL:HG11	1.94	0.50
1:A:182:LEU:O	1:A:186:LEU:HD12	2.12	0.49
1:C:143:LEU:HD22	1:C:200:PHE:HZ	1.77	0.49
1:A:477:GLY:O	1:A:529:ASN:HB2	2.11	0.49
1:C:249:TYR:CD1	1:C:250:ILE:HG23	2.47	0.49
1:C:289:LYS:HA	1:C:292:LYS:HE2	1.95	0.49
1:C:506:ASP:HB3	1:C:512:VAL:HG12	1.94	0.49
1:D:153:LYS:HB3	1:D:194:MET:HB3	1.93	0.49
1:A:139:LEU:HA	1:A:142:LEU:HD22	1.94	0.49
1:C:201:LYS:O	1:C:205:GLN:HB3	2.12	0.49
1:D:147:ILE:O	1:D:158:LYS:HE2	2.12	0.49
1:D:329:PRO:HG2	1:D:340:VAL:HG21	1.94	0.49
1:D:147:ILE:O	1:D:147:ILE:HG22	2.13	0.49
1:A:178:CYS:O	1:A:182:LEU:CD1	2.61	0.49
1:A:162:ALA:HB1	1:A:215:PHE:HE1	1.78	0.48
1:B:142:LEU:HG	1:B:143:LEU:N	2.27	0.48
1:D:462:SER:O	1:D:469:SER:HB3	2.13	0.48
1:D:185:THR:HA	1:D:188:THR:HB	1.95	0.48
1:B:253:LEU:HD11	1:B:485:ALA:HA	1.95	0.48
1:B:332:PRO:HD2	1:B:459:LEU:HD13	1.96	0.48
1:A:148:ALA:HA	1:A:154:ILE:HG12	1.95	0.48
1:A:490:LEU:HB3	1:A:498:MET:HB2	1.94	0.48
1:C:278:THR:HG22	1:C:425:GLU:CG	2.41	0.48
1:D:349:VAL:O	1:D:354:LYS:HE3	2.12	0.48
1:B:299:ASP:OD2	1:B:357:TYR:OH	2.31	0.48
1:B:477:GLY:O	1:B:529:ASN:HB2	2.14	0.48
1:C:253:LEU:HD21	1:C:285:GLN:HE21	1.79	0.48
1:D:322:PHE:O	1:D:323:LEU:HD23	2.14	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:323:LEU:HD21	1:B:395:LEU:HD23	1.96	0.47
1:B:454:ARG:HD2	1:D:528:HIS:CD2	2.49	0.47
1:B:461:HIS:HE1	1:D:461:HIS:CD2	2.33	0.47
1:B:143:LEU:O	1:B:147:ILE:HG13	2.14	0.47
1:B:365:MET:HG3	1:B:447:VAL:HG11	1.95	0.47
1:C:286:SER:O	1:C:289:LYS:HG3	2.15	0.47
1:B:140:GLU:CB	1:B:201:LYS:HG2	2.45	0.47
1:B:374:SER:HB2	1:B:421:GLU:OE2	2.13	0.47
1:A:302:THR:OG1	1:A:455:ASN:OD1	2.30	0.47
1:A:427:ALA:HB3	1:A:499:MET:HG2	1.97	0.47
1:B:156:VAL:CG2	1:B:182:LEU:HD22	2.45	0.47
1:D:302:THR:OG1	1:D:455:ASN:OD1	2.28	0.47
1:D:480:ALA:HB2	1:D:490:LEU:HD12	1.95	0.47
1:A:289:LYS:HD3	1:A:338:ALA:HB2	1.97	0.47
1:A:307:ARG:O	1:A:328:LYS:HD3	2.15	0.47
1:B:153:LYS:HB3	1:B:194:MET:HB3	1.97	0.47
1:A:365:MET:HG3	1:A:447:VAL:HG11	1.96	0.46
1:A:169:ARG:HD2	1:A:272:ARG:HE	1.80	0.46
1:A:210:LEU:CD1	1:A:213:GLN:NE2	2.76	0.46
1:C:346:LYS:HE2	1:C:357:TYR:CD1	2.50	0.46
1:C:186:LEU:CD2	1:C:193:VAL:HG21	2.45	0.46
1:D:286:SER:O	1:D:289:LYS:HG3	2.16	0.46
1:D:349:VAL:CG1	1:D:353:GLU:HB2	2.44	0.46
1:C:264:SER:HB2	1:C:428:SER:HB3	1.97	0.46
1:C:274:SER:CB	1:C:278:THR:HG21	2.46	0.46
1:A:140:GLU:CB	1:A:201:LYS:HG2	2.46	0.46
1:C:143:LEU:HD23	1:C:143:LEU:O	2.15	0.46
1:C:266:CYS:O	1:C:432:ALA:HB2	2.16	0.46
1:B:317:ARG:HG2	1:B:317:ARG:O	2.16	0.46
1:B:479:PRO:HD2	1:B:491:VAL:O	2.16	0.46
1:D:192:GLY:HA3	1:D:193:VAL:HA	1.39	0.46
1:D:174:ARG:NH1	1:D:269:ASP:O	2.43	0.45
1:D:261:TRP:HA	1:D:501:TRP:O	2.16	0.45
1:D:286:SER:HB3	1:D:289:LYS:NZ	2.31	0.45
1:A:202:LYS:O	1:A:202:LYS:CG	2.57	0.45
1:B:228:THR:HB	1:B:273:HIS:CE1	2.51	0.45
1:C:354:LYS:HB3	1:C:413:PHE:CZ	2.50	0.45
1:A:192:GLY:HA3	1:A:193:VAL:HA	1.60	0.45
1:C:143:LEU:HD22	1:C:200:PHE:CZ	2.51	0.45
1:D:178:CYS:HA	1:D:203:CYS:O	2.16	0.45
1:C:144:PHE:HD1	1:C:200:PHE:CG	2.33	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:332:PRO:HD2	1:D:459:LEU:HD13	1.99	0.45
1:D:422:VAL:HG21	1:D:427:ALA:HB2	1.99	0.45
1:C:186:LEU:O	1:C:186:LEU:CD1	2.58	0.45
1:C:349:VAL:HG11	1:C:353:GLU:HB2	1.98	0.45
1:C:361:PHE:CE1	1:C:447:VAL:HG12	2.45	0.45
1:D:201:LYS:O	1:D:205:GLN:HB2	2.17	0.45
1:B:176:LYS:HZ3	1:B:183:ARG:HE	1.64	0.45
1:B:248:ASP:HA	1:B:254:ALA:HB2	1.99	0.45
1:B:498:MET:HE1	1:B:517:PHE:CE1	2.52	0.45
1:D:165:SER:HB2	1:D:225:MET:SD	2.56	0.45
1:C:252:GLN:NE2	1:C:376:ALA:O	2.50	0.45
1:D:340:VAL:O	1:D:343:SER:HB2	2.17	0.45
1:D:250:ILE:HG22	1:D:252:GLN:H	1.82	0.45
1:C:153:LYS:HG2	1:C:194:MET:HB3	1.99	0.44
1:A:384:SER:O	1:A:384:SER:OG	2.35	0.44
1:B:156:VAL:HG11	1:B:186:LEU:HD11	1.99	0.44
1:B:148:ALA:O	1:B:151:GLN:HB2	2.17	0.44
1:C:261:TRP:HA	1:C:501:TRP:O	2.18	0.44
1:D:140:GLU:OE1	1:D:140:GLU:N	2.36	0.44
1:A:507:LYS:HG2	1:A:507:LYS:O	2.18	0.44
1:B:528:HIS:CD2	1:D:454:ARG:HD2	2.53	0.44
1:D:147:ILE:HG22	1:D:154:ILE:HD13	2.00	0.44
1:D:228:THR:HB	1:D:273:HIS:CE1	2.52	0.44
1:A:180:ASP:OD1	1:A:183:ARG:NH1	2.51	0.44
1:C:192:GLY:HA3	1:C:193:VAL:HA	1.38	0.44
1:C:268:VAL:HG12	1:C:436:ASN:HB2	1.99	0.44
1:A:268:VAL:HG12	1:A:436:ASN:HB2	1.99	0.43
1:A:316:LEU:HD12	1:A:316:LEU:HA	1.86	0.43
1:B:346:LYS:HA	1:B:346:LYS:HD2	1.88	0.43
1:B:320:LYS:HA	1:B:320:LYS:HD3	1.51	0.43
1:C:281:PRO:HA	1:C:422:VAL:O	2.19	0.43
1:C:313:PRO:HG3	1:C:462:SER:HB2	2.00	0.43
1:C:196:ASP:OD1	1:C:196:ASP:N	2.51	0.43
1:D:164:LYS:HB3	1:D:164:LYS:HE3	1.76	0.43
1:C:138:SER:OG	1:C:141:ASP:HB2	2.18	0.43
1:B:176:LYS:HG3	1:B:176:LYS:O	2.19	0.43
1:A:140:GLU:HB3	1:A:201:LYS:HG2	2.00	0.43
1:A:362:LEU:HB3	1:A:430:MET:CE	2.49	0.43
1:B:479:PRO:HG3	1:D:530:TYR:CE1	2.54	0.43
1:B:524:LEU:HD23	1:B:525:CYS:SG	2.59	0.43
1:A:529:ASN:ND2	1:A:530:TYR:CE2	2.87	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:407:MET:SD	1:B:411:LEU:HD23	2.58	0.43
1:C:479:PRO:HD2	1:C:491:VAL:O	2.19	0.42
1:A:160:ILE:O	1:A:164:LYS:HG3	2.18	0.42
1:C:364:LYS:HE2	1:C:445:GLU:OE2	2.19	0.42
1:D:195:LEU:HD23	1:D:199:LEU:HD23	2.02	0.42
1:A:349:VAL:O	1:A:354:LYS:HE3	2.19	0.42
1:B:268:VAL:HG12	1:B:436:ASN:HB2	2.01	0.42
1:C:196:ASP:HB2	1:C:198:ASP:OD1	2.19	0.42
1:B:188:THR:HG22	1:C:255:LYS:HZ1	1.84	0.42
1:B:250:ILE:HD12	1:B:252:GLN:HB2	2.01	0.42
1:A:293:TYR:OH	1:A:306:HIS:NE2	2.34	0.42
1:A:449:SER:O	1:A:453:VAL:HG23	2.19	0.42
1:A:502:SER:OG	1:A:513:LYS:NZ	2.45	0.42
1:B:192:GLY:HA3	1:B:193:VAL:HA	1.77	0.42
1:D:379:GLN:O	1:D:383:GLU:HB3	2.20	0.42
1:A:188:THR:HG22	1:A:189:THR:HG23	2.02	0.42
1:A:522:VAL:CG1	1:A:528:HIS:HB2	2.50	0.42
1:D:192:GLY:N	1:D:193:VAL:HG22	2.35	0.42
1:D:359:MET:HE2	1:D:359:MET:HB3	1.89	0.42
1:D:540:LEU:HD12	1:D:540:LEU:HA	1.89	0.42
1:D:183:ARG:O	1:D:187:GLN:HG3	2.20	0.42
1:D:228:THR:HB	1:D:273:HIS:ND1	2.35	0.42
1:D:407:MET:SD	1:D:407:MET:C	2.98	0.42
1:B:220:VAL:N	1:B:269:ASP:OD2	2.48	0.42
1:B:525:CYS:HA	1:B:540:LEU:O	2.19	0.42
1:D:145:TYR:HB3	1:D:146:THR:H	1.59	0.42
1:D:176:LYS:HD2	1:D:176:LYS:HA	1.95	0.42
1:B:289:LYS:HA	1:B:292:LYS:HE2	2.02	0.41
1:B:144:PHE:O	1:B:148:ALA:HB2	2.20	0.41
1:A:157:HIS:O	1:A:161:THR:HG23	2.21	0.41
1:A:143:LEU:HD12	1:A:212:THR:HG22	2.01	0.41
1:C:316:LEU:HA	1:C:316:LEU:HD23	1.78	0.41
1:B:274:SER:HB3	1:B:278:THR:HG21	2.01	0.41
1:C:323:LEU:HD12	1:C:394:TYR:HE2	1.86	0.41
1:A:197:LYS:O	1:A:201:LYS:HB2	2.21	0.41
1:C:235:TYR:HD1	1:C:236:GLU:HG2	1.86	0.41
1:C:257:SER:HA	1:C:258:PRO:HD3	1.95	0.41
1:A:165:SER:HB2	1:A:225:MET:SD	2.60	0.41
1:A:410:ILE:HD13	1:A:410:ILE:HA	1.93	0.41
1:C:144:PHE:O	1:C:148:ALA:HB2	2.21	0.41
1:B:160:ILE:HD12	1:B:161:THR:N	2.36	0.40

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:358:VAL:O	1:C:362:LEU:HG	2.21	0.40
1:D:249:TYR:CD1	1:D:250:ILE:HG12	2.56	0.40
1:D:388:ASN:HB3	1:D:411:LEU:HD11	2.02	0.40
1:A:364:LYS:NZ	3:A:603:HOH:O	2.54	0.40
1:A:465:MET:HE2	1:A:515:ILE:HD11	2.03	0.40
1:B:359:MET:HE2	1:B:359:MET:HB3	1.80	0.40
1:B:142:LEU:CD1	1:B:216:ARG:NH2	2.84	0.40
1:B:261:TRP:HA	1:B:501:TRP:O	2.21	0.40
1:B:325:GLU:OE1	1:D:317:ARG:HB2	2.22	0.40
1:C:435:ALA:HB2	1:C:491:VAL:HG13	2.02	0.40
1:C:507:LYS:HD2	1:C:507:LYS:HA	1.88	0.40
1:D:250:ILE:HD13	1:D:250:ILE:HA	1.86	0.40
1:D:417:LEU:HD23	1:D:417:LEU:HA	1.92	0.40
1:A:224:PHE:HB2	1:A:271:GLN:NE2	2.36	0.40
1:B:232:ASP:O	1:B:236:GLU:HG2	2.21	0.40
1:C:449:SER:O	1:C:453:VAL:HG23	2.22	0.40
1:C:498:MET:HE3	1:C:498:MET:HB3	1.77	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:307:ARG:NH2	1:B:259:ASP:OD1[1_655]	2.11	0.09

## 5.3 Torsion angles [\(i\)](#)

### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	399/527 (76%)	374 (94%)	24 (6%)	1 (0%)	41 66
1	B	407/527 (77%)	388 (95%)	17 (4%)	2 (0%)	29 54
1	C	408/527 (77%)	390 (96%)	17 (4%)	1 (0%)	47 73

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	D	407/527 (77%)	386 (95%)	20 (5%)	1 (0%)	47 73
All	All	1621/2108 (77%)	1538 (95%)	78 (5%)	5 (0%)	41 66

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	190	SER
1	B	188	THR
1	C	141	ASP
1	D	145	TYR
1	B	151	GLN

### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	349/452 (77%)	342 (98%)	7 (2%)	55 81
1	B	354/452 (78%)	346 (98%)	8 (2%)	50 78
1	C	354/452 (78%)	345 (98%)	9 (2%)	47 76
1	D	354/452 (78%)	344 (97%)	10 (3%)	43 73
All	All	1411/1808 (78%)	1377 (98%)	34 (2%)	49 77

All (34) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	142	LEU
1	A	256	PHE
1	A	298	ASN
1	A	361	PHE
1	A	384	SER
1	A	396	LYS
1	A	500	CYS
1	B	142	LEU
1	B	151	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	202	LYS
1	B	245	LYS
1	B	361	PHE
1	B	382	ARG
1	B	384	SER
1	B	500	CYS
1	C	149	GLU
1	C	196	ASP
1	C	237	SER
1	C	245	LYS
1	C	361	PHE
1	C	387	ARG
1	C	482	SER
1	C	523	SER
1	C	544	ARG
1	D	142	LEU
1	D	145	TYR
1	D	216	ARG
1	D	237	SER
1	D	361	PHE
1	D	382	ARG
1	D	397	GLU
1	D	407	MET
1	D	507	LYS
1	D	523	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	213	GLN
1	B	461	HIS
1	B	529	ASN
1	C	285	GLN
1	D	319	ASN
1	D	510	ASN

### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [\(i\)](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
2	QAJ	B	601	-	32,41,41	0.86	0	35,55,55	2.64	8 (22%)
2	QAJ	D	601	-	32,41,41	0.89	1 (3%)	35,55,55	1.65	9 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	QAJ	B	601	-	-	5/16/34/34	0/5/5/5
2	QAJ	D	601	-	-	6/16/34/34	1/5/5/5

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	601	QAJ	C15-N1	2.48	1.36	1.32

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	601	QAJ	C6-N2-C5	-10.21	105.22	124.26
2	B	601	QAJ	C4-C5-N2	4.70	117.92	110.60
2	B	601	QAJ	C3-C4-C5	-4.35	102.87	110.50
2	B	601	QAJ	C2-C1-C5	-4.20	103.13	110.50
2	D	601	QAJ	C7-N5-C8	-3.98	118.79	129.54
2	B	601	QAJ	C1-C5-C4	-3.69	104.42	110.82
2	D	601	QAJ	C6-N2-C5	-3.49	117.75	124.26
2	B	601	QAJ	C16-N9-C17	-3.47	120.17	129.54
2	B	601	QAJ	C7-N5-C8	-3.16	121.00	129.54
2	D	601	QAJ	O2-C17-C18	-2.78	115.70	122.03
2	D	601	QAJ	C16-N9-C17	-2.71	122.23	129.54
2	B	601	QAJ	C21-C20-C19	-2.42	116.92	120.63
2	D	601	QAJ	C10-C9-C8	-2.32	105.69	112.57
2	D	601	QAJ	C21-C20-C19	-2.25	117.17	120.63
2	D	601	QAJ	C9-C8-N5	-2.21	110.19	114.77
2	D	601	QAJ	C19-C18-C17	-2.15	106.20	112.57
2	D	601	QAJ	C20-C19-C23	2.03	120.09	117.10

There are no chirality outliers.

All (11) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	601	QAJ	S2-C15-N1-C2
2	B	601	QAJ	S2-C15-N1-C3
2	B	601	QAJ	O1-C8-N5-C7
2	D	601	QAJ	S2-C15-N1-C2
2	D	601	QAJ	C1-C5-N2-C6
2	D	601	QAJ	O1-C8-N5-C7
2	D	601	QAJ	O2-C17-N9-C16
2	D	601	QAJ	C9-C8-N5-C7
2	D	601	QAJ	C18-C17-N9-C16
2	B	601	QAJ	O2-C17-N9-C16
2	B	601	QAJ	C9-C8-N5-C7


All (1) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	D	601	QAJ	C1-C2-C3-C4-C5-N1

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In

addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data i

### 6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	403/527 (76%)	0.27	28 (6%) 16 15	38, 56, 113, 164	0
1	B	409/527 (77%)	0.25	30 (7%) 15 13	39, 56, 119, 186	0
1	C	410/527 (77%)	0.40	35 (8%) 10 9	42, 57, 126, 195	0
1	D	409/527 (77%)	0.22	20 (4%) 29 28	38, 55, 110, 166	0
All	All	1631/2108 (77%)	0.29	113 (6%) 16 15	38, 56, 116, 195	0

All (113) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	138	SER	14.2
1	B	192	GLY	9.8
1	C	150	GLY	9.5
1	C	546	GLY	9.1
1	D	145	TYR	7.7
1	C	145	TYR	7.6
1	D	192	GLY	7.4
1	C	191	ASP	7.4
1	D	138	SER	7.1
1	A	191	ASP	7.0
1	B	251	PRO	6.9
1	D	149	GLU	6.4
1	B	191	ASP	6.2
1	A	249	TYR	5.9
1	D	150	GLY	5.7
1	C	252	GLN	5.6
1	A	192	GLY	5.6
1	B	149	GLU	5.6
1	A	149	GLU	5.4
1	C	137	PRO	5.4
1	D	191	ASP	5.4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	318	PHE	5.2
1	B	250	ILE	5.2
1	A	205	GLN	5.1
1	B	252	GLN	5.1
1	B	137	PRO	5.0
1	A	137	PRO	4.8
1	C	249	TYR	4.7
1	C	348	GLY	4.7
1	C	149	GLU	4.4
1	D	316	LEU	4.3
1	C	139	LEU	4.2
1	C	152	GLU	4.2
1	D	317	ARG	4.2
1	C	192	GLY	4.2
1	B	152	GLU	3.9
1	C	251	PRO	3.8
1	C	253	LEU	3.8
1	B	189	THR	3.7
1	B	190	SER	3.7
1	D	142	LEU	3.6
1	D	151	GLN	3.6
1	C	318	PHE	3.6
1	D	348	GLY	3.5
1	B	249	TYR	3.5
1	C	141	ASP	3.5
1	C	151	GLN	3.5
1	C	256	PHE	3.4
1	C	189	THR	3.4
1	C	545	GLU	3.4
1	A	152	GLU	3.4
1	B	151	GLN	3.3
1	A	500	CYS	3.3
1	A	150	GLY	3.2
1	D	193	VAL	3.2
1	B	202	LYS	3.1
1	B	187	GLN	3.1
1	D	252	GLN	3.1
1	A	190	SER	3.0
1	C	317	ARG	3.0
1	A	145	TYR	3.0
1	B	318	PHE	2.9
1	C	209	VAL	2.9

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	145	TYR	2.9
1	D	139	LEU	2.9
1	D	251	PRO	2.9
1	A	187	GLN	2.8
1	C	142	LEU	2.8
1	A	258	PRO	2.8
1	D	137	PRO	2.8
1	C	325	GLU	2.7
1	A	348	GLY	2.6
1	A	544	ARG	2.6
1	B	186	LEU	2.6
1	B	500	CYS	2.6
1	C	257	SER	2.6
1	B	153	LYS	2.6
1	A	545	GLU	2.6
1	A	317	ARG	2.6
1	C	198	ASP	2.6
1	B	340	VAL	2.5
1	A	203	CYS	2.5
1	B	213	GLN	2.5
1	D	189	THR	2.5
1	B	545	GLU	2.5
1	B	138	SER	2.5
1	C	188	THR	2.4
1	C	216	ARG	2.4
1	A	256	PHE	2.4
1	C	250	ILE	2.4
1	A	198	ASP	2.3
1	A	316	LEU	2.3
1	A	213	GLN	2.3
1	A	279	LYS	2.3
1	A	376	ALA	2.3
1	D	144	PHE	2.3
1	B	248	ASP	2.3
1	D	202	LYS	2.3
1	C	213	GLN	2.2
1	C	148	ALA	2.2
1	C	193	VAL	2.2
1	C	544	ARG	2.2
1	A	186	LEU	2.2
1	C	240	LYS	2.1
1	B	205	GLN	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	318	PHE	2.1
1	B	544	ARG	2.1
1	B	176	LYS	2.1
1	B	514	GLY	2.1
1	B	160	ILE	2.0
1	B	466	TYR	2.0
1	A	153	LYS	2.0
1	A	138	SER	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [\(i\)](#)


There are no monosaccharides in this entry.

## 6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	QAJ	D	601	37/37	0.91	0.15	39,62,79,83	0
2	QAJ	B	601	37/37	0.93	0.14	52,67,87,89	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.